

# RENTAL CATALOGUE I.IRELAN 2023-2025

















# WELCOME

# Welcome to our latest N.I. Rental Catalogue, which offers a guide to our comprehensive range of hire products, support services and equipment available for sale.

In conjunction with the opening of our new Dublin Super Depot and a new Depot coming to Cork in early 2024, we have upgraded our portfolio of equipment available for hire, providing you with the widest choice along with some of the most efficient and innovative products in the marketplace.


We appreciate your ongoing loyal support and look forward to working with you and providing what we hope is a valued service long into the future.

## SERVICE You can Trust



# **CONTENTS**

#### **Hire Products:**



## DIVISIONS



#### 8 Divisions - 1 Solution!

Since being established in 1990, KDM Hire has grown to offer you one of the most extensive ranges of equipment available for hire. To make it easier for you to choose the correct equipment for your task, we have divided our equipment and products into 8 separate divisions. To ensure you receive the highest levels of service and best quality products, we operate each product division distinctly, depending on the type of equipment. Our Portable Cabin Hire, Power Generation and Vehicle Hire divisions are branded separately to ensure this focus is provided.

These divisions along with Powered Access and Lifting Equipment are operated with their own dedicated and experienced teams and in the case of K Cabin from a bespoke 4-acre site.



## **DEPOT LOCATIONS**



#### 6 Depots - 1 Solution!

Operating from 6 depots in Northern Ireland & Ireland, KDM Hire endeavours to provide a quality rental service to customers large and small. Each depot has a dedicated team ready to provide local or national support to meet your rental and logistical needs, whatever the scale.



## CALL OUR HIRE DESK TODAY 0845 338 1388

For advice, availability & hire pricing...



## WHY HIRE FROM KDM? 🥪

#### **Our Products**

KDM Hire offers one of the widest selections of equipment available for immediate hire with an ever growing fleet of eco-friendly products.

#### **Our Value**

We aim to offer our customers the best value for money possible by providing up to date and efficient equipment supported by the highest levels of service while keeping our prices competitive.

#### **Our Modern & Reliable Equipment**

With an ongoing replacement policy and a comprehensive maintenance programme, our equipment offers the assurance of reliability and minimal chance of disruption to your task.

#### **Our Service**

We strive daily to offer the highest and most dependable levels of service within the industry. Whether it is answering your phone call or delivering your equipment, we provide a service you can trust.

#### **Our Safety**

Safety is always our number one priority and we are fully committed to the highest safety standards for both you, our customer, and our employees.

For information on PPE and HAV see pages 406-407.





# VIEW OUR WEBSITE





#### **Reduced Capital Costs**

The cost of buying and owning your machinery has increased significantly, particularly when you factor in all ownership costs. Renting some of your equipment allows you to reduce fixed costs and match your costs to revenue.

#### **Reduced Financial Commitment**

Purchasing equipment is a significant financial commitment, your funds are locked in until you sell and the money could possibly be used in other parts of your business.

#### **Minimise Operational Overheads & Hassle**

Owning equipment comes with considerable overheads and management burden. Maintenance & repairs, inspection, insurance, storage, cleaning and depreciation plus transportation and disposal at the end of life all have to be considered when calculating the ownership versus rental option.

#### **Improved Flexibility**

Hiring equipment allows companies to respond to the ebbs and flows of demand and the flexibility to take on niche or additional work loads. Rental also guards against downturns or market volatility.

#### **Enhanced Efficiency**

Equipment is constantly becoming more efficient and advanced; renting gives you access to the most up to date and specialist machinery without ownership, while helping improve your operational efficiency.

#### **Reduced Environmental Impact**

Hiring on a recurring usage or circular economy basis enables more efficient use of equipment through shared use by multiple users, extending the life cycle of equipment and reducing demand for non-renewable resources.



## SAFETY 🥪



#### Safety is our Priority!

KDM is fully committed to safety throughout the business for customers, employees and the general public. Rigorous safety standards are adopted to all aspects of our operations and regularly audited by our dedicated safety team.

All equipment is extensively checked, cleaned and tested prior to each hire to ensure it is fully operational, safe and ready to use. All electrical tools are PAT tested and we carry out an electrical inspection on all cabins prior to delivery. Safety operating instructions are provided with each piece of equipment to ensure you are familiar with its proper use. Alternatively, we can provide a familiarisation handover or advise on the operation of any equipment.

SafeHire certification has recently been awarded for high standards of service, health & safety and environmental management.

For information on PPE and HAV see pages 406-407.

We are fully accredited to the following organisations:



#### **Quality Assurance!**

To give our customers the quality assurance they require, we regularly review numerous quality management processes to ensure we comply with ISO 9001 and other industry standards.

This process of continual improvement helps KDM maintain high standards of service delivery while ensuring operational efficiency and compliance with regulatory requirements. All systems and processes are regularly audited to ensure consistent customer satisfaction.

#### We are fully accredited to the following organisations:





CALL OUR HIRE DESK TODAY 0845 338 1388

## HERE TO SUPPORT YOU 🞇

## Call us today for technical advice or support!

To guarantee reliability and safety on site, our equipment fleet is maintained to the highest standards by our team of experienced service engineers. Support is provided by a dedicated service team and unrivalled spare parts department.

For on-site maintenance and in the unlikely event of a breakdown, our fleet of mobile service engineers are on standby to ensure downtime is kept to the absolute minimum.

So, whether it is advice or technical support, we aim to ensure you are supported every step of the way.



## TRANSPORT & DELIVERY

## Transport to and from site is vitally important to your operation

We operate a modern in-house haulage fleet allowing our dedicated transport team to offer a prompt and reliable service so you can carry on with your business.

We are fully compliant members of Logistics UK, previously known as the Freight Transport Association.





# **GOGREEN** ECO-FRIENDLY RENTAL PRODUCTS

KDM Hire are committed to protecting the environment and have developed the go green initiative to help customers choose the most Eco-friendly rental products for their tasks, thus helping to reduce CO<sub>2</sub> emissions and improve sustainability. Considerable technological advances have been made in battery and electrical power sources, providing greener alternatives but with similar performance to many traditional engine powered products. We have highlighted these products using the **GO GREEN** symbol throughout the catalogue to help you make the greener choice.

#### Some of the many advantages of choosing GO GREEN products



Reduced CO<sub>2</sub> emissions



Safer & quieter to use

Less noise pollution

**Reduced fuel costs** 



Reduced spillage or contamination



Look out for our **GO GREEN** products, options and benefits throughout the catalogue or contact us directly for further details.

#### HYBRID → BOOM LIFT PAGE 204

← SOLAR KIT Page 372



<sup>())</sup> CALL OUR HIRE DESK TODAY 0845 338 1388



LET US TRAIN YOU! We offer a range of approved operator and safety training courses, tailored to meet your requirements and ensure you comply with health and safety legislation.



#### **POWERED ACCESS OPERATOR TRAINING**

Powered Access Operator Training - A wide variety of IPAF (International Powered Access Federation) approved training courses are available to allow the operation or management of various types of Powered Access or Mobile Elevating Work Platforms (MEWP). Upon completion of a training course at one of our IPAF Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate or oversee the selected type of MEWP in the workplace, candidates will also receive a PAL digital card and digital certificate.







#### **Courses available:**

- \* Mobile Vertical / Mobile Boom (3A / 3B)
- \* Mobile Vertical / Mobile Boom / Static Boom (3A / 3B / 1B)
- \* Static Boom / Mobile Boom (1B / 3B)
- \* Mobile Vertical (3A)
- \* Static Boom (1B)
- \* Mobile Boom (3B)



- \* PAV (Push Around Vertical Lifts)
- \* Harness Awareness + Harness User
- \* Harness Inspector
- \* Site Assessment
- \* Load & Unload
- \* Load +
- \* MEWPs for Managers
- \* E-Learning Modules, also available



\* where you see this symbol



#### **MOBILE ACCESS TOWER TRAINING**

Mobile Access Tower Training - Numerous PASMA (Prefabricated Access Suppliers' & Manufacturers' Association) approved training courses are available to allow the use and inspection of a range of low-level access and mobile access towers. Upon completion of a training course at one of our Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate or oversee the use of the selected types of access towers within the workplace. Candidates will also receive a digital PASMA certificate and physical card.



#### **Courses available:**

- \* Combined
- \* Work At Height
- \* Towers For Users
- \* Low-level Access
- \* Towers for Managers
- \* Towers with Bridges

### FORKLIFT / TELEHANDLER OPERATOR TRAINING

Forklift/Telehandler Operator Training - A number of approved Operator Training courses are available to allow the safe operation of Forklifts, Telehandlers and Rotating Telescopic Forklifts. Upon completion of a training course at one of our Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate, select and carry out pre-use inspections on their selected type of forklift. Candidates will also receive a certificate and card.



#### Courses available:

- \* Counterbalance Forklift (B1 & B2)
- \* Telescopic Forklift (J3)
- \* Rotating Telescopic Forklift (J7)





#### **TRAINING CENTRES**

Our bespoke training facilities offer a spacious and comfortable environment for candidates to undertake their course. Undercover areas are provided for practical elements of the course along with high-quality training rooms for theory and assessment.

**Q** Easily Accessible Locations

- 🐞 Refreshments/Lunch Provided
- Friendly Knowledgeable Instructors
- P Free Parking

- High Quality Facilities
- lndoor or Under Cover Training Areas





## **TRADE SHOP**



#### Cookstown • Mallusk • Castlereagh

Our trade shops are your source for tools, consumables, equipment and supplies. We offer you the convenience of one-stop shopping with an extensive range of leading brands at competitive prices. Our stock includes safety and personal protective equipment, work wear, trade & DIY tools, accessories and all your site essentials.



## **CONTAINER & CABIN SALES**



## An extensive stock of new and used Containers and Cabins available for sale.

Various sizes are available and prompt delivery can be arranged. We can also supply new or used offices, canteens or welfare cabins depending on your needs. New anti-vandal, jackleg or modular cabins can be specifically manufactured to your requirements or alternatively we can offer quality ex-rental units from our extensive fleet. Delivery can be arranged with one of our Hiab vehicles to ensure a prompt and hassle free installation.





#### Visit our website kcabin.com for further details





- New or used
- 10, 20 or 40ft options
- ISO shipping approved
- Weatherproof & secure
- Modifications & fitout available

> Nationwide delivery servior New or ex-rental

CABINS

- Anti-vandal or Jackle
- Modular buildings
- Range of sizes available
- Bespoke designs available



## **NEW EQUIPMENT SALES**

## Would you prefer to buy? A range of new equipment is available to buy rather than hire from a selection of leading manufacturers.

Having considerable buying power for our fleet allows us to offer the most competitive prices on a range of top brands including Doosan forklifts, Genie, Maeda and many more.



Visit our website for a full list of products for sale!





## **USED EQUIPMENT & VAN SALES**



#### We are constantly updating and replacing our fleet and have quality ex-rental equipment available for sale at all times.

All used equipment is checked and tested before being offered for sale and comes with a full-service history. All machines are competitively priced from renowned brands and ready for immediate use. Finance options are available and we can arrange nationwide delivery or shipping to any country in the world.













## **CONTRACT - LONG TERM HIRE**





🄊 MANITDU

202

## Contract hire is a flexible and cost effective way to provide equipment for your business without the risks, hassle and hidden costs normally associated with buying and maintaining equipment.

As Northern Ireland's leading equipment rental company, KDM can provide you with almost any type of equipment on a 1 to 5 year rental contract depending on your requirements and budget.

The contract can be fixed to suit your needs and typically includes maintenance and breakdown cover. At the end of the contract you simply hand the equipment back with no residual value risk.

Genîe

≪**VERSALIFT**≫

JCB



# Available for a wide range of products

**COMBiliFT** 

Please call for details

#### WHAT ARE THE BENEFITS?

- Competitive fixed monthly costs
- Easy to budget for improved cash flow
- 1 Tax advantages
- VAT benefits on rentals
- Free up capital for you to invest elsewhere in your business
- 1 Hassle free, we take care of all maintenance and any statutory safety requirements

DOOSAN

- Replacement equipment is available in case of breakdown
- 🚺 New or used equipment available
- Reduction in costs, administration and risk
- Equipment can be supplied to your own specification and livery



## **VAN HIRE OPTIONS**

Choosing the right hire option for your vehicle couldn't be easier. We offer flexible terms from 1 day to 5 years to keep you on the road throughout the year.



## Flexible -Short Term Hire

For immediate or periodic needs

#### **Flexibility with no Commitment**

Short-term hire is ideal if you require vehicles for immediate or periodic needs. You can hire for 1 day or a few months depending on your requirement. You may have a vehicle off the road, need a specialist vehicle for a specific task or simply have a short-term demand for additional vehicles. Whatever the reason we can provide the solution, personal or business.

Short-term Rental - Days or Weeks

# Welfare Van Hire

## Contract -Long Term Hire



For predictable needs without commitment

#### Flexible Long Term or Contract Hire

Our flexible long term hire option is ideal if you require vehicles to meet your medium or long-term needs. It offers an alternative solution to owning or leasing vehicles without the commitment, maintenance and disposal hassles. Whether you require vehicles for seasonal volumes or a contract you have undertaken, our flexible terms give you all the benefits without the risk while allowing you to budget your monthly costs. Prices are fixed at the beginning of the hire depending on the duration, mileage and type of vehicle. An experienced account manager will support you throughout the duration of the hire to ensure you always have the right vehicle to keep your business running smoothly.

See page 381 for further details

**)** CALL OUR HIRE DESK TODAY 0845 338 1388

## **EVENT RENTAL**



#### Hosting an event? Let our experienced team take care of your event rental needs

KDM Hire has an extensive range of equipment suitable for hosting almost any event. Whether it's a sporting event, concert, festival, show, social occasion or private party we can offer a one-stop solution for all your needs.

With over 30 years' experience in the rental business, we can also help you with product and logistical advice to ensure your event runs smoothly and efficiently.

A range of support services are also available ensuring your event meets all quality, health and safety and environmental standards. These include pre-event consultation, on-site set up, installation and technical support, sanitary waste removal, fuel management and logistical management during the event. View our support services page for more details of what we can help you with.



SPORTING EVENTS • CONCERTS • FESTIVALS • SHOWS & FAIRS • SOCIAL OCCASIONS • PRIVATE PARTIES

- i Hassle free professional service
- Free site survey, consultation & advice
- One phone call for all your needs
- Flexible scheduling of logistics
- Reduced transport & admin costs by sourcing all equipment from one supplier
- **1** Full compliance with Health & Safety and Environmental Regulations
- Guaranteed quality products and back-up service
- Fully qualified staff with vast event experience



## **PROJECT RENTAL**



#### KDM is your trusted partner for every project, industrial, construction or infrastructure

Every industry and process is different but all share the need for reliable equipment during planned temporary projects or unexpected emergencies. Whatever the scale of your project, KDM Hire can provide a wide selection of reliable equipment to ensure you have all the necessary resources required to complete on time.

From concept to completion, KDM can provide a single point of contact for the coordination of your project for the supply of all products including; accommodation and sanitary solutions, energy, compressed air, lighting, climate control, welding, lifting, handling and personnel access.

We will also work with you to provide help along the way and advise you on our range of auxiliary services to support your rental equipment.

#### YOUR TRUSTED PARTNER FOR EVERY PROJECT

- Factory shut downs
   Plant maintenance & repairs
   Large scale refurbishments
   Shipyard or port repairs
   Wind energy projects
   Power station maintenance & upgrades
   Industrial or manufacturing re-fits
   Civil engineering or construction
- Temporary accommodation
- Sanitary solutions
- Energy & lighting
- Compressed air
- ✓ Climate control
- ✓ Welding
- ✓ Lifting & handling



## **SUPPORT SERVICES**

#### When hiring some types of equipment you may need more than just the tools for the job.

At KDM we offer a range of support services to make sure you get the most from the equipment and ensure your task is undertaken efficiently and safely.

#### **CALL OUR HIRE DESK TODAY** 0845 338 1388

#### **24 HOUR EMERGENCY CALL-OUT**

Equipment in remote or inaccessible places can

be monitored via tracking equipment allowing

us to check its status or inform us in the event of

be on stand-by for a rapid response.

**Remote Monitoring** 

a problem 24 hours a day.



#### **ON-SITE TECHNICAL SUPPORT**

Engineers can be provided for critical applications or supervision of equipment during peak periods or events.

Field service engineers can offer hands-on troubleshooting, preventative maintenance and technical support with spare parts availability to ensure your task runs smoothly



#### TRAINING

We offer a range of approved operator and safety training courses, tailored to meet your requirements and ensure you comply with health and safety legislation.

## APPROVED Training Provider



#### CONTRACT LIFTING

Contract lifts can be undertaken whereby we take full responsibility for the lift programme and provide qualified operators and the appointed person to ensure the lift is carried out in compliance with BS7121 and LOLER.

CALL OUR HIRE DESK TODAY 0845 338 1388

#### **INSTALLATION & COMMISSIONING**



To ensure some of our more technical equipment has been installed correctly and is safe for use, we can provide fully qualified engineers

to set up and commission equipment ensuring compliance with any legislation, clients or safety requirements.



#### FUEL MANAGEMENT

A fuel management service can be provided to ensure you avoid the inconvenience and cost of running out of fuel. We will schedule on-site refuelling visits as required to keep your equipment running on busy or unmanned sites.

# **EVENT**

#### WASTE REMOVAL



When you hire our temporary toilets, effluent tanks or welfare products, we can provide a fully compliant waste removal and freshwater

replenishment service. This service is available on a one-off or regular basis and is included in the hire rate with some welfare products. Call today for further details.



Qualified personnel are available to carry out statutory examinations on a range of lifting and access equipment. All inspections are undertaken in line with LOLER 'The Lifting Operations and Lifting Equipment Regulations 1998'. Under LOLER regulations, all lifting equipment is subject to being examined and certified on a regular basis. Inspections can be undertaken on your

## MANAGEMENT

KDM can offer a range of management and site set-up services, including on-site event coordination, pre-event consultation and advice, engineer support during your event, equipment set-up and post-event strip down.

**ACCESS & FORKLIFT** 

Fully trained and experienced operators

powered access equipment or forklifts, allowing you

to concentrate on the job in hand. Available for long

or short durations, operators will be familiar with any machines provided offering higher levels of

can be provided along with any hired

**OPERATORS** 

safety and productivity.



## **GENERAL INFORMATION**

#### **Opening Hours**

Monday to Friday Saturday 7.30am to 5pm 8am to 12.00pm



\* Some Depots may vary

#### **Hire Periods**

First Day	The first 24 hour period
Extra Day	Every additional 24 hour period
Weekly Rate	Any seven day period

#### **Weekend Saver**

Take advantage of our Weekend Saver, hire for the whole weekend Pay for just one day!



Take advantage of our discounted weekend hire rates. Collect your equipment anytime from 4pm on Friday, return by 9am on Monday and pay for just one day. *T&C's Apply* 

#### **Contract Hire**



Contract hire is a flexible and cost-effective way to provide equipment for your business without the risks, hassle and hidden costs normally associated with buying and maintaining equipment. See page 16 for further details

#### **Long Term Hire Rates**

Ask about our long term hire discounts, the longer you hire, the better deal you will get!



#### Insurance

It is the customer's full responsibility to protect all equipment against loss or damage. You should always ensure you have adequate insurance cover in place.



#### **Products and Pricing Policy**

All products shown in this catalogue are subject to availability and alternative items of a similar specification may be offered.

Product information and specifications shown in this catalogue are intended as a guide only and whilst we take every effort to ensure the accuracy of this information, we do recommend that you check any essential information before ordering as no liability can be accepted.

- At all times, KDM Hire reserves the right to change rates and information without prior notice.
- All prices listed in this catalogue exclude VAT which will be charged at the prevailing rate.
- All prices are correct at the time of going to press.
- All prices quoted are for standard working hours, additional charges will apply for extra usage.
- All prices quoted exclude fuel and transport to and from site.

#### **Terms and Conditions**

All equipment is hired subject to our Terms and Conditions as specified by the Hire Association of Europe and CPA which can be viewed on our website or pages **399 - 403** of this catalogue.



#### How do I Hire?

KDM strive to make your hire experience as straightforward as possible. If you are not a business or trade customer, we require a few details before you hire.



#### **1: IDENTIFICATION**

When hiring equipment, we require photographic ID, a passport or driving license. We also require proof of your current address, ideally a utility bill or bank statement within the last 3 months.



#### 2: PAYMENT

To hire equipment, payment is required in advance and can be made via credit or debit card. For continuing hires after the initial period, the same card details will be used to take further advanced payments. The card must be in the same name as the hirer.



#### **3: SECURITY DEPOSIT**

We may (and reserve the right to) ask for a security deposit in addition to the advance payment depending on the product being hired or the duration of the hire. This payment can be made via credit or debit card.



#### . . . .

Call our Hire desk Today For advice, availability & hire pricing



As well as advising you on the availability and right choice of equipment, our hire desk experts can offer assistance on hire pricing, payment methods or opening an account.

PLEASE CALL FOR QUOTATION

#### **Open an Account**

#### Open a Business Credit Account Today!



Further information & forms please visit kdmhire.com

It's quick and easy to open a business credit account with KDM Hire. As soon as your new account is set up, you can start benefiting from the convenience of monthly invoicing, pricing agreements and your own account manager.

Credit accounts can be opened within 24 hours of receipt of your application.

Simply fill in our online application form and submit, alternatively download or ask for a form at your local depot and send to the address provided. **www.kdmhire.com/open-an-account** *T&C's Apply* 

#### Open a Trade -Pay as you go Account



Further information & forms please visit **kdmhire.com** 

## Receive 10% discount on selected items!

Alternatively, you can open a pay as you go account which avoids the need to provide ID or pay a deposit every time you hire. Payment in advance will be required each time you hire, payable by credit or debit card. Simply fill in our online application form and resend, alternatively download or ask for a form at your local depot and send to the address provided. **www.kdmhire.com/open-an-account** *T&C's Apply* 

If you require any further information or assistance, please ask a member of our team or call **0845 338 1388** 


## **NEW PRODUCTS**

## We are continually expanding and updating our fleet to provide you with the most up to date, efficient and safest equipment for your task.

Look out for over **70 New Products** highlighted throughout the catalogue. Below are just a few of the latest and most innovative products available to hire.







CALL OUR HIRE DESK TODAY 0845 338 1388



# **TOOL HIRE**



TOOL HIRE

WHATEVER THE JOB, WE HAVE A TOOL TO MAKE IT EASIER. WHETHER ITS DECORATING, DIY, GARDENING OR YOU ARE A PROFESSIONAL TRADESPERSON, OUR EXTENSIVE RANGE OF QUALITY TOOLS AND EQUIPMENT WILL MAKE SHORT WORK OF YOUR JOB.

Access Towers	28-31
Ladders, Scaffolding & Support	32-36
Breaking, Drilling & Fixing	37-44
Cleaning & Floor Care	45-52
Compaction Equipment	53-54
Concrete & Surface Preparation	55-61
Woodworking & Sanding	62-65
Cutting & Grinding	66-72
Gardening & Landscaping	73-81
Heating, Drying & Cooling	82-89
Painting & Decorating	90-91
Plumbing & Pipe Work	92-96
Pumps & Hosing	97-100
Survey & Detection	101-106
Site Tools & Equipment	107-111
Site Power, Lighting & Electrics	112-117
Welding & Cutting	118-119



#### **Over Desk Tower**

The DeskSurfer allows hands-on access to fittings or equipment above desks in offices or reception areas. Simply push into position and manually lift the platform to your desired height. No power source or batteries required. Easy to manoeuvre by a single operator through standard doorways and into small lifts.

- ✓ Allows access above office desks
- No power source or batteries required
- ✓ 3.5m maximum working height

✓ Only 140kg

000	Specs	
Working height	3.5m	4. 5
Platform Height	1.5m	
Platform Capacity	150kg	
Platform Dimensions	-	
Working Footprint	0.65m x 1.35m	5
Height Stowed	1.91m	<b>UNIS</b>
Weight	140kg	
Product Code:	10100	-
	1ST DAY	EXTRA DAY
Over Desk Tower	£46.00	£20.50

WEEKLY £90.00

#### **Stairway Tower**

For painting & decorating or maintenance on stairways or confined spaces, this Tower provides safe access on both domestic and commercial applications.

- ✓ Compact size 0.7 x 1.3m base
- Portal frame allows emergency access
- ✓ Maximum stability
- ✓ Platform heights up to 5m

	Specs		
SWL	275kg		
Max Platform Height	5.0m		$\mathbf{V}$
Max Working Height	7.0m		
Size (w x l)	0.7m x 1.3m		4
Product Code:	10110	8	<u>ě</u> .
	1ST DAY	EXTRA DAY	WEEKLY
3.0m Platform Height 5.0m Platform Height	£92.00 £123.00	£30.00 £41.00	£122.00 £164.00

#### **Folding Tower**

This lightweight portable Scaffold System is ideal for interior decorating or maintenance. Its clever design means that it is both quick and easy to erect and can be easily transported.

- Easy to store and transport
- ✓ One person operation
- Fits through standard doorway





	2.8m	3.8m	4.5m
Platform Height	0.8m	1.8m	2.55m
Working Height	2.8m	3.8m	4.55m
Weight	63kg	90kg	140kg
Platform Size	0.6×1.8m	0.6×1.8m	0.6×1.8m
S W L	275kg	275kg	275kg
Product Code:			10120

Product Code:

	1ST DAY	EXTRA DAY	WEEKLY
2.8m	£50.00	£14.00	£64.00
3.8m	£58.00	£20.00	£78.00
4.5m	£70.00	£21.00	£91.00

#### Mini Tower

These unique scaffold towers allow a single worker to erect the sturdy scaffold in under 10 minutes, maximising the available working time. The MI TOWER does not compromise on security, with easy-clip frame clips and easy-lock stabilisers creating a stable foundation. This compact tower allows access into tight spaces making it suitable for a range of applications. The base of the tower doubles as the storage and transport Trolly, making it easy to keep all of the components together when not in use.

- 🖌 Up to 6m working height
- Erected/dismantled by just one person
- Ready to use in under 10 minutes
- ✓ Fits through standard doorways



Mini Tower	£68.00	£40.
	1ST DAY	EXTRA D
Product Code:	10130	
S W L	150kg	
Platform Size	1.17m x 0.73m	
Weight	110kg	
Max Platform Height	3.99m	
Overall Working Height	6.0m	1
	Specs	



operator

TRAINING



**TOOL HIRE** 

#### Single & Double Width Towers



	1ST DAY	EXTRA DAY	WEEKLY
2.2m Platform Height	£57.00	£19.00	£76.00
3.2m Platform Height	£65.00	£22.00	£87.00
4.2m Platform Height	£79.00	£24.00	£103.00
5.2m Platform Height	£98.00	£31.00	£129.00
6.2m Platform Height	£112.00	£36.00	£148.00
7.2m Platform Height	£127.00	£42.00	£169.00
8.2m Platform Height	£147.00	£48.00	£195.00
9.2m Platform Height	£167.00	£55.00	£222.00
10.2m Platform Height	£187.00	£61.00	£248.00
Double width only below:			
11.2 Platform Height	£205.00	£68.00	£273.00
12.2m Platform Height	£225.00	£75.00	£300.00

Alloy Tower Scaffold is the solution when you require a safe, stable and comfortable working platform. Its lightweight design allows it to be quickly assembled. For narrow aisles or where space is limited, a single width Alloy Tower at only 0.9m wide can solve your access problem.

- Rigid but lightweight construction
- Integral ladders for safe access
- Ribbed rung tubing for increased grip
- ✓ Quick & easy to assemble
- Single or double width optional (850mm or 1450mm)
- ✓ Working height up to 14.2m
- Safe working load of 275kg per platform level









#### **Advanced Guardrail Tower**

The Advanced Guardrail cam-lock system provides an easier and safer alternative to building scaffold towers. Using this system, the guardrail is in place before the user ascends the platform. These towers are also quicker and simpler to build with fewer components. Ideal when towers have to be dismantled and rebuilt regularly. They are also less susceptible to loss and damage.

- ✓ Easier & safer to erect
- ✓ Fewer components, less damage
- ✓ Working height up to 10.7m
- 1 Single and double width towers are available

#### 

Single Width Tow	ver Doub	le Width Tower
0.85 x 2.5	m	1.45 x 2.5m
101	60	10170
1ST DAY	EXTRA DAY	WEEKLY
£68.00	£23.00	£91.00
£80.00	£26.00	£106.00
£95.00	£30.00	£125.00
£118.00	£38.00	£156.00
£133.00	£45.00	£178.00
£154.00	£49.00	£203.00
£177.00	£57.00	£234.00
£200.00	£66.00	£266.00
£223.00	£73.00	£296.00
rm height		
	0.85 x 2.5 101 1ST DAY 668.00 £95.00 £118.00 £133.00 £154.00 £177.00 £200.00 £223.00	0.85 x 2.5m 10160 1ST DAY EXTRA DAY £68.00 £23.00 £80.00 £26.00 £95.00 £30.00 £118.00 £38.00 £133.00 £45.00 £133.00 £45.00 £154.00 £49.00 £177.00 £57.00 £200.00 £66.00 £223.00 £73.00

# OPERATOR TRAINING

#### Bridge Beam

Maximise your access platform with these unique 2.5m Bridge Beams. Designed to safely create an extended platform between two access towers to provide a larger working platform at height.

- Bridge over machinery or obstacles
- Create an extended platform between two towers
- ✓ Kit includes 2 beams, decks and hand rails



	specs
Dimensions	2.58m x 0.51m x 0.1m
Weight	8.3kg
Product Code:	10180



	1ST DAY	EXTRA DAY	WEEKLY
Bridge Beam	£51.00	£14.00	£65.00



#### LADDERS, SCAFFOLDING & SUPPORT



#### **Aluminium Ladders**

Heavy duty Aluminium Ladders capable of reaching heights of up to 13m. These lightweight ladders are ideal when you require access for inspection or maintenance purposes.

Clocod		Gm Double	3.5 Triple	5m
Slip resist	secure sections use and for tran		fe	
✓ Suitable 1	for trade use			

4.8m Double	6m Double	3.5 Triple	5m Triple
4.82m	5.88m	3.08m	4.94m
8.59m	10.96m	7.43m	12.97m
21.8kg	30.4kg	21kg	58kg
10200	10200	10210	10210
	1ST DAY	EXTRA DAY	WEEKLY
	£21.00 £24.00	£12.00 £14.50	£42.00 £50.00
	£22.00	£12.75	£44.00 £92.00
	4.82m 8.59m 21.8kg	4.82m 5.88m 8.59m 10.96m 21.8kg 30.4kg 10200 10200 15T DAY £21.00 £24.00 £22.00	4.82m         5.88m         3.08m           8.59m         10.96m         7.43m           21.8kg         30.4kg         21kg           10200         10200         10210           IST DAY         EXTRA DAY           £21.00         £12.00         £12.00           £24.00         £14.50         £14.50

CALL OUR HIRE DESK TODAY 0845 338 1388  $(\boldsymbol{J})$ 

#### LADDERS, SCAFFOLDING & SUPPORT

#### **Roof Ladders**

For safe access to roofs, these lightweight Alloy Roofing Ladders are easily handled and secured. Simply roll the ladders up the roof and hook them over the ridge tile.

	Θ

	5m Single	7.1m Double	-	2
Closed	5m	4.3m	13	
Open	n/a	7.1m		
Weight	15.35kg	16.8kg		
Product Code:		10220		
		1ST DAY	EXTRA DAY	WEEKLY
5m Single 7.1m Double		£22.00 £22.00	£12.75 £12.75	£44.00 £44.00

#### **Step Ladders**

Free-standing Aluminium or Fibreglass Step Ladders are perfect for low-level decorating or light maintenance work.



#### **Combination Ladders**

Use as an extending stepladder of an extension ladder, these Combination Ladders offer versatility for maintenance or inspection.

✓ All in one, steps or ladder

	2.5m	3m		
Closed Height	2.5m	3m		H
Step Ladder Height	3.78m	4.87m		N
Ext Ladder Height	5.12m	6.76m	Fy	1
Weight	17.2kg	23kg	M	
Product Code:		10230	N.	
		1ST DAY	EXTRA DAY	WEEKLY
2.5m 3.0m		£25.00 £25.00	£15.25 £15.25	£52.00 £52.00

#### Low Level Platform

Lightweight, compact and simple one-person assembly, the ideal solution for low level access up to 3m. These innovative 600mm wide platforms can be set at multiple heights and offer up to 200kg working capacity, perfect for accessing those awkward areas on-site or at home.

 Lightweight and easy to transport
 Multiple platform heights 0.45m - 0.87m
 Guard-rail provides safe working platform
 Guard-rail provides safe
 Guard-rail provi



Platform Height	0.45m - 0.87m			
Max Working height		3m		
Weight		26.8kg		
Dimensions (Folded)	310mm x 760mm x 1120mm			
Dimensions (Assembled)	) 1900mm x 760mm x 1120mm			
S W L		200kg		
Product Code:		10250		
	1ST DAY	EXTRA DAY	WEEKLY	
Low Level Platform	£21.00	£10.00	£42.00	

#### LADDERS, SCAFFOLDING & SUPPORT

#### **Safety Platform Steps**

**TOOL HIRE** 

- Easy po Maximu ~

Salety Hattonin S	icp3		100	
With guardrail protection and stability, these steps are suitab applications.				
<ul> <li>Full guardrail</li> <li>Easy positioning</li> <li>Maximum stability</li> </ul>		A	A	
		周	B	
	5 Tread	7 Tread	1	4
SWL	150kg	150kg		
Max Platform Height	1.63m	2.1m		
Weight	34kg	38kg		
Product Code:		10260		
	1ST DAY	EXTRA DAY	WEEKLY	
5 Tread 7 Tread	£37.50 £43.50	£23.00 £26.25	£77.00 £88.00	

#### **Staging Boards**

When working at a height, these non-slip Platforms provide a safe and comfortable solution for bridging open spans and access problems.

- 🖌 Lightweight
- 🖌 0.6m wide

🖌 Full handrail system available

1 Must be used with handrails and toe boards above 1.8m







	4.2m	6m	7.2m	Guard Rail Post
Span	4.2m	5.4m	6.6m	n/a
Width	600mm	600mm	600mm	n/a
Weight	39kg	56kg	65kg	5.5kg (Post)
Capacity	270kg	180kg	120kg	n/a
Product Code:	10280	10290	10300	10310
		1ST DAY	EXTRA DAY	WEEKLY
4.2m		£20.50	£11.75	£41.00
6m		£22.50	£13.50	£46.00
7.2m		£26.00	£13.50	£55.00
Guard Rail P	ost (Pair)	£10.00	£5.50	£20.00

#### **Podium Steps**

The Mobile Work Platform offers a captive deck and large platform area plus added stability for all maintenance and installation work.

- Easily wheeled through most standard doorways
- Quick and easy to assemble
- Large non-slip captive desk
- Lockable castors
- Lightweight & compact folds flat for easy storage & transportation

	1.2m	a 1./m	
Overall Working Height	2.21m	2.68m	
Max Platform Height	1.2m	1.7m	
Weight	37.5kg	40kg	
Platform Size	500 x 600mm	500 x 600mm	
Product Code:		10270	
	1ST DAY	EXTRA DAY	WEEKLY
1.2m	£29.00	£16.75	£59.00
1.7m	£37.50	£23.00	£77.00

6

## LADDERS, SCAFFOLDING & SUPPORT

### **Chimney Scaffold**

Adjustable Chimney Scaffold provides a safe platform when working around chimneys. Lightweight yet sturdy, this scaffold can be linked together to provide access to all sides of the stack.

 Easily wheeled through most standard doorways

- Quick and easy to assemble
- Large non-slip captive desk
- Lockable castors
- Lightweight & compact

   folds flat for easy storage & transportation



# 

**Ceiling Trestle** 

**Builders Trestle Guard Rail Post** 

**Builders Trestle Guard Rail Tube** 

S W L per Deck	
Weight	ç
Product Code:	

99kg - 1/2 Scaffold

### Builders Trestle + Hand Rail





	1ST DAY	EXTRA DAY	WEEKLY
Full	-	-	£248.00
Half, along Ridge	-	-	£139.00
Half, over Ridge	-	-	£139.00

### **Scaffold Planks & Couplers**

Scaffold Planks are available for use with trestles or scaffold assemblies.

 Poduct Code:
 Image: Code:

	1ST DAY	EXTRA DAY	WEEKLY
Scaffold Plank 8ft Double Coupler Swivel Coupler			£1.50 £1.00 £1.10

£2.10

£3.40

£2.80

## LADDERS, SCAFFOLDING & SUPPORT

## Wall Support (Strong Boy)

Allows you to remove masonry safely below a supported level when used with steel props. Simply hammer into a joint

or gap.	Std	XL	1/-
SWL	340kg	340kg	
Max space between props	900mm	900mm	
Max working height	3m	3m	
Max wall supported thickness	225mm	300mm	
Product Code:	10350	10355	
	1ST DAY	EXTRA DA	Y WEEKLY
Std	-		- £7.50
XL	-		- £8.60

### **Adjustable Props**

These Adjustable Props are the best solution when you require support for ceilings, floors or lintels during renovations or repairs.

✓ 4 sizes available	2		- 2 (	
	0	1	3	4
S W L	1700kg	1500g	1000kg	700kg
Weight	11.9kg	17kg	22.2kg	28.5kg
Height Closed	1.1m	1.8m	2.6m	3.2m
Max Opened Height	1.8m	3.0m	3.9m	4.9m
Product Code:				10370

	1ST DAY	EXTRA DAY	WEEKLY
No 0, 1.1m - 1.8m	-	-	£3.10
No 1, 1.8m - 3m	-	-	£3.50
No 2, 2.6m - 3.9m	-	-	£3.90
No 3, 3.2m - 4.8m	-	-	£4.40

## **Trench Props**

No 2, 0.7m - 1.1m

These sturdy adjustable props are designed to brace the sides of a trench, providing support for trenchsheets and shuttering

	0			5
	0	1	2	
SWL	1850kg	1850kg	1650kg	
Weight	5kg	7.5kg	10.5kg	1
Range	0.3 - 0.47m	0.45 - 0.7m	0.71m - 1.1m	4
Product Code:			10380	
		1ST DAY	EXTRA DAY	WEEKLY
No 0, 0.3 - 0	.47m	-	-	£3.10
No 1, 0.45 -	0.7m	-	-	£3.50

## Wall Support (Prop Pal Needle)

The safest, guickest, and most effective method of on-site wall support. Simply pass the needle through the wall (brick sized slot). Support one end with an acrow prop (slot provided for safety) and fix the jacking screw plate to the floorboard timber or suitable base on the other side.

- 🖌 Up to 1500kg S W L
- Quick and easy

SWL

Weight

Safer than conventional wall support methods





	1ST DAY	EXTRA DAY	WEEKLY
Wall Support	-	-	£11.00

£3.90



## **Hydraulic Breaker**

Ideal for emergency work or remote locations, these compact Hydraulic Units will continuously power anti vibration breakers. For use on road works, pavements or concrete slabs.




	Breaker	🖊 201 P / Pack	
Weight	24kg	81kg	
Flow/Output	20lpm	20lpm	
Steel Capacity	1 1/4"	N/A	
Power	Hydraulic	9 hp / Petrol	
Product Code:	10410	10400	
	1ST DAY	EXTRA DAY	WEEKLY
20I P / Pack (price include	es Breaker) £50.00	£35.00	£124.00





## Electric Jack Hammer 30kg

With an outstanding impact energy of 68 joules, this heavy duty hammer out performs all other electric hammers and is a match for most air or oil operated tools. Ideal for concrete or asphalt demolition.



### **Cordless Jack Hammer**

These heavy-duty cordless jack hammers provide a massive 64 blow joules of impact energy for the toughest demolition applications with similar breaking power of traditional Petrol, corded or even pneumatic alternatives.

Ideal for applications where ~ mains power is unavailable 64 joules of impact energy Only 30kg



**Cordless Jack Hammer** 



	1ST	DAY	E
Product Code:	10430		
Impact Energy	64 Joules	Ser.	C.
Power	Battery		
Weight	29.6kg		
		100 C 100 C	

Specs

£64.50



£64.50

£162.00

### Heavy Duty Breaker 12kg

For general demolition of walls or breaking up indoor concrete floors, this powerful Breaker has anti-vibration handles for prolonged use.

Break up concrete at ease



	1ST DAY	EXTRA DAY	WEEKLY
Heavy Duty Breaker	£37.00	£29.25	£96.00

## **Breaker Trolly**

The Makinex Breaker Trolley is an innovative demolition tool for help with the fast and easy removal of floor tiles, wooden surfaces and residue from tile beds.

Ideal for the removal of ceramic tiles



### **Medium Duty Breaker 7kg**

With exceptionally high break out force, this Breaker offers unrivalled performance for chiselling walls or general masonry work.



Weight     10kg     ✔     11.6 joules of ir       Power Rating     1300W / 110V / 240V     energy       Product Code:     10460       IST DAY     EXTRA DAY     WEI	
	npact
1ST DAY EXTRA DAY WE	
	KLY
Medium Duty Breaker £29.00 £20.75 £7	.00

### Rotary Hammer Drill, Heavy Duty 80mm

Drill up to 160mm holes in masonry or fit a chisel for demolition work, this heavy duty Rotary Hammer is ideal for continuous site use.



## **Electric Chipping Hammer 5kg**

When chipping plaster or chasing walls, these lightweight Breakers provide a fast and efficient solution for most masonry applications.



🖌 5.9 joules of impact energy

	Specs		
Weight	6.2kg		
Power Rating	870W/110/240V	a la	
Product Code:	10470	1000	

	1ST DAY	EXTRA DAY	WEEKLY
Electric Chipping Hammer	£26.50	£18.75	£66.00

## Rotary Hammer Drill, Medium Duty 32mm

Light enough to be used at head height, this versatile Drill will drill up to 80mm holes and handle any chipping or scaling tasks.



## SDS Drill

**TOOL HIRE** 

SDS Drills combine high output and low weight for drilling smaller holes in concrete or masonry.

🖌 Only 2.2kg

🖌 Maximum capacity 20mm

-		nel	-0
	ī		19
		Specs	1
Weight		2.8kg	
Power Rating	830W/110V/	240V	
Max Drilling Capacity (Co	oncrete) 2	6mm	
Product Code:		10500	
	1ST DAY	EXTRA DAY	WEEKLY
SDS Drill	£14.50	£9.75	£37.00

## **Dry Diamond Core Drill**

Dry drilling of up to 132mm holes in brick, limestone, blocks or other abrasive materials couldn't be easier. These heavy duty diamond core drills are lightweight and offer a side handle for operator comfort, making heating, ventilation and electrical installation quicker and easier.



	Specs		
Weight	5.5kg		
Power Rating	1700W/110V		
Max Drilling Capacity	132mm		
Product Code:	10520		
	1ST DAY	EXTRA DAY	WEEKLY
Dry Diamond Core Drill	£36.00	£28.00	£92.00

## SDS Cordless Drill

Long lasting battery power combined with SDS performance makes this the perfect tool for drilling

SDS Cordless Drill	£29.00	£20.75	£73.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:		10510	
Charge Time	1	hour 🏢	
Max Drilling Capacity	24mm / mas	sonry 💆	Version available
Power Rating		24V <b>4</b>	GOGREEN
Weight	3	3.8kg	
<ul> <li>Ideal for applications where mains power is unavailable</li> <li>Only 3.8kg</li> <li>Maximum capacity 24mm</li> </ul>		Specs	
where no mains is available.			

## **Core Drill Dust Extraction Shroud**

Dust free drilling, faster drilling and longer diamond/bit life are some of the benefits of using these shrouds. The vacuum holds the shroud to the wall allowing you to use both hands.

Suitable for a range of core sizes

Simply connect to a vacuum for fast dust free drilling

	1ST DAY	EXTRA DAY	WEEKLY
Core Drill Dust Extraction Shroud	£11.00	£8.00	£28.00
•••••••••••••••••••••••••••••••••••••••			

## **Masonry Drill Bits**

To complement our range of drills and breakers, we have a range of drill bits and cores available for hire.



Product Code: 10570


	1ST DAY	EXTRA DAY	WEEKLY
Bits up to 25mm	£2.30	£2.20	£6.70
From 25mm-38mm	£4.50	£2.20	£10.00
From 38mm-50mm	£9.00	£5.50	£21.10
Bits over 500mm long	£11.00	£7.50	£26.60
T.C.T 40mm-75mm	£9.00	£6.50	£22.20
T.C.T 76mm-150mm	£11.00	£7.50	£26.60





### **Hydraulic Core Drill**

These powerful hydraulic drills are make light work of coring holes on site where electric is not the best solution. Extremely easy to use and the drill comes with a built-in hydraulic torque limiter ensuring max torque. An integrated security system prevents any kickback if the core drill jams making this drill extremely safe for users.



## **Diamond Drills and Rigs**

## Wet Diamond Core Drills (Hand Held)

For ducting or vents, these Hand Held Drills provide a safe way to cut clean and accurate holes, up to 80mm in diameter in masonry walls.

-	Clean & accurate holes up to 80mm	
×.	Clean & accurate noies up to obinin	

🖌 Only 8.2kg

Range of Diamond

### Cores available

		Specs	
Weight		8.2kg	
Power Rating	1800W / 110V		
Max Drilling Capacity	8	30mm	
Product Code:		10540	
	1ST DAY	EXTRA DAY	WEEKLY
Wet Diamond Core Drills	£47.50	£35.00	£120.00

Rig Mounted Drills provide stability and accuracy when drilling larger diameter holes through concrete and masonry. Capable of drilling holes up to 250mm, suitable for installation work or civil engineering projects.

 Drill up to 250mm holes
 Quick, clean and accurate holes
 Drill holes at up to 45° angles
 Range of Diamond Cores available

	1ST DAY	EXTRA DAY	WEEKLY
160mm Drill & Rig Combined	£77.50	£58.50	£195.00
250mm Drill & Rig Combined	£101.50	£76.00	£255.00
Vacuum Pump	£25.00	£20.25	£65.00



# 

10	60mm (Drill only)	160mm (Rig only)	250mm H/Duty
Weight	8.2kg	13.8kg	34kg
Power Rating	1800W/110V	N/A	2300W
Max Drilling Capacity	<b>/</b> 160mm*	160mm	250mm
*Must be used with Rig		Product Cod	e: 10550

## **Dry Diamond Core Bits**

A range of dry diamond core drill diameters are available for efficient drilling of concrete or masonry. Best used with a dust extraction head and vacuum.



.....

	RATES
50mm	£33.00 per mm / £16.50 Min
75mm	£50.00 per mm / £25.00 Min
100mm	£75.00 per mm / £37.50 Min
132mm	£99.00 per mm / £49.50 Min

### Wet Diamond Core Bits

Wet or dry Core Bits are available for hire or sale in a range of sizes. Hire is charged depending on the wear.



KAIES
£38.00 per mm / £19.00 Min
£56.00 per mm / £28.00 Min
£81.00 per mm / £40.50 Min
£106.00 per mm / £53.00 Min
£124.00 per mm / £62.00 Min

### Water Supply Unit

When using hand held cutting equipment, this portable unit supplies a flow of water with a 16l capacity.

	Specs		P.	
Capacity	16		· ····································	
Hose Length	3m			
Product Code:	10580			
		1ST DAY	EXTRA DAY	WEEKLY
Water Supply Uni	t	£11.50	£5.75	£25.00

THIL

## **Angle Drill**

For drilling through joists or for those difficult to reach confined spaces.

13mm / Steel drilling capacity 🖌 Only 3.7kg

**M A S** 





		Specs	
Weight		3.7kg	
Power Rating	-	710W	
Max Drilling Capacity	13mm / Steel		
Product Code:	10600		
	1ST DAY	EXTRA DAY	WEEKLY
Angle Drill	£22.25	£16.25	£57.00

## **Cordless Drill / Screwdriver**


When working in confined spaces or away from power sources, these battery powered screwdriver/drills are the perfect solution.

- 🖌 Up to 1 hοι
- 🖌 Only 2.9kg

Cordless Drill / Screwdriver	£17.50	£12.00	£44.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:		10610	
Charge Time	1	hour	
Power Rating		4.4V	5.
Weight	2	2.9kg	1 444
Version available	9	Specs	
<b>COGREEN</b>		2	
	4		
<ul> <li>Up to 1 hour charge time</li> <li>Only 2.9kg</li> </ul>	0	Con-	

## **Magnetic Drill**

Boring accurate holes in steel is made easy using this versatile Drilling Machine. The powerful magnet will allow holes of up to 35mm





unrivalled power.

Only 3.3kg

 $\bigcirc \bigcirc$ 

Aagnetic Force roduct Code:	1ST DAY	10620 EXTRA DAY	WEEKLY
-		10620	
agnetic Force			
	7	7.9kN	
ax Drilling Capacity	3	5mm	100 C
wer Rating	7	700W C	
ight		14kg	
		Specs	
		Li j	1
<ul> <li>7.9kN magnetic force</li> </ul>	steel	0-	
Bore up to 25mm holes in			

## **Cordless Impact Wrench**

These high torgue drive impact

wrenches provide excellent fastening

and nut busting performance. The latest

lithium-ion battery technology delivers

impressive run times whilst providing

Impressive battery run times



1/2		3/4	
3.3kg		3.5kg	
18V	Lithiu	m-ion	
1356Nm	162	27Nm	
		10640	
	1ST DAY	EXTRA DAY	WEEKLY
	£26.50	£13.25	£55.00
	£34.25	£17.00	£70.00
	18V	3.3kg 18V Lithiu 1356Nm 163 1ST DAY £26.50	3.3kg 3.5kg 18V Lithium-ion 1356Nm 1627Nm 10640 1ST DAY EXTRA DAY £26.50 £13.25

GOGREEN Version available

1/2"

## Hilti Gun

Nailing up brackets or batons to metal, concrete or masonry is no problem with these durable and effective nailing tools.

- ✓ Industry standard cartridge tool system
- Easy fixing to brick, concrete and steel

	Specs
Capacity	12 - 72mm
Weight	3.3kg
Fastener intake	Single Shot
Product Code:	10630



Floudet Code.	10050			
		1ST DAY	EXTRA DAY	WEEKLY
Hilti Gun		£25.50	£19.75	£65.00
·····				

### Cordless Auto-feed Screw Gun

This easy-to-use screw gun with auto-feed allows for extra fast and accurate fixing when studding or framing.

- Fast & accurate fixing Adjustable nose cone for
- countersinking



	Specs		
Weight	2.0kg		
Screw Capacity	6mm maximum		
Max. Torque	13Nm		
Product Code:	10645		
	1ST DAY	EXTRA DAY	WEEKLY
Cordless Auto-feed Screw (	Gun £25.50	£19.75	£65.00

## **Cordless Framing Nailer**

When no convenient power supply is available, this Cordless Nail Gun is ideal for roofing, fencing or framework.

<ul> <li>✓ No gas required</li> <li>✓ Only 3.5kg</li> </ul>	-	ma	waukee
Image: Constraint of the second state of the second sta	9	T	Γ
	Specs		0
Weight	3.5kg	11.70	
Nail Range	50 - 90mm		100
Magazine Capacity	25 - 37 Nails		
Product Code:	10670		
	1ST DAY	EXTRA DAY	WEEKLY
	ISIDAT		VVEEIXEI

### Air Finishing Nailer 20 - 65mm

When you require a tool for high quality finishing around architrave, door frames or picture rails, this Nailer is the tool of choice.

Concrete version available



	Specs	8	-02
Weight	1.5kg		
Air Comsumption	6cfm		
Nail Capacity	16 - 65mm		
Product Code:	10680		
	1ST DAY	EXTRA DAY	WEEKLY
Air Finishing Nailer 20 - 65mm	£23.25	£17.50	£60.00

### **Cordless Finish Nailer**

Excellent compact Nailer allows the user to sink nails at a more accurate angle flush into hardwood surfaces

No gas or air required
 Allows more accurate fixing





	Specs		
Weight	3.5kg		
Nail Range	16 - 54mm		
Magazine Capacity	110		
Product Code:	10684		
	1ST DAY	EXTRA DAY	WEEKLY
Cordless Finish Nailer	£25.50	£19.75	£65.00

### **Cordless Pop Riveter**

Increase productivity using compact rivet tool. Can fix up to 325 rivets from a single charge. Suitable for aluminium, steel and stainless-steel rivets up to 4.8mm.

Up to 325 rivets per charge

Increases productivity



	Specs		
Weight	2.1kg		
Rivet Range	2.4 - 4.8mm		
Pull Force	9000N		
Product Code:	10686		
	1ST DAY	EXTRA DAY	WEEKLY
Cordless Pop Riveter	£26.50	£13.25	£55.00

**TOOL HIRE** 



### **Electric Power Washers**

These Electric Power Washers are light and portable. Perfect for cleaning cars, patios or general work around the home or garden.

Additional hosing is available for all washers

	Specs		SEMON T
Operating Pressure	1500psi	No.	
Water Flow	12l/min	NON C	10
Power Rating	3hp / 240V		
Weight	40kg		
Product Code:	10710		
	1ST DAY	EXTRA DAY	WEEKLY
Electric Power Washers	£31.00	£23.00	£78.00

### **Petrol Power Washers**

Petrol Washers provide a powerful washing performance without the need for a fixed power supply. Ideal for laneways or landscaping tasks.



**TOOL HIRE** 

### **Surface Power Washer**

This Power Washer is the ideal cleaning solution for patios, decking and smaller jobs and is easy to transport - the perfect 'weekend' hire machine. The Washer disconnects from the roto deck to use with a 9m hose and lance provided to clean harder to reach areas.



Surface Power Washe	r	£46.50	£34.00	£116.00
		1ST DAY	EXTRA DAY	WEEKLY
Product Code:	10720			
Cleaning Width	500mm			
Width	450mm			
Run Time @75%	3.6hrs		and lance provi	ueu
Power Rating	6.5hp		and lance provi	
Water Flow	14	🖌 Ideal f	or paving brick	
Operating Pressure	2400psi			

Specs

#### Hot Box, Water Heater

This unique machine turns your cold water pressure into a hot water pressure washer. Capable of heating water up to 140°C and handling pressures up to 200 bar (2900 psi), this is the ultimate washer for removing the toughest dirt.



	$\bigcirc$	$\Theta$	

	Specs		
Max Op. Pressure	2900psi (200 bar)		
Flow	6 - 12l/min		
Power Rating	13A/240V		
Weight	92kg		
Fuel Capacity	18		
Temperature Range	30 - 140°C		
Product Code:	10740		
	1ST DAY	EXTRA DAY	WEEKLY
Hot Box, Water Heater	£62.00	£46.00	£155.00

## **Diesel Power Washers**

For larger cleaning jobs, these powerful Diesel Washers are suitable for the toughest conditions around the site or on the farm.



## Drain Jetting Kit

Ideal for cleaning drains, this Drain Jetting Kit uses high pressure water to flush away any soft stoppages such as waste, grease or silt.



### Washer Bowsers

	5015		
For cleaning areas whe convenient mains wate available, tow one of t Bowsers to your location	er supply is hese Washer		ROMBARE 02
	Specs		
Operating Pressure	3000psi	~	3000 psi
Water Flow	15l/min	~	Diesel powered
Power	13hp / Diesel	~	1100l water capacity
Weight	1380kg / laden		
Capacity	1100		
Product Code:	10760		

# 

	1ST DAY	EXTRA DAY	WEEKLY
Washer Bowsers	£97.50	£71.25	£241.00
•••••••			

#### Surface Cleaner

This Surface Cleaning attachment is great for cleaning concrete or paving brick and minimises spray.



### Washer Lances

Turbo Nozzles greatly increase cleaning ability and work rates. A concentrated high-pressure jet spins rapidly, quickly cleaning stubborn dirt. Also, reach those inaccessible areas with this handy long reach Lance attachment 

### Turbo Telescopic

Extends	0.9n	1 2m-4.7	m/15'6"
Weight			3.9kg
Max. Pressure	3625 ps	i	-
Max. Flow	29 litres/mir	۱	-
Product Code:	1078	)	10780
	1ST DAY	EXTRA DAY	WEEKLY
Telescopic Lance	£15.50	£11.00	£38.00
Turbo Lance	£12.00	£9.00	£30.00

# Extension Hose Reel 40m NEW

Extend your wash area with ease by adding a 40m hose reel mounted on a convenient wheeled trolly.

40m additional hose reach Easy-use reel

ea trolly.	
	(DTh
	RP
	V Y

	Spec	S
Hose Length	40r	n
Max. Working Pressure	3000p	si
Weight	50k	g
Product Code:	1078	30
1ST DAY	EXTRA DAY	WEEKLY
Ext. Hose Reel 40m £17.00	£17.00	£51.00

### Wheeled Water Bowser

This Wheelable Water Bowser is great for taking water to where you need it for power washing tasks. 100l capacity with guick connect hose coupling.





#### Manual Sweeper Collector

Compact and completely manual, this lightweight sweeper collector is ideal for use in both outdoor and indoor applications including shopping centres and warehouses.

- Walk behind high-performance sweeper
- Sweep and collect up to of 2300m<sup>2</sup> per hour
- Compact and completely manual
- Side-brush allows for close edge cleaning



#### **Moss Brush**

This unique Moss Brush provides a 870mm wire brush head for the easy removal of thick moss from a range of surfaces including block paving, concrete, tarmac or sports surfaces. The machine offers a clockwise and anti-clockwise rotation of the brush allowing left or right hand operation. Get into the cracks and crevices where the moss resides, without the use of harsh chemicals or water.

- ✓ Removes moss from most surfaces
- Wire brush gets into cracks and crevices
- 🖌 870mm diameter brush head
- Handlebars fold down for transit or storage

# 

	specs
Clearing width	870mm
Overall Width	870mm
Weight	83kg
Power Source	Petrol
Product Code:	10810



### Self Propelled Sweeper Collector

Offered in either Petrol or battery powered options, these compact sweeper collectors are ideal for clearing up areas including yards or warehouses. With a sweeping speed of 5 km/h and an attached side brush for those awkward areas, these sweepers provide an efficient way to clean up dust and debris.
✓ 35I waste capacity
✓ 5km/h sweeping speed
✓ Side-brush allows for close edge cleaning



Battery	Petrol	
505mm	505mm	
<b>h</b> 705mm	705mm	
600W/12V	4.5hp / Petrol	6
112kg	105kg	
351	351	
	10800	
1ST DAY	EXTRA DAY	WEE
£62.00 £62.00	£42.00 £42.00	£148 £148
	505mm n 705mm 600W / 12V 112kg 35l <b>1ST DAY</b> £62.00	505mm 505mm 705mm 705mm 600W / 12V 4.5hp / Petrol 112kg 105kg 35l 35l 10800 1ST DAY EXTRA DAY £62.00 £42.00



	1ST DAY	EXTRA DAY	WEEKLY
Moss Brush	£55.00	£55.50	£194.00



#### CALL OUR HIRE DESK TODAY 0845 338 1388

### Floor Scrubber / Polisher

Clean or polish most types of hard flooring with this electric powered Floor Scrubber/Polisher. Ideal for shops, showrooms or factory floors where high quality finishes are required.

 All machines are supplied with a scrubbing brush head



	Specs	6	
Operating Width	400mm		100
Power Rating	1000W/240V		
Weight	32kg	Constant of the local division of the local	-
Product Code:	10820		
	1ST DAY	EXTRA DAY	WEEKLY
Scrubber	£36.00	£26.75	£91.00

### **Electric Floor Scrubber Dryer**

Clean and dry most types of hard flooring in a single operation with this Scrubber Dryer. Ideal for showrooms or workshops, this scrubber will remove the toughest dirt and grime.

- ✓ Removes the toughest grime
- All machines are supplied with a scrubbing brush head





	specs			
Operating Width	500mm			
Power Rating	1300W/240/110V			
Weight	65kg			
Product Code:	10830			
	1ST DAY	EXTRA DAY	WEEKLY	
Electric Floor Scrubber Dryer	£57.00	£43.25	£144.00	

## Battery Floor Scrubber / Dryer

High-performance scrubbing and drying for the toughest commercial, industrial and residential cleaning applications. These easy-to-use battery-powered machines do away with the disruption of power cables and offer quick and straightforward brush release and waste removal systems.

~	Battery-powered
~	Self-propelled
~	For the toughest cleaning applications
<ul> <li>✓</li> </ul>	All machines are supplied with scrubbing brush heads
9	
4	COGREEN Eco Version

	Specs		
Brush Width	510mm / 20''		
Squeegee Width	760mm / 30''		
Power	24V Battery		
Tank Capacity Clean / Dirty	421/421		
Product Code:	10830		
	1ST DAY	EXTRA DAY	WEEKLY
Battery Floor Scrubber / Drve	er £83.00	£60.25	£208.00

## Scrubber Pads & Heads for Sale



PLEASE CALL FOR QUOTATION

### Ride on Floor Scrubber / Dryer

Ride-on scrubber dryers provide a very efficient solution for cleaning large floor areas such as warehouses, factories or schools. Compact and easy to manoeuvre they are ideal for large commercial and industrial applications offering maximum operator comfort, a travel speed of up to 6km/h and onboard battery charging for extended run times. A hand-held vacuum for reaching those otherwise inaccessible areas is fitted along with an integrated headlight for cleaning in dimly lit rooms.



- Compact and easy to manoeuvre
- 🖌 Up to 6km/h
- 🖌 Long run times



	Specs
Cleaning Width	533mm / 21''
Squeegee Width	760mm / 30''
Power	24V Battery
Weight	443kg
Tank Capacity Clean/Dirty	751
Product Code:	10840





	1ST DAY	EXTRA DAY	WEEKLY
Ride on Floor Scrubber / Dryer	£123.50	£91.75	£308.00

## **Steam Cleaners**

#### Domestic

Ideal for domestic and light commercial applications, this portable Steam Cleaner quickly removes dirt from tiling, sanitary ware, stainless steel kitchen appliances or enamelled surfaces.



🖌 Up to 165°C

#### Industrial

Suitable for industrial and commercial applications, this heavy duty cleaner will remove dirt and grime from areas and surfaces. The grime is dissolved and then removed by the vacuum leaving the area clean and sanitised.

- Suitable for commercial applications
- ✓ Integral vacuum
- 🖌 9 bar operating pressure



	C	omestic	Industrial
Power Rating	240V/	1500W	240V/3000W
Operating Pressure		5 bar	9 bar
Weight		13kg	36kg
Boiler Capacity		2.21	3.4
Vac Tank Capacity		n/a	51
Max Boiler Temp		165°C	180°C
Product Code:			10850
	1ST DAY	EXTRA DAY	WEEKLY
Domestic Industrial	£55.00 £96.00	£41.00 £71.50	£138.00 £239.00

### **Carpet Cleaner**

Make short work of the most difficult carpet cleaning tasks. These robust, lightweight and easy to use carpet cleaners lift ground-in dirt from deep within the carpet and then wash the material to ensure your carpets are once again looking brand new.

<ul> <li>Make shor difficult car</li> </ul>	t work of the most rpet cleaning tasks
✓ Lightweigh	nt & easy to use
✓ Upholstery	Tool available Specs
Capacity	8l clean / 8l dirty
Power Rating	240V / 1440W

19kg

10860

Weight

Product Code:

Carpet Cleaner



## Carpet & Upholstery Cleaner

Capacity 12l clean / Power Rating Weight Product Code:	1000W 19.5kg		
	1000W	1	
Capacity 12l clean /			
•••••••••••••••••••••••••••••••••••••••	12l dirty		,
	Specs		
🖌 12l clean / 12l dirty ca	pacity	Contraction of	
the carpet and then wash material leaving it as new.	vithin		
These robust Carpet Cleane ground in dirt from deep v	and life		

#### Wet & Dry Vacuums

These heavy duty Vacuum Cleaners are ideal for when you require heavy duty extraction and continuous use. Ideal for cleaning spills of liquid or flooded areas, these Wet & Dry Vacuums are capable of removing large volumes of liquid from surfaces quickly and effectively. Alternatively they are suitable for extreme dusty environments.





			Specs
Capacity		401	70
Power Rating	2000	W/110V	2000W/110V
Weight		22.5kg	26kg
Product Code:		10880	10890
	1ST DAY	EXTRA DAY	WEEKLY
401	£32.00	£23.00	£80.00
70	£35.00	£26.75	£88.00

#### **Backpack Vacuum**

For cleaning confined or awkward spaces, this lightweight Vacuum straps comfortably onto your back.



#### **Dust Extractor Vacuums**

A range of dust extraction vacuums are available to remove dust from cutting and grinding tools, significantly reducing the health risks connected with working in dust environments. Fitted with HEPA and fine cellulose filters these vacuums can be used with a variety of equipment including masonry saws, grinders and floor preparation equipment to ensure the safety of operators.

- 3 sizes available for all applications
- Ideal for hand tools & floor preparation equipment
- ✓ M & H Class available, suitable for fine dust, concrete, plaster, wood or filler
- ✓ Light alerts operator when the filter needs cleaned



	Small	Medium	Large
Hose Connection	32-45mm	38mm	50mm
Capacity	351	201	201
Flow	210m³/h	210m³/h	330m³/h
Power Rating	1000W	1285W	2680W
Weight	13.5kg	16kg	50kg
Dust Class	Μ	Н	Н
Recommended Us	e Small Tools	Masonry Saws/ light Floor grinding	Floor Planer/ aggressive floor grinding

Product Code:	10920	10930		10940	
		1ST DAY	EXTRA DAY	WEEKLY	
Small		£32.00	£23.00	£80.00	
Medium		£37.00	£28.75	£98.00	
Large		£44.50	£31.75	£110.00	

## **COMPACTION EQUIPMENT**



## **COMPACTION EQUIPMENT**

## **Electric Vibrating Plate**

A lightweight and compact 15" vibrating plate with the benefit of high-performance compaction rates and speed (24m/min). The 1.5kw electric motor provides low noise levels and zero emissions, ideal for indoor or outdoor vibrating applications where ventilation is restricted.

- Zero emissions ideal for indoor or outdoor use
- ✓ High performance compaction
- 🖌 Compact design
- Low noise levels for pedestrian areas



15"	6-	1.2
380mm	El al	0/00
12kN		
50kg		
1.5kW		
10960		
1ST DAY	EXTRA DAY	WEEKLY
£21.50	£15.75	£54.00
	380mm 12kN 50kg 1.5kW 10960 1ST DAY	380mm 12kN 50kg 1.5kW 10960 1ST DAY EXTRA DAY

## **Trench Rammer**

When working in trenches or narrow tracks, these Rammers will allow you to compact safely and efficiently.



Width

Power

Product Code:

**Trench Rammer** 

Compaction Force Weight



## **Petrol Vibrating Plate**

When compacting stones, gravel or sand, these Petrol Vibrating Plates will provide excellent results. Available with water tank and sprinkler bar for asphalt use.

	14″	18"	
Width	350mm	460mm	
Compaction Force	10.12kN	13.7kN	
Weight	77kg	90kg	
Product Code:		10970	
	1ST DAY	EXTRA DAY	WEEKLY
Petrol Vibrating Plate	£27.00	£19.00	£67.00

## **Diesel Vibrating Plate**

These Heavy Duty Plates have the added advantage of a reverse action which allows you to compact into tight areas. Powerful Diesel Power Plates provide unrivaled compaction performance.



	Specs		
Width	400mm	🗸 Reve	rsihle
Compaction Force	25kN		
Weight	150kg		
Power	Diesel		
Product Code:	10990		
	1ST DAY	EXTRA DAY	WEEKLY
Diesel Vibrating Plate	£52.00	£39.25	£130.00

## **COMPACTION EQUIPMENT**

#### Large Diesel Vibrating Plate

This Large Vibrating Plate not only offers excellent compaction results but also a high surface area especially in earthworks and paving. It is ideal for the construction of roads, rail tracks and foundations as well as trench and sewer line construction and landscape gardening.

<ul> <li>✓ Reversible</li> <li>✓ ⑦ ⑦ ④</li> </ul>				
	Specs			7
Width	450 - 750mm	Carl Carl	- UR	1
Compaction Force	60kN			
Weight	460kg			
Power	Diesel			
Product Code:	10990			
	1ST DAY	EXTRA DAY	WEEKLY	
Large Diesel Vibrating Plate	£88.00	£66.00	£221.00	



## **CONCRETE & SURFACE PREPARATION**



#### **Diesel Cement Mixers**

These heavy duty Diesel Mixers come in a range of sizes to suit your concrete or mortar mixing requirements. Electric start comes as standard.

Electric start

Max Capacity **Power Rating** Weight Product Code:

- Foot operated tipping lock gives safer control
- Unique paddle design improves mixing performance

## 12

7/5	10/7	
 1601	2201	
Diesel	Diesel	
344kg	354kg	
 11020	11030	



	1ST DAY	EXTRA DAY	WEEKLY
7/5	£34.00	£17.75	£61.00
10/7	£36.00	£20.25	£66.00

### **Tip Up Cement Mixers**

These easy to handle Mixers will mix up to 85l of concrete or mortar and can easily tip into a wheelbarrow. They are ideal for those smaller jobs and will fit through a standard door.

Electric or Petrol versions

Stand supplied

Max Capacity **Power Rating** 

Weight

Electric

Petrol

Product Code:

# 

£18.00

nt Mixers ixers will te or p into a ideal for will fit or.		
rsions	$\wedge$	
Electric	Petrol	
130	130	
240V / 550W	4hp (GX120)	
55kg	61kg	
11040	11050	
1ST DAY	EXTRA DAY	WEEKLY
£18.00	£10.00	£34.00

£10.00

### Mortar / Paddle Mixer

This forced action Paddle Mixer provides an even mix of materials and consistent results every time. This 120l capacity mixer is ideal for plasters and screeds. The top grid allows splitting of bags and loading while in operation.

Ideal for plasters & screeds Specs Max Capacity 120 110V / 1.4kW **Power Rating** Weight 130kg **Product Code:** 11060 WEEKLY **1ST DAY** EXTRA DAY Mortar / Paddle Mixer £71.50 £38.75 £130.00

TOOL HIRE



£34.00

### **Resin Mixer**

**TOOL HIRE** 

Ideal for mixing resins, paints, plaster or adhesives, this high torque Resin Mixer meets the demands of the professional user. The flexible drum can mix up to 65L but is simply removed for easy cleaning.

## **Mixing Drill**

Ideal for mixing grout, resin or repair materials, this high torque Mixing Drill is easy to use.

### **Concrete Test Cubes**

Testing the strength of concrete on site is straightforward with these cube moulds. The steel cubes come in a standard 150mm / 6" size and bolt together with a detachable base.

Resin Mixer	£29.50	£15.50	£53.00	Mixing Drill	£23.50	£12.25	£43.00	Concrete Test Cu	ubes £11.00	£5.00	£22.00
		EXTRA DAY				EXTRA DAY				EXTRA DAY	
Product Code:		11060		Product Code:		12190		Product Code:		12460	
Weight		30kg		Weight		6.2kg		Size	150mm/6	5" square	
Power Rating	110V	/1200W		Power		1600W		Cube Material	Во	Ited Steel	
Capacity	5	Specs 65l	U	Speed Range	153 -	Specs 670 rpm				Specs	
ľ		00 0		X				7			
✓ Ideal for resi	ns or paints										
up to 65L but is			cleaning.	✓ Ideal for gro	out or adhes	sives	-	size and bolt to	ogether with	a detachable	e base.
of the profession	al user. The	flexible drum	ı can mix	is easy to use.				The steel cubes	come in a st	tandard 150r	mm / 6"



# SITE TOOLS AND CONSUMABLES AVAILABLE TO BUY IN STORE



#### **Poker Vibrators**

#### Electric

This handy lightweight unit is ideal for fast compaction of wet concrete. Thanks to their high torque, constant speed motors these high frequency vibrators deliver outstanding performance in all types of concrete products.



#### Petrol

For compaction of wet concrete in formwork or slab areas these Petrol Driven Pokers offer flexibility and reliability.



	Electric	Petrol
Head Diameter	58mm	25 - 50mm
Vibration Frequency	-	200Hz
Power	1050W/110V	5.5hp / Petrol
Weight	16.5kg	30kg

	1ST DAY	EXTRA DAY	WEEKLY	Product Code:
Electric Poker HF	£56.50	£28.75	£116.00	11090
Petrol Drive Unit	£18.00	£9.00	£38.00	11070
1 1/2" - 2" Poker Flex	£26.50	£13.25	£54.00	11080

## **Vibrating Power Screed**

This Petrol vibrating screed provides a high performance concrete compaction with high quality finishing, ideal for levelling and vibrating concrete slabs up to 5 meters wide. Quick and easy to set up and use by a single operator, simply clamp the power unit to your chosen beam length (3.75m-5m) and begin screeding.

- ✓ High performance compaction
- Allows quality finishes
- Anti vibration handles

- 🖌 Available beam lengths 3.75m & 5m
- Adjustable centrifugal force

Width (beam)	3.75m - 5m
Power	1.6hp / Petrol
Weight	19.5kg
Product Code:	11100



	1ST DAY	EXTRA DAY	WEEKLY
Vibrating Power Screed	£49.00	£49.00	£147.00
Additional Beam 3.75m	£17.00	£1.00	£18.00
Additional Beam 5m	£17.00	£1.00	£18.00



Power Trowel 24"

This compact Power Trowel is ideal for edging or working in smaller areas. (electric version available)

For edging of smaller areas
 Comes with Floating Pan





	1ST DAY	EXTRA DAY	WEEKLY
Power Trowel 24"	£56.00	£28.50	£114.00

Specs

55kg

11110

600mm

5.5hp / Petrol

#### **Bull / Easy Float**

Width

Power

Weight

Product Code:

These magnesium or steel Floats are used for finishing concrete on large slab areas. Handles up to 5.5m - can be used to access awkward areas.

- ✓ 3 x 1.8m alloy handles supplied as standard
- Provides excellent finish

#### Fresno / Brush Float

A brushed non slip finish can be applied using one of these Fresno Brooms.

- 3 x 1.8m alloy handles supplied as standard
- ✓ Provides excellent finish

#### **Indent Roller**

Used for applying a non-slip surface to pathways and livestock pens.

#### Power Trowel 36" When laying concrete floors, these

When laying concrete floors, these floats allow you to achieve a high quality finish in a much shorter space of time than if working by hand.

Comes with Floating Pan	Width Power Weight	Specs 900mm 5.5hp / Petrol 75kg
	Product Code:	11120

	1ST DAY	EXTRA DAY	WEEKLY
Power Trowel 36"	£56.00	£28.50	£114.00

	/			
rete on large				Specs
ward areas.	~ 26	Width		1200mm
-		Handle Lengt	h	1.8m
		Weight		9.6kg
		Product Code:		11140
		- P		
- Can				Specs
		Width		900mm
	and a second	Handle Lengt	h	1.8m
	J.P.	Weight		8.5kg
		Product Code:		11130
				Specs
~ //		Width		200mm
		Product Code:		11150
and a state of the		1ST DAY	EXTRA DAY	WEEKLY
and the second second	Bull / Easy Float	£25.00	£13.00	£52.00
"Million	Fresno / Brush Float	£27.00	£13.50	£56.00
	Indent Roller	£11.00	£5.00	£22.00



## **Electric Floor Grinder Compact**



This compact floating head diamond Floor Grinder is ideal for small and awkward projects. The Compact and Robust Design allows this machine to fit into tight spots and small corners making it suitable for edge work on both sides.

- 🖌 254mm / 10'' grinding head
- Edge grinding capabilities on both sides
- Folding handle for ease of transport
  - Dust-free vacuum port

			Specs
10	Work	ing Width	254mm
		er Rating	3hp/110V
	🦻 Weig	ht	44kg
		t Code:	11160
	1ST DAY	EXTRA DAY	WEEKLY
Electric Floor Grinder Compact	£76.50	£38.00	£154.00

#### **Petrol Floor Grinder**



Petrol Flo

For preparation, debris removal and smoothing of concrete floors, these Grinders can be used with diamond heads or carbide stones.

Ideal for debris removal

Range of Diamond & T.C.T. Heads available

KIDN HIM LEE			Specs	
	Work	ing Width	250mm	
	Powe	er Rating	13hp / Petrol	
	Weig	ht	122kg	
	Produc	t Code:	11170	
	1ST DAY	EXTRA DAY	WEEKLY	
oor Grinder	£76.50	£38.00	£154.00	

## **Electric Floor Grinder**

These heavy duty Floor Grinders give a professional finish to uneven or pitted floor surfaces. They will also remove sealants or adhesives.



Dust Extractor Vacuum recommended

Working Width **Power Rating** Weight

Range of Diamond & T.C.T. Heads available

Specs	
460mm	
2hp/110V	and the second s
61kg	

Product Code:	11160		
	1ST DAY	EXTRA DAY	WEEKLY
Floor Grinder Dust Guard	£76.50 £11.00	£38.00 £5.00	£154.00 £21.00

## **Concrete Grinder (Hand Held)**

This hand held Diamond Grinder guickly removes high spots or rough finishes from concrete, leaving a smooth finish. Foldable sides for close edge grinding EIBENSTO **Dust Extractor Vacuum** recommended Specs Power Input 1500W **Rated Voltage** 110V **Rated Speed** 10,000rpm Spindle Connection Ø22.2mm **Blade Diameter** 125mm Weight 4.7kg Product Code: 11180 **1ST DAY** EXTRA DAY WEEKLY **Concrete Grinder (Hand Held)** £44.50 £22.25 £90.00

TOOL HIRE

### **Electric Floor Planer**

Used to remove surface coatings or for level reduction, this Electric Floor Planer is suitable for interior work, if used with a Dust Extractor Vacuum.

- Remove surface coatings
- ✓ Reduce levels

**TOOL HIRE** 

Dust Extractor Vacuum recommended

# 

# Range of Diamond & T.C.T. Heads available

	Specs	1000	- 2
Working Width	200mm	WE JAI	2
Power Rating	3hp/110V		
Weight	54kg		
Product Code:	11190		
	1ST DAY	EXTRA DAY	WEEKLY
Electric Floor Planer	£86.50	£43.25	£175.00

### **Electric Floor Stripper**

Remove stubborn floor tiles or coverings quickly and effortlessly with this Floor Stripper. The blade angle can be adjusted accordingly to your application.



## **Petrol Floor Planer**

This machine can be used to create non-slip surfaces or prepare concrete for new coatings. A choice of drums are available for grooving, paint removal or keyring applications.

Remove surface coatings

Reduce levels

Dust Extractor Vacuum recommended

# 

# Range of Diamond & T.C.T. Heads available

	Specs	Low	1
Working Width	200mm	1	200
Power Rating	5.5hp / Petrol		BET 4
Weight	49kg		A statement
Product Code:	11200		
	1ST DAY	EXTRA DAY	WEEKLY
Petrol Floor Planer	£86.50	£43.25	£175.00

### Self-propelled Electric Floor Stripper



BUT 200

### Grinding Discs, Drums & Pads

A range of diamond, silicon carbide and tungsten carbide accessories and pads are available for most applications.



	1ST DAY	EXTRA DAY	WEEKLY
Grooving Head	£33.00	£16.00	£65.00
Scarifying Head	£39.00	£19.00	£77.00
T.C.T. Drum Head	£33.00	£16.00	£65.00
Star Cutter Head	£33.00	£16.00	£65.00
Diamond Discs & Consumables	POA		

### Air Cleaner

This Air Cleaner is designed to remove dust and help improve air quality in your working area.

✓ HEPA filtration for high degree of separation



	DC400	DC2000	)
Air Flow (inlet)	400m³/hr	1,850m³/h	r
Power	190W	350W	/
HWL	380 x 340 x 495mm	970 x 500 480mm	ı
Weight	13kg	25kg	9
Product Code:	10900	1091	0
	1ST C	DAY EXTRA DAY	WEEKLY
DC400	£44	.50 £21.75	£89.00
DC2000	£74	.50 £37.25	£150.00







#### Jigsaws

Jigsaws are the ideal solution for awkward or curved cutting of wood, metal or plastic. An adjustable base plate allows angled cuts up to 45°.

✓ Accurate cuts of up to 45°





	Electric	1	Cordless
Max Cut Depth	110mm/wood-10mm/meta	130mm/wood	l-10mm/metal
Power Rating	720W 110 / 240V	/	Battery
Weight	2.2kg	2.2kg	
Product Code:			11240
	1ST DAY	EXTRA DAY	WEEKLY
Electric	£17.00	£8.50	£36.00
Cordless	£19.50	£9.75	£41.00

## **Biscuit Jointer**


Enhance the strength of timber butt joints by cutting slots with this tool and gluing wooden biscuits to support the joint.

✓ Adjustable cutting depth up to 20mm



#### **Door Trimming Saw**

Trim the bottom of a door or frame without taking it off its hinges. Depth of cut and height can be adjusted to suit your requirements.



	Specs	6 10 - CO		
Max Cut Depth	59mm		. 15	0
Power Rating	1300W 110V		1	
Weight	5.1kg			
Product Code:	11250			
	1ST DAY	EXTRA DAY	WEEKLY	
Door Trimming Saw	£35.50	£17.50	£73.00	

£41.00

£20.50

£84.00

### Flip Over Saw

Use for cutting bevels or mitres on skirting or trimming, then flip over and use as a bench saw for ripping planks or cutting sheets.

Ideal for professional contractors

Max Cut Depth

Power Rating

Weight

**Product Code:** 

Flip Over Saw



## **Circular Saws**



	6.5" Cordless		7″	9"
Max Cut Depth	55mm	(	65mm	85mm
Power Rating	Battery	1100W 110	/240V	2000W 110 / 240V
Weight	2.7kg		4.5kg	6.8kg
Product Code:				11260
		1ST DAY	EXTRA [	DAY WEEKLY
6.5" Cordless		£19.00	£9	.50 £40.00
7″		£17.00	£8	.50 £36.00
9″		£19.00	£9	.50 £40.00

## Slide Compound Mitre Saw

A vital tool for the professionals which performs left and right-handed compound cuts and cross cutting on wood or plastic. Dust extraction system Specs Max Cut Depth 65mm x 312mm 1050W 110 / 240V Power Rating 14kg Weight Product Code: 11270 WEEKLY **1ST DAY EXTRA DAY** Slide Compound Mitre Saw £41.00 £20.50 £84.00

) CALL OUR HIRE DESK TODAY 0845 338 1388

## **Random Orbital Sander**

The random orbital action of this sander is ideal for woodwork, metalwork or fibreglass and can also be used for sanding or finishing to a high standard.

✓ 150mm pad diameter

2	makta	1	
		Specs	
Pad Diameter		150mm	
Power Rating	370W 110	0/240V	
Weight		2kg	
Product Code:		11280	
	1ST DAY	EXTRA DAY	WEEKLY
Rdm. Orbital San	der £22.50	£11.25	£46.00

### **Dry Lining Sander**



### Palm Sander

Ideal for sanding into awkward or tight corners with the option of variable speed.

🖌 Sand the most awkward areas



### **Belt Sander**

These heavy duty Belt Sanders are perfect for removing rough surfaces on flat timber and provides a smooth and professional finish.

✓ Heavy duty for the toughest of surfaces

# 



Whether you are sanding plasterboard joints, preparing for paint or removing old finishes, these unique and lightweight wall sanders are the ideal solution for the job. The unique design allows effortless reach along with excellent dust-free finishes on walls and ceilings of up to 3.2m high. Speed control, a swivelling balanced head and soft start, are some of the features included for operator ease of use.

	Specs
Sanding Width	225mm
Tool Length	1520mm
Power	500W
Weight	3.9kg
Max Tilt Angle	100°
Product Code:	11310

Reach up to 3.2m without steps or ladders

Provides comfortable and ergonomic working conditions

 Dust free operation when connected to vacuum

	1ST DAY	EXTRA DAY	WEEKLY
Dry Lining Sander	£38.00	£19.50	£78.00
Dust Extractor Vacuum	£32.00	£23.00	£80.00

### Floor Edge Sander

This highly manoeuvrable floor edge sander is ideal for accessing those hard to reach areas such as toe kicks or under radiators while avoiding damage to skirting boards. Suitable for all types of hard or softwood flooring.



Floor Edge Sander	£30.00	£14.75	£61.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:	11320		
Disc speed	3300rpm		
Length sanding arm	Short: 125mm		
Total weight	7.5kg	✓ Lightweight	- only 7.5kg
Disc diameter	150mm	✓ Highly mand	peuvrable
		<u> </u>	

Specs

## **Orbital Floor Sander**

The unique orbital sanding action of this floor sander provides a direction free sanding technique, excellent performance and easy operation. This machine will remove thick layers of lacquer replacing the need for conventional belt sanding. Four rotating discs allow sanding close to walls or in confined spaces and can be used regardless of the direction of the wood grain.

- ✓ Easy to operate, ideal for DIY use
- Can sand close to walls or in confined spaces
- Multi-directional regardless of wood grain



**Orbital Floor Sander** 

	Specs
Disc diameter sand	ing width 407mm
Power Rating	230V/1.9kW
Weight	50kg
Product Code:	11340

) CALL OUR HIRE DESK TODAY	
/ UALL OUN HINL DESK TODAT	

WEEKLY

£166.00

**EXTRA DAY** 

£40.00

**1ST DAY** 

£83.00

### Floor Sander (Drum)



These professional grade drum floor sanders are designed to be a lightweight tool that can be easily operated by any user. The unique "dead man" handle device guarantee's safe operation while the functionality and reliability offer the solution for sanding of all kinds of wooden and parguet floors by users of all proficiency levels: professionals, semi-professionals or DIY users.

6

0

Specs

Floor Sander	f63.50	£31.00	f127.00
	1ST DAY	EXTRA DAY	WEEKLY
<ul> <li>Lightweight - only 45kg</li> </ul>	Produc	t Code:	11330
	Drum	revolutions	3300rpm
<ul> <li>Forgiving sanding with quality finish</li> </ul>	Total	weight	45kg
✓ Easy to change sand paper	Moto	r power	1.15kW
,	Sandi	ng belt size	200 x 480mm
<ul> <li>Easy to use</li> </ul>	Drum	width	200mm



0845 338 1388

**TOOL HIRE** 



### **Petrol Disc Cutters**

A portable Cut-Off Saw is the ideal choice for cutting concrete, stone or metal on site. These low vibration saws are available with diamond blades and can be used wet for dust free cutting.



## Petrol Disc Cutter 16"

This robust, light and powerful saw will allow cutting depths up to 145mm / 6" on the toughest conditions. Ideal for cutting precast slabs, floors, walls and pipes when you require deeper cutting depths from one side.

🖌 6" cut depth

	Specs		
Blade Diameter	400mm/16"		
Max Cut Depth	145mm/6"		
Power	2 stroke Petrol / 4.8kw		
Weight	11.8kg		
Product Code:	11380		
	1ST DAY	EXTRA DAY	WEEKLY
Petrol Disc Cutter	16″ £66.00	£32.75	£134.00

) CALL OUR HIRE DESK TODAY 0845 338 1388

### **Cordless Disc Cutter**

This unique Battery-Powered Disc Cutter is the ideal emission-free solution for cutting roof tiles, bricks, metal and paving blocks with minimal effort. Cordless technology benefits both the operator and the environment reducing noise levels and emissions while providing a powerful performance.

Cut up to 70mm deep Ideal for both indoor and outdoor applications Noise and emission free operation Long run times on a single charge STIH GUGKEE Eco Version Specs 230mm / 9" **Blade Diameter** Max Cut Depth 70mm Power Battery 36V Lithium-Ion Weight 3.9kg (without battery) Product Code: 11390 **1ST DAY** EXTRA DAY WEEKLY **Cordless Disc Cutter** £31.50 £15.75 £64.00

### **Dustless Disc Cutter**

This Dustless Saw is the ideal cutting tool for internal renovations or maintenance work where dust must be kept to a minimum. Requires 5kVA transformer.



## 16" Hydraulic Disc Cutter

This Powerful hydraulic cut-off saw will cut through all types of material with ease while providing a cutting depth of 162mm or 6 1/2". At only 7.8kg, these saws are ideal for cutting both vertical and horizontal in the most awkward and difficult conditions. Equipped with several features to maximise operator safety including a pressure release valve for automatic stoppage when jammed.



## Water Supply Unit



### Wall Chaser

This Wall Chaser is the ideal tool when you need to cut accurate tracks for conduit pipes or cables in brick work and masonry. Diamond blades make cutting quick and easy. Requires a 5kVA Transformer.



Must be used with a Dust Extractor Vacuum (not included)

### 



•••••••••••••••••••••••••••••••••••••••			
Max Cut Depth	40mm		
Max Cutting Width	46mm		
Power	1750W/110V		
Weight	6kg		
Product Code:	11420		
	1ST DAY	EXTRA DAY	WEEKLY
Wall Chaser	£82.50	£41.50	£167.00
Dust Extractor Vacuum	£32.00	£23.00	£80.00



### **Floor Saws**

For professional cutting of roads, footpaths and yards, these Floor Saws are the solution. An on-board water tank reduces dust and allows continuous precision cutting of concrete or asphalt.



## **Diamond Blades**


A comprehensive range of quality Diamond Blades are available for Hire or Sale. Designed for cutting a range of materials, both wet and dry, you can simply pay for the blade wear or buy a blade to suit your needs.



	HIRE RATES
9″	£31.00 per mm / £15.50 min
12″	£31.00 per mm / £15.50 min
14″	£52.00 per mm / £26.00 min
16″	£73.00 per mm / £36.50 min
18″	£73.00 per mm / £36.50 min

### **Manual Tile Cutters**

For quick accurate cutting of ceramic wall or floor tiles, these Manual Tile Cutters are ideal.







	Standard	Long	Extra Long
Max Cut Length	600mm	900mm	1270mm
Weight	10kg	14kg	17kg
Product Code:	11460	11470	11480
	1ST DAY	EXTRA DAY	WEEKLY
Heavy Duty - Standard	£17.50	£8.50	£36.00
Heavy Duty - Long	£21.50	£10.50	£43.00
Heavy Duty - Extra Long	£28.00	£14.00	£58.00

## **Diamond Tile Saw**

Fitted with a continuous rimmed diamond blade, this Tile Saw is ideal for accurate cutting of ceramic or porcelain tiles. Lightweight, compact and easy to transport.

	T	N	
	Specs	✓ Ideal for c	utting ceramic
Max Cut Depth @ 90°	34mm	or porcela	utting ceramic in tiles
Max Cut Depth @ 45°	24mm	2. porceio	
Weight	23kg		
Power Rating 800V	/110V/240V		
Product Code:	11490		
	1ST DAY	EXTRA DAY	WEEKLY
Diamond Tile Saw	£36.00	£18.00	£74.00

## **Tile Bench Saws**

Cut large tiles of up to 1500mm precisely every time with this IMER 1500mm Water- based Tile Bench Saw. The blade is fitted to a rail which provides a laser guided cutting system for accurate, straight and angular cuts of up to 45°.

600mm

- ✓ Cut tiles up to 1500mm long
- Comes with folding table
- ✓ Laser guided cutting system available
- 🖌 Cut up to 45°

0	0	$\Theta$

Max Cut Depth	60mm		66mm	66mm
Max Cut Length	600mm		1000mm	1500mm
Weight	46kg		53kg	75kg
Power Rating	1000W/110V	1000	)W/110V	1000W/110V
Product Code:				11500
	15	T DAY	EXTRA DAY	WEEKLY
600mm	f	50.00	£25.00	£101.00
1000mm	£	72.00	£35.75	£145.00
1500mm	f	89.50	£44.75	£180.00

1000mm

1500mm



#### **Masonry Bench Saw - Electric**

This lightweight, portable Masonry Bench Saw is wider and longer than most equivalent machines, ideal for wet and dry cutting of a wide variety of masonry materials, concrete products and roof tiles.

Allows 780mm cut length

	Specs
Max Cutting Length	780mm
Max Cutting Depth	135mm
Power Rating Electric	110V 16A
Blade Diameter	400mm
Weight	90kg
Product Code:	11510

1ST DAY EXTRA DAY WEEKLY £71.00 Masonry Bench Saw - Electric £35.75 £144.00

CM 42

### **Manual Brick Splitter**

Brick Cutter/Splitters take the hard work out of cutting paving brick for patios, driveways or paths.



### **Masonry Bench Saw - Petrol**

These Petrol powered Masonry Saws are a valuable tool on sites requiring bulk cutting of brick work, slabs or tiles. A sliding to water supply m to operate.

Masonry Bench Saw - Petrol	£80.50	£40.75	£164.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:	11520		
Weight	165kg		
Blade Diameter	500mm		
Power Rating Petrol	6.5hp		
Max Cutting Depth	195mm	and the second s	
Max Cutting Length	500mm	and the second s	
	Specs		
	<b>(</b> )		*
✓ Petrol Powered			
tiles. A sliding table and contin water supply make this saw ea to operate.		3,	

## **Hydraulic Block Splitter**

With up to 20t splitting force these heavy-duty hydraulic block splitters are capable of splitting concrete or masonry products with ease. With no noise or airborne dust and capable of cutting 650mm wide x 235mm thick they are the ideal solution for multiple cuts.

20t splitting force

- 🖌 650mm x 235mm capacity
- Supports for vertical cuts
- No noise or dust



	Specs		1		
Capacity	(H) 650 x (W) 235mm	100			
Weight	99kg				
Dimensions	730 x 820 x 1040mm			100	
Power	Hydraulic				
Product Code:	11530				
	15	T DAY	EXTRA DAY	WEEKLY	
Hydraulic Blo	ock Splitter £	27.50	£13.75	£57.00	

# **CUTTING & GRINDING**

#### Chainsaws

Whether cutting logs, clearing sites, pruning or felling trees, our range of Chainsaws provides you with a safe powerful tool for the job.



✓ Safety kit included



	Cordless 12"	16"	20"
Max Cut Depth	300mm	400mm	500mm
Weight	2.7kg	5kg	7kg
Power	Battery	2.7 hp/2 stroke	6hp/2 stroke
Product Code:	11540	11550	11560

# **Cordless Angle Grinders 115mm**

This heavy-duty tool overcomes intrusive cables and provides additional safety and efficiency to your work. Overload protection for tool and battery uniquely enhances the tool performance under load while delivering more run time.

Coversion			
Cutting Depth	Specs 28mm	Go anywł	nere versatility
Disc Diameter	115mm		
No Load Speed	8500rpm		
Spindle Size	M14		
Voltage	18V		
Weight (With Battery)	2.7kg		
Product Code:	11570		
	1ST DAY	EXTRA DAY	WEEKLY
Cordless Angle Grinders 4 1/2"	£15.50	£8.50	£34.00



	1ST DAY	EXTRA DAY	WEEKLY
16″	£53.50	£26.50	£108.00
20"	£57.50	£29.25	£118.00
Cordless	£53.50	£26.50	£108.00

# **Angle Grinders**

When cutting and grinding masonry or steel, we have a range of Angle Grinders to meet your requirements.

		HITACH	10	
	4 <sup>1</sup> / <sub>2</sub> " / 115mm		9" / 230mm	
Max Cut Depth	40mm		90mm	
Power	840W 110 / 240V	2200W	110/240V	
Weight	1.6kg		5.2kg	
weight	. 5			
Product Code:	11580		11590	
	11580	ST DAY	11590	WEEKLY

# **CUTTING & GRINDING**

# Metal Cut Off Saw

For accurate cutting of metal on site, these Metal Cut off Bench Saws will cut up to a depth of 115mm and angles of 45°.

# 

	Specs	(
Max Cut Depth	115mm	
Power	2000W/110V	
Weight	16kg	
Product Code:	11595	
	1ST	DAY
Metal Cut Off Saw	£3'	1.50

# **Reciprocating Saws**

Reciprocating saws are the ideal solution for both curved and straight cuts in timber, plastic or steel.

# Image: Constraint of the second state of the second sta



WEEKLY

£64.00

EXTRA DAY

£15.75

	Electric		Cordless
Max Cut Depth	130mm	300mm / wood-2	20mm / metal
Power Rating	1.10W		Battery
Weight	3.8kg		3.7kg
Product Code:			11610
	1ST DAY	EXTRA DAY	WEEKLY
Electric Cordless	£22.00 £27.50	£10.75 £13.75	£44.00 £57.00

# WORKWEAR AND PPE AVAILABLE TO BUY IN STORE





Portable Cutting Stations eliminate the need for a separate cutting room on-site, providing a safe and neat station for cutting lengths of timber, conduit, cable trays or pipe. Equipped with internal lighting, support arms,110V sockets and an extendable back panel to accommodate mitre or metal cut off saws.

- ✓ Safe & easy site cutting
  - Noise reduction sound deadening foam
- Dust Reduction Swarf collector with dust extraction point
- ✓ Spark prevention PVC curtains





	1ST DAY	EXTRA DAY	WEEKLY
Portable Cutting Station	-	-	£106.00





# Power Drive Lawn Mower

Power-drive Rotary Lawn Mowers with collection provide a professional finish to lawns or parks.

 Professional finish to lawns or parks

		0	
	Specs		
Operating Width	500mm / 20"		
Weight	24kg		
Power	Petrol / 4 stroke		
Product Code:	11625		
	1ST DAY	EXTRA DAY	WEEKLY
Power Drive Lawn Mower	£24.50	£24.00	£71.00

#### **Brush Cutter / Mower**



Suitable for overgrown gardens or for clearing rough areas around paddocks or orchards, this Mower will handle weeds and long grass with ease.

🖌 Offset feature

	Specs		A DE C
Operating Width	660mm / 26"	2	P DA
Weight	145kg		
Power	13hp / Petrol	No. of the second	
Product Code:	11630		
	1ST DAY	EXTRA DAY	WEEKLY
Brush Cutter / Mower	£78.00	£77.25	£221.00



#### **Brush Cutter & Strimmers**

When cutting around trees, along fencing or clearing weeds, these powerful Strimmers will cut weeds or undergrowth with ease.

 Lightweight cordless version available only 2.5kg

# JUGKEEN Version available



	Light Duty	Heavy Duty	Cordless
Displacement	28cc	40cc	N/A
Weight	5.4kg	8.1kg	2.5kg
Power	1.7hp / 2 stroke	2.6hp/2 stroke	Battery
Product Code:	11650	11660	11640

#### **Hedge Trimmers**

These powerful double sided Hedge Trimmers will handle the thickest of hedges with blade lengths up to 750mm.

Cordless versions available with up to 80 minutes run time



	Petrol	Cordless	
Displacement	23cc	N/A	<b>GOGREEN</b> Version available
Weight	5.5kg	2.9kg	version available
Power	1hp/2 stroke	Battery	
Blade Length	600mm or 750mm	450mm	
Product Code:	11680	11670	
	1ST DAY	EXTRA DAY	WEEKLY
Petrol Hedge T		£25.75	£76.00
Cordless Hedge	e Trimmer £21.50	£21.25	£63.00



	1ST DAY	EXTRA DAY	WEEKLY
Light Duty	£23.50	£23.50	£67.00
Heavy Duty	£27.00	£25.75	£76.00
Cordless	£23.50	£23.50	£67.00

# Long Reach Hedge Trimmer

Long handled Hedge Trimmers are ideal for reaching high hedges or conifers without the need for ladders or scaffold.




# Lawn Scarifier

These Lawn Scarifiers will remove moss and weeds at the same time as aerating the ground, promoting healthy lawns.



# **Garden Aerator**

Fitted with 24 tines which perforate the soil with small holes allowing for air, water and nutrients to penetrate the grass roots. Helping the roots grow deeply to produce a stronger, more vigorous lawn.



✓ 23I Water ballast tank helps with better penetration



**Billygoat Garden Aerator** 

	-1
Operator Width	19'' / 480mm
Weight	110kg
Power	4hp / Petrol
Product Code:	11720



#### **Stump Grinder**



These Petrol driven Stump Grinders provide a safe and easy way to remove stumps without the need to dig or burn.

Removes stumps

safely & easily

Stump Grinder

tumps			Specs
dig or	Blade Diamet	ter	250mm
	Weight		92kg
	Power		9hp / Petrol
	Product Code:		11710
	1ST DAY	EXTRA DAY	WEEKLY
	£71.50	£71.25	£205.00

# Garden Overseeder

Plant grass seeds directly into your existing lawn to help infill damaged bare patches or thin worn areas and give your lawn a thicker, denser sward. The seed box holds up to 11.3 kg of seeds.



# **GARDENING & LANDSCAPING Garden Cultivator**



When you require a	Working Dept	h	Specs
machine to prepare soil for planting or	Weight	1	190kg
sowing, these heavy duty	Operating Wic	lth	580mm
Cultivators make light	Drive Type		Hydraulic
work of rough ground.	Power		9hp / Petrol
	Product Code:		11740
	1ST DAY	EXTRA DAY	WEEKLY
Garden Cultivator	£66.50	£65.00	£190.00

#### **Garden Tiller**

For maintaining vegetable plots or to loosen up last year's flower beds, these Tillers take the hard work out of these tasks.





# Leaf Sucker / Blower

Clear leaves and litter from flower beds and pathways or beneath large bushes. Suck up or blow into a pile.



#### Wheeled Blower

This heavy-duty Wheeled Blower can clear large areas of leaves or debris in minutes. Easy to manoeuvre and operate due to its lightweight and rough terrain tires it is Ideal for maintenance contractors or large property owners.

- Powerful blower performance
- Easy to manoeuvre and operate
- The quickest way to clear paths, lanes or grass areas

🖪 🕜 🕞 🥐

	Specs			a h
Displacement	270сс			A
Maximum Air Flow	3078m²/h			- U U
Air Velocity	320km/h	dille		
Weight	65kg	10		
Product Code:	11770			
		1ST DAY	EXTRA DAY	WEEKLY
Wheeled Blower		£48.50	£48.00	£129.00

# **Backpack Leaf Blower**

For larger blowing tasks in parks or sports grounds, these Backpack Blowers will clear grass cutting and leaves with ease

STIN		
Specs		
65cc		
810m³/h		
10.1kg		
11760		
1ST DAY	EXTRA DAY	WEEKLY
£30.50	£30.25	£88.00
	Specs 65cc 810m <sup>3</sup> /h 10.1kg 11760 1ST DAY	65cc 810m³/h 10.1kg 11760 1ST DAY EXTRA DAY

# Leaf / Debris Vacuum

Take the strain out of collecting leaves with this powerful self-propelled garden vacuum. Easy to clear up large areas of leaves, branches, litter and debris effortlessly. The large collection bag holds up to 151L of debris allowing for fewer stops and can be easily emptied by a single operator. Ideal for both residential and commercial use.

- Take the strain out of collecting leaves
- Clears leaves, litter and garden debris
- Large 151l collection bag

	Specs		Contraction of the second	
Operating Width	690mm / 27"			
Displacement	190cc		INCLUM"	114
Working Width	690mm	60	The Carlo	3111
Capacity	1511	4		
Weight	60kg		1. 10	
Power	9hp / Petrol			
Product Code:	11770			
		1ST DAY	EXTRA DAY	WEEKLY
Leaf / Debris Vacu	um	£38.00	£38.50	£98.00

# **Garden Sprayer**

These comfortable Back Sprayers will take care of your spraying requirements around the park or garden.

**TOOL HIRE** 



	Specs		
Capacity	15		
Weight (empty)	6kg		
Product Code:	11800		
	1ST DAY	EXTRA DAY	WEEKLY
Garden Sprayer	£13.50	£13.50	£40.00
••••••			



# **Gas Flame Guns**

For burning weeds in preparation for sowing or for effective weed removal from paths or driveways.

🚺 Gas not included



11790

Product Code:

	1ST DAY	EXTRA DAY	WEEKLY
Single	£11.50	£11.00	£33.00
Double	£14.50	£14.50	£42.00
Triple	£17.00	£15.75	£48.00

# **Garden Sowers**

Garden Sowers allow you to evenly distribute lawn seed and fertiliser on prepared lawns or sporting fields.

	Small	Large
Capacity	12kg	38kg
Weight (empty)	4kg	8kg
Product Code:		11810

Floudet Code.		11010	
	1ST DAY	EXTRA DAY	WEEKLY
Small	£12.50	£11.25	£34.00
Large	£12.50	£11.25 🐂	£36.00

# Garden Roller

Plastic or Metal Drum Rollers allow you to roll large areas of lawn quickly and with little effort. Simply fill with water.

Garden Roller	1ST DAY £11.50	EXTRA DAY	WEEKLY £31.00
Weight (full) Product Code:	62kg 11780		
Weight (empty)	7kg		
	Specs		

# **Post Driver**

For straight driving of fence posts, this manual Post Driver is easier to handle than a sledge hammer.

	Specs			
Weight	15kg			
Product Code:	11820			
		1ST DAY	EXTRA DAY	WEEKLY
Post Driver		£10.50	£8.50	£29.00

) CALL OUR HIRE DESK TODAY 0845 338 1388

# **Petrol Post Driver**

This one-man Petrol post driver allows a single operator to drive any post up to 100mm diameter width into the ground at ease in a matter of seconds. Lightweight, at only 15.3kg. These portable post drivers are ideal for use on steep or difficult areas where a digger or tractor cannot access.

- Powerful, energy saving tool
- ✓ Only 15.3kg
- Operated by a single person
- ✓ Drives round posts up to 100mm (4'')
- Drives square posts up to 70mm (2 3/4'')

	Specs				1
Weight	15.3kg			31	ł,
Max. Post Size	10-100mm			- 111	
Blows per minute	1720				
Power	1.3hp / Petrol	2			
Product Code:	11820				
	151	DAY	EXTRA DAY	WEEKLY	
Petrol Post Driver	£4	1.50	£41.75	£120.00	



# **Post Hole Borers**

When carrying out fencing, tree re-planting or building projects our range of Post Hole Borers will allow you to dig clean, accurate holes of up to 350mm in diameter. One man and two-man versions are available depending on your application.

- ✓ Various auger sizes available
- Bore clean holes up to 350 mm diameter
- ✓ One man or two man versions available

	<del>()</del>		T
	÷.		
	One Man	Two Man	Hydraulic
Hole Diameter	40mm-150mm	100mm-300mm	100mm-230mm
Max Hole Depth	600mm	800mm	875mm
Weight	10kg	21kg	102kg
Power	1.4kW	2.2hp / 2 stroke	5.5hp / Petrol
Product Code:			



	1ST DAY	EXTRA DAY	WEEKLY
One Man Post Hole Borer	£39.50	£39.25	£114.00
Two Man Post Hole Borer	£39.50	£39.25	£114.00
Hydraulic Post Hole Borer	£53.00	£52.75	£152.00

# Log Splitters

When splitting timber for firewood, these Log Splitters will make light work of even the largest logs. Petrol or electric versions available.

- 🖌 Quick and easy log splitting
- ✓ Petrol or electric versions available
- ✓ Towable version for easy transport
- ✓ Up to 20t splitting power



	Electric	Petrol	
Splitting Power	8t	20t	
Max Log Length	500mm	600mm	
Weight	125kg	450kg	
Power	240V/2.2kW	5hp / Petrol	
Towable	No	Yes	





 £121.00 £133.00

#### Shredder

The ideal solution for garden waste, simply shred light garden waste and re-apply to flower beds and under bushes.



() CALL OUR HIRE DESK TODAY 0845 338 1388

# **Towable Wood Chippers**

Chip up to 7 tonnes of timber per hour and branches up to 8" diameter with ease using these powerful Wood Chippers. Tow into position and direct the chips wherever you want them with the adjustable discharge chute.

Touch button feed control
 6" & 8" versions available





	6"		-	8″
Capacity	6" x 8" / 150 x 200mm	8" x 10" /	200 x 255m	im
Weight	955kg		1250	kg
Power	35hp / Diesel		45hp / Dies	sel
Tonnes per hr	4.5t			7t
Product Code:			118	360
	1ST [	DAY EXTR	a day	WEEKLY
6″	£147	.50 £1	47.00	£546.00
8″	£159	.50 £1	60.00	£596.00

# **Tracked Wood Chipper**



This Tracked Chipper offers the same performance as the towed version but will travel over soft ground or up steep embankments, allowing access to otherwise restricted areas. The tracks can also be extended to provide extra stability on uneven ground.

- ✓ Ideal for contractors, tree surgeons and local authorities
- ✓ Twin hydraulic feed rollers
- 🖌 Touch button feed control
- Narrow access machine fits through 800mm gap
- Will travel over soft ground or steep embankments

	Specs		
Max Capacity 6" x 8	" / 150mm x 200mm		
Weight	1300kg		
Power	35hp / Diesel		
Width Tracks in/out	800mm / 1150mm		
Tonnes per hr	4.5t		
Product Code:	11860		
	1ST DAY	EXTRA DAY	WEEKLY
Tracked Wood Chippe	er £188.00	£187.75	£708.00



)

#### **Ceramic Heater**

This non glowing heater is recommended for spot heating of areas where people are working offering 100% clean and dry heat.

- 🖌 100% clean and dry heat
  - 110V & 240V versions available

£21.00

#### **Industrial Fan Heater**

For clean, dry heat in small rooms or offices, this Fan Assisted Heater is ideal.

🖌 Clean, quiet heat

**Ceramic Heater** 

110V & 240V versions available



£10.75

£43.00

	3kW 240V	3kW 110V	
Size/Type	3 kW Electric	3kW Electric	
Heat Output Btu/hr	10320 Btu/hr	10236 Btu/hr	
Heat Output kW	3kW	3kW	
Power Supply	240V	110V	
Air Flow Max	400m³/hr	423m³/hr	
Weight	6kg	10kg	
Product Code:		11890	
	1ST DAY	EXTRA DAY	WEEKLY
3kW 240V	£20.00	£9.75	£41.00
3kW 110V	£20.00	£9.75	£41.00

TOOL HIRE

# **Infrared Heater**

Radiant Heaters are ideal for spot heating or drying out walls within large drafty areas such as workshops or storerooms.

	Specs
Size/Type	2.4kW Quartz Radiant
Heat Output Btu/hr	9556 Btu/hr
Heat Output kW	2.4kW
Power Supply	110V/240V
Typical Heated Area	58m <sup>3</sup>
Weight	6kg
Product Code:	11900

🖌 Only 2.4kW

Heat large drafty areas such as workshops or storerooms

CALOR Iskg Propatil



	1ST DAY	EXTRA DAY	WEEKLY
Infrared Heater	£33.50	£16.75	£68.00
			••••••

# FUEL AND GAS Available to buy in store





3 phase fan-assisted heaters up to 42kW provide clean, quiet heat ideal for heating factories, production areas and warehouses, heat can also be directed to specific areas using ducting. Quick and easy to maneuver and install with wheels and pallet forks, simply locate your heater and plug into a 3 phase connection for instant heat.

<ul> <li>Clean, quiet heat</li> <li>Range of sizes for all applications</li> </ul>		
	15kW	42k

	15kW	42kW
Size/Type	15 kW Electric	42 kW Electric
Heat Output Btu/hr	51000 Btu/hr	144480 Btu/hr
Heat Output kW	15kW	42kW
Power Supply	415V 3 phase	415V 3 phase
Air Flow Max	990m³/hr	4,000m³/hr
Duct Size	150mm	600mm
Weight	16kg	130kg
Product Code:	11910	11930



	1ST DAY	EXTRA DAY	WEEKLY
15kW	£45.50	£22.75	£92.00
42kW	£109.00	£54.75	£219.00

#### Gas Heaters, Direct Fired

Ideal for workshops, farm buildings or site use, these Direct Fired Gas Heaters can quickly and efficiently heat large areas.

 Highly efficient heaters for workshops or farm buildings



**TOOL HIRE** 

All Direct Fired Heaters must only be used in well ventilated areas

	46kW	70kW	
Size/Type	46 kW Direct Gas	70 kW Direct Gas	
Heat Output Btu/hr	157000 Btu/hr	235000 Btu/hr	
Heat Output kW	46kW	69kW	
Power Supply	110V/240V	110V/240V	
Air Flow Max	1450m³/hr	2300m³/hr	
Max Gas Consumption	1 3.29kg/hr	4.93kg/hr	
Weight	13.5kg	16.5kg	
Product Code:		11940	
	1ST DA	Y EXTRA DAY	WEEKLY
46kW 70kW	£47.5 £55.5		£97.00 £113.00

# **Direct Oil Fired Heaters**

These Mobile Heaters run on paraffin or diesel, making them a popular choice for heating construction sites, farm building, warehouses or garages.



All Direct Fired Heaters must only be used in well ventilated areas

	20kW		29kW	44kW
Size/Type	20kW Direct Oil	29 kW	Direct Oil	44 kW Direct Oil
Heat Output Btu/hr	· 70000 Btu/hr	1000	)00 Btu/hr	150000 Btu/hr
Heat Output kW	20kW		29kW	44kW
Power Supply	110V/240V	11	0V/240V	110V/240V
Fuel Tank Capacity	26		431	431
<b>Fuel Consumption</b>	2.0l/hr		2.9l/hr	4.5l/hr
Weight	22kg		25kg	27kg
Product Code:	11950		11960	11970
	15	T DAY	EXTRA DA	Y WEEKLY
20kW		32.50	£16.2	
29kW 44kW		43.50 49.50	£21.2 £24.7	
44KVV	1	49.30	£24.7	5 £100.00

		NEW	
	Standard	Small	
Feature Size/Type	43kW Radiant Oi	l 20kW Direct Oil	
Heat Output Btu/hr	148000 Btu/h	r 70000Btu/hr	
Heat Output kW	43kW	/ 20kW	
Power Supply	110V/240V 2		
Fuel Tank Capacity	601 12		
Fuel Consumption	3.8l/hr 1.6l/		
Weight	62kg	16.5kg	
Product Code:	11980	11950	
	1ST DAY EXTRA	A DAY WEEKLY	
Small Radiant Heater Radiant Oil Fired Heater		15.75 £63.00 29.00 £117.00	

# **Radiant Oil Fired Heaters**

Infrared Oil Fired Heaters have no air flow and therefore offer a quieter alternative to direct fan assisted heaters.

They will provide large volumes of warm air quickly and safely.



✓ Ideal for workshops or garages

All Direct Fired Heaters must only be used in well ventilated areas



#### Indirect Oil Fired Heaters 45 - 75kW

All Indirect Oil Fired Heaters offers 100% clean, dry and safe heat making them ideal for all areas where ventilation is limited. A range of sizes are available, suitable for heating marquees, factories or sports halls. They can also be used for drying applications such as new build projects or flood damage.

- 🖌 100% clean, dry heat
- Ideal for marquees or sports halls
- Will run on heating oil or diesel
- Supplied with 6m ducting
- Can be connected to a bulk fuel tank for long run applications



	45kW	75kW	
Size/Type	45 kW Indirect Oil	75 kW Indirect Oil	
Heat Output Btu/hr	167000 Btu/hr	239000 Btu/hr	
Heat Output kW	45kW	70kW	
Power Supply	110V/240V	110V/240V	
Air Flow Max	2700m³/hr	3800 m³/hr	
Fuel Tank Capacity	801	1201	
Fuel Consumption	4.6l/hr	7.7l/hr	
Duct Size	400mm	400mm	
Weight	105kg	131kg	
Product Code:	11990	12000	
	1ST D	AY EXTRA DAY	WEEKLY
45kW 70kW	£115. £116.		£231.00 £233.00

# Indirect Oil Fired Heaters 65 - 111kW (High Volume)

Portable and easy to handle, these radial fan assisted Heaters are ideal for heating large areas or less accessible areas where the hot air has to travel longer distances. These heaters are also suitable when two or more areas have to be heated using ducted distribution boxes.

- 🖌 100% clean, dry heat
- 🖌 Will run on heating oil or diesel
- Supplied with 6m ducting
- Can be connected to a bulk fuel tank for long run applications



	65kW	111kW	
Size/Type	65 kW Indirect Oil	111 kW Indirect Oil	
Heat Output Btu/hr	221800 Btu/hr	378900 Btu/hr	
Heat Output kW	65kW	111kW	
Power Supply	415V	415V	
Air Flow Max	4,500 m³/hr	11,500 m³/hr	
Fuel Consumption	6.5l/hr	10.9l/hr	
Duct Size	400mm	500mm	
Weight	220kg	270kg	
L W H (cm)	151 x 71 x 128	174 x 78 x 134	
Product Code:		12010	-
	1ST DA	AY EXTRA DAY	WEEKLY
65kW 111kW	£133.0 £140.5		£267.00 £284.00

# Indirect Oil Fired Heater 185kW (High Volume)

These top of the range Heaters provide large volumes of warm dry air for larger applications such as exhibition halls, warehouses or sports halls. High volume, Indirect Oil Fired Heaters are fitted with radial fans for maximum airflow allowing the use of ducting up to 50m long.

🖌 100% clean, dry heat

**TOOL HIRE** 

- Will run on heating oil or diesel
- Supplied with 6m ducting
- 1 Must be connected to a bulk fuel tank for long run applications



<u>ح</u>	ners
	peca

	Specs
Size/Type	185 kW Indirect Oil
Heat Output Btu/hr	631,000 Btu/hr
Heat Output kW	185kW
Power Supply	415v
Air Flow Max	12,000m³/hr
Fuel Consumption	18.4l/hr
Duct Size	600mm
Weight	545kg
LWH (mm)	240 x 80 x 137
Product Code:	12015

	1ST DAY	EXTRA DAY	WEEKLY
185kW	£247.50	£123.75	£496.00

# Accessories & Ducting

A range of accessories and ducting is available to complement our heaters allowing you to control the air flow and temperature of your building or marquee.

#### ACCESSORIES AVAILABLE:





Product Code:			12025
	1ST DAY	EXTRA DAY	WEEKLY
Ducting 6m x 0.3m	£14.50	£7.75	£31.00
Ducting 6m x 0.4m	£17.50	£8.25	£36.00
Ducting 6m x 0.5m	£19.50	£9.25	£40.00
Ducting 6m x 0.6m	£21.50	£11.00	£44.00
Ducting Diffuser	£13.50	£7.00	£29.00
Hot Air Distro Box (S)	£25.00	£13.25	£53.00
Hot Air Distro Box (Lg)	£28.00	£14.00	£56.00
Fresh Air Ducting	£14.50	£7.75	£31.00
Flexible Flue Ducting	£14.50	£7.75	£31.00
10m Heater Temp Stat.	£14.50	£8.25	£31.00

#### **Building Dryers / Dehumidifiers**

For new build or renovation projects where moisture levels need reduced, these Dehumidifiers provide a cost effective solution. Also suitable for flood damage or for reducing condensation after decorating or plastering.

🖌 Two sizes available

Extract up to 60l of moisture per 24 hour period



	<i>4</i> .		
	I	Domestic	Industrial
Size/Type	C	Oomestic	Industrial
Dehumidification Capacity @75%		11l/24hr	60l/24hr
Operating Range Humidity	40 - 1	00% RH	40 - 100% RH
Operating Range Temperature		3 - 35°C	3 - 35°C
Power Supply	11(	0V/240V	110V/240V
Air Flow Max	1	50m³/hr	510m³/hr
Weight		23kg	80kg
Product Code:		12030	12040
	1ST DAY	EXTRA DAY	WEEKLY
Domestic Industrial	£30.50 £50.00	£14.50 £25.00	£61.00 £101.00

# **Ventilator Fans**

These Ventilator Fans will provide clean air in confined spaces while forcing dirty air out. Also suitable for welding fume extraction.

Supplied with 6m of ducting

# 



	30	0mm	400mm
Size/Type	300 Ventilatio	n Fan 4	00 Ventilation Fan
Max Air Flow	3,390ı	m³/hr	7,500m³/hr
Power Supply		110V	110V
Duct Size	30	Omm	400mm
Weight		15kg	20kg
Product Code:		12050	12060
	1ST DAY	EXTRA DA	Y WEEKLY
300 Vent Fan 400 Vent Fan Additional Ducting 300mm	£38.50 £50.50 £14.50	£19.5 £25.2 £7.7	5 £102.00 5 £31.00
Additional Ducting 400mm	£17.50	£8.2	5 £36.00

- - -

#### **Carpet Dryer**

Capable of focusing high-pressure air on wet areas beneath carpets, these Carpet Dryers can also be used to help speed up drying times for plastered or painted walls or ceilings.


Dry under carpets or wet areas 🖌 4500 m³/hour air flow Specs Air Flow Max 1190m<sup>3</sup>/h 230V **Power Supply Power Consumption** 0.124 kW/h Weight 9.52kg Product Code: 12065 EXTRA DAY WEEKLY **1ST DAY Carpet Dryer** £21.50 £11.00 £44.00

TOOL HIRE

#### Portable Air Conditioners - Exhaust Tube

Exhaust tube air conditioners are easy to use and can be operating within minutes of arriving at your premises. Cool air is provided into any room in which they are located with heat being dispersed via flexible ducting which can be positioned in any opening such as windows, doors or voids. We offer a range of air conditioners in a variety of sizes for applications such as offices, homes, shops, hotels, schools, factories or site accommodation.





	3.5kW	6kW	9kW
Cooling Output Btu/hr	12000 btu/hr	20400btu/hr	30700btu/hr
Cooling Output kW	3.5kW	6kW	9kW
Power Supply - consumption	240V/1.3kW	230V/1.9kW	230V/2.6kW
Airflow Max	350m³/hr	1885m³/hr	2055m³/hr
Operating Temperature	16 - 32°C	21 - 38°C	21 - 38°C
Duct Length	1.8m	3m	3m
Weight	31kg	72kg	130kg
Product Code:	12070	12080	12090
	1ST DA	Y EXTRA DAY	WEEKLY
3.5kW 6kW 9kW	£52.0 £72.5 £111.0	0 £36.50	£105.00 £147.00 £224.00

#### Portable Air Conditioners - Evaporative Cooler

Evaporative air coolers are the ideal choice for keeping offices, rooms and indoor environments comfortable and cool without the need for ducting or outside ventilation. These coolers are environmentally friendly and cost effective to run. Air coolers produce a comfortable, cool breeze with the natural process of water evaporation. Various sizes are available depending on room size and application.



Can be operating within minutes of arrival



	Ν	ledium	Large
Power Supply - consumption	240V/	120W	240V/220W
Airflow Max	80	0m³/hr	2240m³/hr
Max Area Coverage		26m <sup>2</sup>	53m <sup>2</sup>
Water Tank Capacity		301	601
Weight		9kg	17.8kg
Product Code:		12100	12110
	1ST DAY	EXTRA DAY	WEEKLY
Medium Large	£52.00 £72.50	£25.50 £36.50	£105.00 £147.00

# **Cooling Fans**

Various sized Fans are available to suit your requirements. Applications include reducing temperatures in warehouses or factories to cooling shops or offices.

Ideal for cooling/ventilation

Industrial, events or retail options available





	0.4kW/hr		0.6kW/hr	2.3kW/hr
Size/Type	220 Cooling Fan	500 C	ooling Fan	900 Cooling Fan
Air Flow Max	3600m³/hr	:	8500m³/hr	16400m³/hr
Power Supply	110V/240V	11	0V/240V	110V/240V
Power Consumption	n 0.4kW/hr		0.6kW/hr	2.3kW/hr
Weight kg	12kg		18kg	61kg
Product Code:	12120		12120	12130
	1S <sup>-</sup>	t day	EXTRA DA	Y WEEKLY
220	£	20.50	£10.2	5 £42.00
500		40.00	£19.7	
900	£	63.00	£30.7	5 £126.00

# **HEATING & COOLING CALCULATIONS**

# **HEATING CALCULATIONS**

The amount of heat required to give comfortable working conditions can be calculated using this step by step guide below:

#### Amount of heat required = Volume in m<sup>3</sup> x Temperature rise $^{\circ}C \times K \times 4 = Btu/hr$

- **A** Volume  $(m^3)$  = Multiply Length x Width x Average Height
- **B** Temperature Rise (°C) = Subtract the current room temperature from the required temperature
- **C** Insulation (k) = Select the description which best describes the area to be heated from the table below.

Well insulated	k = 1.2
Average	k = 2.2
Badly insulated	k = 3.0
Hardly any insulation	k = 4.0

D Multiply the Volume from A by the Temperature Rise from B. Multiply this by Insulation (k) and then multiply by 4 to give you Btu/hr.

# **COOLING CALCULATIONS**

Calculating the cooling capacity required and the heat load for each room can vary considerably. This depends on the number of lights, the number of people, glass area facing the sun, and the presence of computers and other equipment. Rule of thumb for an approximation of air conditioning loads are:

Normal Modern Offices:	± 46
Portable Buildings:	± 57
Tents/Marquees:	± 95

6 W per m<sup>3</sup> 7 W per m<sup>3</sup> 5 W per m<sup>3</sup>

1 kW = 3413 Btu/hr

In addition to the type and size of the area to be cooled consideration must be given to any appliances that generate heat in the area. Such appliances are listed below along with the approximate heat emission that they generate.

Personal Computer	± 150 W
Laser Printer	± 500 W
Photocopier Standby	± 200 W
Photocopier In Use	± 1000 W
Fax Machine	± 500 W
Coffee Machine	± 800 W
TV/ Video Screen	± 50 W



# **PAINTING & DECORATING**



# **Petrol Airless Sprayer**

For commercial painting where no power supply is available, this Petrol Sprayer will handle the biggest jobs.

# **Electric Airless Sprayer**

The fastest way to apply most emulsions or resin based paints, these Airless Sprayers will allow you to cover a greater area in less time. Ideal for rough case or porous walls.

Cover large areas quickly

	Specs	-	
Voltage	110V		
Max Pressure	205 bar		
Volume	1.75 lpm		
Weight	19kg		
Product Code:	12160		
	1ST DAY	EXTRA DAY	WEEKLY
Electric Airless Sprayer	£83.50	£62.50	£210.00

🜒 CALL OUR HIRE DESK TODAY 🛛 0845 338 1388

# **PAINTING & DECORATING**

# Wallpaper Stripper

Compact, lightweight and high-performance steam wallpaper strippers help remove wallpaper, vinyl, woodchip and many other decorative wall coverings at ease without damaging the plasterboard.

- 110V and 240V versions available
- 90 minutes of continuous steam time
- 110V version incorporates a sturdy step
- Perforator available





Product Code:

Stripper, Medium

Perforator Product Code: 91330

Stripper, Large



**1ST DAY** 

£17.00

£22.00

£5.00

	Medium	Large
Voltage	240V	110V
Power Rating	2500W	2750W
Tank Capacity	7.01	7.51
Weight	7.0kg	8.65kg

Remove paint and varnish with these Hot Air Guns without burning or scorching the area.

		Specs	
Voltage	110	V/240V	
Power Rating		1400W	
Weight		1.7kg	
Product Code:		12180	
	1ST DAY	EXTRA DAY	WEEKLY
Hot Air Gun	£15.00	£7.50	£31.00

# **Mixing Drill**

Ideal for mixing grout, resin or repair materials, this high torque Mixing Drill is easy to use.

Ideal for grout or adhesives





EXTRA DAY

£8.00

£2.00

£11.25



12170

WEEKLY

£34.00

£45.00

£9.00



# **Manual Pipe Threader**

For threading those hard to reach pipes already in situ or for use with a pipe vice.

 Thread steel pipes, either in situ or vice clamped 1/2"(13mm) to 2" (52mm)



	Specs		
Capacity	1/2" - 2"		
Weight	9kg		
Product Code:	12210		
	1ST DAY	EXTRA DAY	WEEKLY
Manual Pipe Threader	£21.00	£11.00	£44.00

# Hand-held Electric Threader

This Hand-held Threader takes the effort out of threading fixed BSP pipes and can be used in conjunction with a pipe vice.

✓ Ideal for fixed pipes



# Electric Threader 1/2" - 3"

For cutting, threading or reaming steel pipes, these variable Speed Threaders allow a clean finish on pipes up to 3". Larger Threaders are mounted on a collapsible trolley for easy transportation and handling on site.

- ✓ Threads ½" to 3" pipe
- Also cuts and reams
- Automatic die heads give precise and constant thread length each time
- Mounted on trolley for easy handling



	Specs	
Capacity	1/2" - 3"	
Power Rating	1700W/110V	6
Weight	84kg	
Product Code:	12230	
	1ST DAY	EXTRA DAY
Electric Threader 1	/2" - 3" £66.00	£32.50

# Pipe Vice & Stand

This Stand Mounted Vice is essential for handsfree pipe work and plumbing tasks.



# **Pipe Stand**

WEEKLY

£132.00

Pipe Stands take the strain off your pipes while threading, cutting or grooving.





# Hydraulic Pipe Bender

Portable Hydraulic Pipe Benders are suitable for bending BSP piping from 3/8" to 2". Stand or floor mounted.

 Suitable for bending BSP piping from 3/8" (10mm) to 2" (50mm)



	1		
	- 62	Specs	
Capacity	3/3	8" - 2"	
Weight		70kg	1
Product Code:		12250	
	1ST DAY E	XTRA DAY	WEEKLY
Hydraulic Pipe B	ender £32.00	£15.75	£64.00

#### Hand Held Benders

**TOOL HIRE** 

Bend copper pipes easily and accurately without flattening using these handy Pipe Benders.

	/	
15	Smore	
	Specs	
Capacity	12 - 22mm	

Weight		4kg	
Product Code:		12260	
	1ST DAY	EXTRA DAY	WEEKLY
Hand Held Benders	£13.00	£6.00	£27.00

#### **Reciprocating Saws**

Reciprocating saws are the ideal solution for both curved and straight cuts in timber, plastic or steel.

**For further details** See page 72



# **Pipe & Conduit Benders**

For precision bends in copper piping or conduit without flattening or kinking. Stand mounted and fitted with a vice for convenience



# Cordless Transfer Pump NEW



Lightweight cordless pump, ideal for transferring smaller volumes of liquids in remote or awkward areas.

;

# **Pipe Freezing Kit**

Modify existing pipe work without having to drain down the system using these handy Pipe Freezing Kits. Will freeze copper or steel pipes.

Avoids the need for drain down



	1ST DAY	EXTRA DAY	WEEKLY	
Pipe Freezing Kit	£49.50	£24.75	£100.00	

Ρ



S	pecs
---	------

Capacity	10 - 60mm copper, 1/8" - 2" steel
Power Rating	110v
Weight	36kg
Product Code:	12280



#### **Pressure Test Pumps**

Pressure Test Pumps offer a quick and accurate method to test for leaks in pipework, water systems and oil installations. The Electric version is ideal for larger installations such as sanitary, heating and solar installation or for compressed air, steam or cooling systems.

- Adjustable pressure settings 10 60bar/145 870psi
- Self sucking for ease of use

- Compatible fluids include water, oil and ethylene glycol
- Test a range of different installations
- 🚹 Electric & manual versions available



	Manual	Electric
Power	N/A	1300W
Weight	4kg	10kg
Max Pressure	50 bar	60 bar
Water Flow	N/A	91/min
Product Code:	12280	12280

	1ST DAY	EXTRA DAY	WEEKLY
Electric	£54.50	£27.50	£111.00
/lanual	£19.00	£9.25	£40.00

# **Pipe Wrenches**

These Pipe Wrenches are ideal for maximum grip or for turning pipes up to 6" in diameter.

# **Central Heating Flushers**

The Professional Central Heating Flusher can operate at a flow rate of up to 150 litres per minute with operating temperatures of up to 85°. These machines are capable of flushing up to 40 radiators over 3 storeys. It comes equipped with a 50 litre heavy duty tank and camlock connections making the machine mobile and easy to use.

1388

- Flush up to 40 radiators over 3 storeys
- Operating temperatures of up to 85°
- Flow rates of up to150 litres per minute
- Fully acid proof
- Easy too use connections



			Specs
Power Output			370W
Flow Rate			150lpm
Capacity			501
Weight			12kg
Product Code:			12280
	1ST DAY	EXTRA DAY	WEEKLY
Central Heat Flushers	£71.00	£35.75	£145.00





		Specs
Length		900mm
Capacity		150mm
Weight		9kg
Product Code:		12270
1ST DAY E	xtra day	WEEKLY
£16.00	£8.00	£32.00

# Sewer Rods


For cleaning blocked drains or sewers, these plastic rods screw together to provide access to 100mm or 150mm pipes. Various head fittings are available.



Product Code:			12290
	1ST DAY	EXTRA DAY	WEEKLY
Sewer Rods	£1.30	£0.50	£2.30

# Hydrant Standpipe & Keys

For contractors or emergency services requiring a temporary supply of water.





Product Code:			12270
	1ST DAY	EXTRA DAY	WEEKLY
Standpipe	£20.00	£9.75	
Key	£7.50	£4.00	£17.00

# **Toilet Plunger**

This Toilet Plunger is used to clear unwanted blockages in toilets and waste pipes.





Product Code:			12290
	1ST DAY	EXTRA DAY	WEEKLY
Toilet Plunger	£13.50	£6.50	£28.00

# Ducting Rod / Cobra Reels



£46.00

CALL OUR HIRE DESK TODAY 0845 338 1388

£22.50

£93.00

**Ducting Rod 9mm** 

# **Drain Cleaner**

Excellent for clearing clogged sinks, urinals, showers / baths and other drainage lines around the home.

- Ideal for clearing clogged sinks or showers
- Easy to use, advance and retrieve system



# Drain Jetting Kit

Ideal for cleaning drains, this Drain Jetting Kit uses high pressure water to flush away any soft stoppages such as waste, grease or silt.



	Specs				
<b>Operating Pressure</b>	1500 -	3000psi			
Length	30m				
Product Code:		10775			
	1ST DAY	EXTRA DAY	WEEKLY		
Drain Jetting Kit	£29.00	£21.75	£74.00		





#### **Puddle Residue Pump**

For reducing water levels to 1mm, this Puddle Pump is ideal for clearing flat areas and residue water.

 Clears water down to 1mm
 All pumps supplied with 1 x 10m delivery hose





	1″	-	2"	and the second
Outlet Size	25mm	50m	m	
Voltage	110V	110	V	
Max Head	10m	10	m	
Max Capacity	85lpm	85lp	m	
Weight	11.5kg	11.5	kg	
Product Code:	12320	123	30	
		1ST DAY	EXTRA DAY	WEEKLY
1″		£36.50	£18.50	£76.00
2″		£42.00	£9.00	£86.00

# Submersible Pump

These Submersible Pumps are the handy alternative for emptying water from flooded basements, tanks or site drainage applications.

**1ST DAY** 

£31.50

EXTRA DAY

£15.00

- ✓ Ideal for flooded basements, tanks or site drainage
- ✓ All pumps supplied with 1 x 10m delivery hose

	2" Pump
Outlet Size	50mm
Voltage	110V
Max Head	11m
Max Capacity	220lpm
Weight	9.6kg
Product Code:	12340

Submersible Pump



WEEKLY

£63.00

Submersible Trash Pump

This Rugged Pump will handle muddy water and solids such as leaves, sewage and sludge that other submersibles cannot.


✓ All pumps supplied with 1 x 10m delivery hose



	Specs		
Outlet Size	50mm / 2"		1
Voltage	110V		
Max Head	11m		
Max Capacity	220lpm		1
Weight	9.2kg		2
Product Code:	12350		
		1ST DAY	E)
Submorsible Tra	ch Dumn	£30 50	



Product Code:	12350			
		1ST DAY	EXTRA DAY	WEEKLY
Submersible Trash Pump	)	£39.50	£20.00	£81.00



#### **Poker Driven Submersible Pump**

Driven by a Petrol poker drive unit this pump offers the advantage of a dependable submersible pump with high flow rates for fast pumping before switching over to use for vibrating poker tasks. Ideal way to drain footings before the concrete goes in.

- ✓ Make use of a power source already on-site
- Drain foundations before pouring concrete
- The advantages of a submersible pump without electric
- The submerged pump can left running unattended for extended periods





	S	pecs			
Outlet Size	50	mm			
Max Head @ 3300RPM	RPM 12m				
Max Capacity @ 3300RPM - 3m H	lead 355	lpm			
Weight 21.5kg	inc. Drive	Unit			
Product Code:	1	12360			
	1ST DAY	EXTRA DAY	WEEKLY		
Poker Driven Submersible Pump	£31.00	£14.75	£62.00		



#### Hydraulic Submersible Pump

Suitable for water or sewage drainage applications on-site or on the farm. Hydraulic powered, these 3" submersible pumps are light-weight and require no electrical supply. Extremely powerful for their size offering a capacity of up to 1416 pm or nearly 19000 gallons per hour.

- Lightweight and compact
- ✓ Capacity up to 85 m³/hr or 1416lpm
- ✓ Can handle solids of up to 63mm
- ✓ Continuous running capabilities





		HWP3	Powe	er Pack	
Outlet Size	75	5mm / 3''		N/A	
Max Head		20m		N/A	
Max Capacity	85m³/h (*	1416lpm)		30lpm	
Power		Hydraulic	13hp/	Petrol	
Weight		11kg		90kg	
Max Solids Capacity		63mm		N/A	
Product Code:		12370		10400	
		1ST DAY	extr/	A DAY	WEEKLY
Hydraulic Submersib	le Pump	£52.50	) £2	26.00	£106.00
30l P / Pack		£33.00	) £2	24.50	£83.00

# **Fuel Transfer Pump**

When you require a pump to move diesel or paraffin oil from one container to another, this Fuel Transfer Pump is light, portable and efficient.

	Specs	-		
Outlet Size	25mm / 1"			
Voltage	110V		E	2
Max Head	12m			
May Canadity	65lpm	2	A REAL PROPERTY.	Constant of the local division of the local
Max Capacity	Ophin			
Wax Capacity Weight	10kg			
			I	
Weight	10kg	1ST DAY	EXTRA DAY	WEEKLY

# **Petrol Centrifugal Pumps**

These lightweight Portable Pumps are ideal when moving volumes of clean water. 2" and 3" versions available, capable of pumping up to 55000 litres per hour.

- 🖌 Pump up to 55000 liters per hour
- 2" and 3" versions available
- All pumps supplied with 1 x 4m suction & 1 x 10m delivery hose



Max Total Head	30m	25m		
Max Capacity	600lpm	910lpm		
Weight	25kg	29kg		
Product Code:		12390		
		1ST DAY	EXTRA DAY	WEEKLY
2" Pump		£31.00	£14.75	£62.00
3" Pump		£33.00	£16.50	£66.00

# **Pump Hosing**

All pumps are supplied with 4m of suction hose and 10m of delivery hose. Additional hosing is available for longer suction or discharge applications.



	1ST DAY	EXTRA DAY	WEEKLY
2" Additional Delivery Hose	£9.00	£4.00	£17.00
3" Additional Delivery Hose	£11.00	£5.00	£21.00

#### **Petrol Diaphragm Pump**

When you need to pump lower volumes of muddy water, these Diaphragm Pumps do not need to be primed and will run safely without supervision.

✓ No priming	required			
<ul> <li>All pumps sustain &amp; 1</li> </ul>	upplied with 1 x 10m delivery	x 4m hose		
	Specs			
Outlet Size	50mm/2"		l'area	
Max Suction Head	<b>d</b> 6m	ALC: NO		
Max Total Head	18m		6	
Max Total Head Max Capacity	18m 189lpm		0	
			0	
Max Capacity	189lpm		0	
Max Capacity Weight	189lpm 24kg	1ST DAY	EXTRA DAY	WEEKLY

# **Diesel Diaphragm** Pump

For prolonged use, Diesel Diaphragm Pumps offer reliability and the ability to run dry indefinitely without the need for supervision.

	Specs		-	
Outlet Size	75mm / 3"	🖌 Can di	y run indefinitel	у
Max Suction Hea	<b>d</b> 6m	🖌 🖌	mps supplied wi n & 1 x 10m deli	th 1 x 4m
Max Total Head	18m	suction	n & 1 x 10m deli	ivery hose
Max Capacity	378lpm			
Weight	160kg			
Product Code:	12420			
		1ST DAY	EXTRA DAY	WEEKLY
Diesel Diaphragn	n Pump	£56.00	£28.50	£115.00

# **Trash Pumps**

Capable of handling sludge and solids up to 25mm, these Pumps are suitable for clearing site excavations or dirty manholes. Ideal for waste water or effluent applications.

- Electric start
- Up to 72m<sup>3</sup>/h capacity
- Handles sludge and small solids
- All pumps supplied with 1 x 4m suction & 1 x 10m delivery hose

12430



**Product Code:** 

	-		
	Petrol	Diesel	
Outlet Size	50mm / 2"	75mm / 3"	
Max Suction Head	8m	7m	
Max Total Head	29m	24m	
Max Capacity	950lpm	72m³/h - 15000 gal	
Weight	45kg	124kg	

12440



	1ST DAY	EXTRA DAY	WEEKLY
Petrol Trash Pump	£42.00	£21.25	£86.00
Diesel Trash Pump	£56.00	£28.50	£115.00



# Gas Detector

With flashing light, audible or vibrating alarms you can be sure of your safety while working in hazardous environments. Light weight and easy to wear this unit will detect H<sub>2</sub>S, CO, O<sub>2</sub> and combustible gases, the detector self-tests on start-up and displays setpoints automatically.

- Compact, lightweight and easy to wear
- Easy to use no expertise required
- Extended 18-hour battery runtime
- Robust water-resistant design for demanding conditions

			5655		
Size		11.3 :	x 6.0 x 3.2cm		
Weight					
Temperature	erature -20° - +5				
Tests Audible / visual alarms	s on activatio	on, sensors, batte	ery & circuitry		
Typical Battery life	1	8 hours; < 6 hr	s to recharge		
Product Code:			12460		
	1ST DAY	EXTRA DAY	WEEKLY		
Gas Detector	£49.00	£24.50	£99.00		

# **Thermal Imaging Camera**

Visualise temperature differences within seconds without the need for direct contact. Temperatures can be measured simply and the information saved for transfer to your computer. The large 3.5" colour display provides a better view on measurement results.



- Quality Infrared sensor for detailed thermal images
- Robust & easy to use with large colour display
- Easy transfer of data to your computer

✓ Battery operation	Specs		
Resolution Infrared sensor	160 x 120 Pixels		
Thermal sensitivity Tests	Up to <50mK		
Measuring range	-40° - +400°		
Product Code:	12460		
	1ST DAY	EXTRA DAY	WEEKLY
Thermal Imaging Camera	£49.00	£24.50	£99.00

Specs



# Wind Meter

TOOL HIRE

Before accessing high areas or using access equipment, use this Meter to accurately determine wind speeds.



Accuracy		+/- 3%	
Weight		235g	
Product Code:		12460	
	1ST DAY	EXTRA DAY	WEEKLY
Wind Meter	£15.00	£7.75	£31.00

# **Distance Meter**

These easy to use Laser Meters are ideal for calculating long or short distances when surveying sites or room sizes.

Specs

220g 5m - 70m

12460

**1ST DAY EXTRA DAY WEEKLY** 

£9.50

£41.00

+/- 1.5mm

£19.50

# Sound Meter

Ensure you comply with environmental regulations; check your noise levels with this Sound Meter.

Specs           Accuracy         +/- 1.5dB           Weight         230g           Product Code:         12460           IST DAY         EXTRA DAY         WEEKLY           Sound Meter         £19.50         £9.50         £41.00	<ol> <li>Non calibrat</li> <li>Y</li> </ol>	ied		
Weight     230g       Product Code:     12460       1ST DAY     EXTRA DAY       WEEKLY			Specs	
Product Code: 12460 1ST DAY EXTRA DAY WEEKLY	Accuracy	+	/- 1.5dB	
1ST DAY EXTRA DAY WEEKLY	Weight		230g	
	Product Code:		12460	
Sound Meter £19.50 £9.50 £41.00		1ST DAY	EXTRA DAY	WEEKLY
	Sound Meter	£19.50	£9.50	£41.00

# **Measuring Wheel**

These easy to use Measuring Wheels are ideal for calculating long distances when surveying sites of road works.



		Specs	
Accuracy		+/-1%	
Weight		7.6kg	
Product Code:		12460	
	1ST DAY	EXTRA DAY	WEEKLY
Measuring Wheel	£14.00	£6.75	£29.00

# **Moisture Meter**



# **Concrete Test Cubes**

Testing the strength of concrete on site is straightforward with these cube moulds. The steel cubes come in a standard 150mm / 6" size and bolt together with a detachable base.



		specs	
Cube Material	Bolted Steel		
Size	150mm/6	5" square	
Product Code:		12460	
	1ST DAY	EXTRA DAY	WEEKLY
Concrete Test Cu	ubes £11.00	£5.00	£22.00

Accuracy Weight

Range

Product Code:

Distance Meter

# Cable Avoiding Tool with StrikeAlert

These tools use radio waves to locate buried cables before excavation, thus ensuring that you can work safely without fear of electrical injury or damage to existing cables.



# Sonde

Can help locate pipes

This self contained battery operated Sonde can be connected to Cobra Reel for locating pipes and ducting accurately using a standard C.A.T. cable detector. Maximum location depth of 5m / 16ft.



Product Code:			12480
	1ST DAY	EXTRA DAY	WEEKLY
Mouse Sonde	£17.00	£8.25	£34.00

0	Spec	3	
Detection Depth	1r	n	
Weight	0.5k	g	
Product Code:	1249	00	
	1ST DAY	EXTRA DAY	WEEKLY
Manhole Locator	£21.00	£11.00	£44.00

StrikeAlert version available Quick & easy to operate Robust & weatherproof Can also detect metal or non metallic pipes using Signal Generator or Sonde

**Detection Depth** 

1ST DAY EXTRA DAY

£13.75

£20.25

Weight

**Product Code:** 

£29.00

£40.00

Manhole Locator

manhole covers or other metal

objects underground. Gives out

For locating shallow pipes,

audio signal when comes into contact with metal.

Specs

3m

3kg

12470 WEEKLY

£58.00

£82.00

# Signal Generator

These tools can be used in conjunction with the C.A.T. to send a signal down cables or through sewer pipes, providing more accurate locations.



		Specs	
Weight		2.5kg	
Product Code:		12480	
	1ST DAY	EXTRA DAY	WEEKLY
Signal Generator	£29.00	£13.75	£58.00

#### Metal Detector Find lost valuables or jewellery with



# Cross Line & Point Laser (Green Beam)

This all-in-one tool for professionals is ideal for set up of entire rooms and is perfect for simultaneous horizontal and vertical levelling

applications. The green beam is easier to see than red beams and projects highly visible lines at the correct angle to one another. Great for suspended ceilings, stud work or laying tiles.

- Working range of up to 35 meters
- The tilt is automatically adjusted when within a  $\pm 4^{\circ}$  limit
- ✓ Magnetic adapter for quick set up



Cross Line & Point Laser	£28.50	£12.25	£58.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:			12510
Weight			530g
Operating Time			Up to 28h
Range			35m / 115ft
Accuracy (vertical/horizontal)	$\pm$ 0.3mm/m/ $\pm$ 0.0118 in @ 33ft		
Accuracy (Dot)	±0.2	mm/m/±0.00	079 in @ 33ft

# Site Level

Simple and quick to set up and use. The dependable way to take levels on site.



# **Interior Laser Level**

This multi-functional Laser is ideal for interior trades such as partitioning or suspended ceilings. A rotating laser beam provides an accurate marking point on walls, ceiling or ground.

Interior Laser Lev	el £52.00	£25.75	£105.00
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:	12520		
Weight	3.4kg		
Range	60m	Contraction of the local division of the loc	
Acccuracy	+/- 1.5mm @30m	12 million	a lelle
	Specs		RL-VH30
			TOPCON
			<b>2</b> ).
✓ Horizontal a	nd vertical orientation		
<u> </u>		60 C	

# Site Laser Level

For road works and construction sites, these Laser Levels provide a one man solution to all your site levelling requirements.

- 🖌 Manual slope capability
- ✓ Up to 800m range



#### Grade Laser Level

This multi purpose Construction Laser can be used for horizontal, multi slope and vertical applications and is suitable for exterior and interior jobs.

- 🖌 Horizontal, single & dual slope
- Vertical function

Accuracy

Range

Working Area

- ✓ Up to 800m range
- Extra long battery life (120 hrs)



Operating Time	120 hrs		
Product Code:	12560		
	1ST DAY	EXTRA DAY	WEEKLY
Grade Laser Level	£57.00	£29.00	£117.00

Specs

# **Machine Laser Receiver**

Horizontal +/- 10 arc sec

800m diameter +/- 5°

These Laser Receivers allow accurate grade checking and machine control while dozing or excavating. Easily fitted to your machine using a magnetic mount.

🖌 Grade checking capability Allows one man operation Easily fitted to your machine with a magnetic mount 🖌 Multi colour display Specs **Detection Angle** 360° **Operating Time** 100 hrs Product Code: 12570 EXTRA DAY WEEKLY **1ST DAY** Machine Laser Receiver £54.50 £27.50 £111.00



SITE LASER LEVELS AVAILABLE TO BUY IN STORE

FL-VHS

TOPCOR



Н торсог

#### **Pipe Laser Level**

When laying long lengths of pipe, these specialised tools are an invaluable way of ensuring correct grade and elevation. These hardy waterproof units are battery powered and come with remote control.

		-	
		1,	
	Specs	1	
Accuracy	<b>Specs</b> +/-2.0mm @30m		
Accuracy Range	<b>Specs</b> +/-2.0mm @30m 200m		-
	+/-2.0mm @30m		
Range	+/-2.0mm @30m 200m		-
Range Weight	+/-2.0mm @30m 200m 3.8kg	EXTRA DAY	WEEKLY



# **Total Station, Robotic**

Designed for 1 person operation, this robotic total station is ideal for construction projects of any scale. With minimal training required this tool provides high levels of accuracy and efficiency using digital layout techniques which are a necessity within modern processes.

The total station allows users to layout lines for footings, formwork or foundations, it can also provide points for building layers and provide locations for internal fitting out works to name just a few applications.

- Prepare and execute construction tasks quicker, easier and more accurately
- Four button keyboard for easy operation
- ✓ Quick and easy to set up and use

	Specs
Accuracy Hz and V	2'' (0.6 mgon), 5'' (1.5mgon)
Range	1.5m to 3500m / R500: 1.5m to 500m
Working Range / Accuracy	5 - 150m / typically 5cm @ 100m
Operating Time	8 - 10h
Weight	5.0kg
Product Code:	12590

#### PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388





#### **Portable Hand Wash Stations**

These portable Hand Wash Stations are the ideal solution for sanitizing in the workplace, civic occasions or gatherings. Suitable for both indoor and outdoor use including construction sites, factories and offices.

#### **Eco Hand Wash Station**

Operated with a foot pump these self-contained stations provide up to 120 twenty second hand washes from one fill of water.

- ✓ Foot pump operation
- Suitable for indoor and outdoor use
- ✓ 120 twenty second hand washes

Product Code: 12610



#### **Deluxe Hand Wash Station**

Hands-free infrared sensor operated, these stations are the ideal solution for sanitising on-site where mains water and waste connections are available but alternatively can be converted to suit sites where no services available.

- ✓ Hands-free infrared operation
- 🖌 Hot water
- Can also be self-contained to suit sites where no services are available



Product Code:	1ST DA	١Y	EXTRA DAY	WEEKLY
12610	Eco Hand Wash Station	-	-	£26.00
12620	Deluxe Hand Wash Station / Mains	-	-	£45.00
12630	Deluxe Hand Wash Station / Self-contained	d-	-	£56.00



#### **Boot Wash Station**

Keep your clean zones free from dirty work boots with these stand-alone Boot Wash Stations. Quick and easy to install, simply connect a water supply to allow up to 3 site operatives to use at once.



			Specs
<ul> <li>Up to 3 site operatives or visitors can use at once</li> </ul>	Length Width Height Tray Depth Tray Capacity		1650mm
			605mm
$\checkmark$ Quick and easy to install			1235mm
			255mm
			2331
	Product Co	ode:	12640
	1ST DAY	EXTRA DAY	WEEKLY
Boot Wash Station	-	-	£57.00

#### **COSHH Vaults**

Store your hazardous chemicals securely on site with these ultra-tough COSHH Vaults. Complying with all regulations, they are fitted with high and low ventilation to prevent fume build up and fully welded sump to prevent leaks.

- Comply with all COSHH regulations on site
- Easy open access lid and forklift pockets

high security locks

Internal Dimensions

External Dimensions

5 lever deadlock system with

chemicals hese ultra-tough ying with all tted with high prevent fume ded sump to CSHH id and ystem with Specs 1185mm x 605mm x 1185mm 1275mm x 675mm x 1270mm

# Weight 150kg Product Code: 12670 1ST DAY EXTRA DAY WEEKLY COSHH Vault £65.00

#### **Tool Vaults**

Store your tools or valuables from unauthorised users or thieves in one of these secure vaults which include locks, hinges and gas struts.

- ✓ Highly secure
- Different sizes available for a range of tasks

#### For large Vaults or Chemical Stores See page 323



Size	0.95 x 0.5 x 0.46m	1.15 x 0.62	x 0.64m 1.15	x 0.62 x 0.93m
Weight	50kg		80kg	127kg
Features	2 point locking	2 point	locking	2 point locking
Product Code	e:			12650
		1ST DAY	EXTRA DAY	WEEKLY
Small		-	-	£33.00
Medium		-	-	£40.00
Large		-	-	£44.00

Small

#### Flammable Vaults

Keep your flammable goods safely secured from harm in one of these heavy-duty vaults. Providing fire resistance for up to 30 minutes, these vaults fully comply with all regulations having fully welded sumps to prevent leakage and ventilation to avoid fume build up.

- ✓ Offers up to 30 minutes fire resistance
- Comply with all regulations on site
- Easy open access lid and forklift pockets
- 5 lever deadlock system with high security locks





#### () CALL OUR HIRE DESK TODAY 0845 338 1388

#### **Acoustic Noise Barriers**

The Echo Barrier is a temporary and portable solution that offers noise reduction and absorption for building sites, demolition works or events that need to manage noise levels. Ideal for urban site work or environmentally sensitive areas, simply fit to site fencing or scaffolding. Water, fire and temperature resistant, these lightweight barriers are easy to install by a single operator.

Simply fit to site fencing

- ECHD
- or scaffolding Specs ✓ Up to 43dB noise reduction Dimensions 2050mm x 1335mm Easy to install by a single Weight 5.3kg operator Max Noise Reduction 43dB Ideal for events or urban Max Noise Absorption 99% construction sites Product Code: 12690 **1ST DAY** EXTRA DAY WEEKLY Acoustic Noise Barriers £29.00 \_ -

#### Fire Extinguishers and Trolly

A range of fire Extinguishers is available including water, foam, powder and carbon dioxide to cover most types of fire. Ideal for temporary sites and events. Extinguisher contents are supplied on a sale or return basis. This highly visible trolley features a hand operated alarm bell and can hold three standard fire extinguishers.

ľ

**Fire Extinguisher** 



£10.75

	1ST DAY	EXTRA DAY	WEEKLY	Product Code:
Trolly	£18.00	£8.75	£38.00	12700

£20.50

#### **Tool Charging Cabin**

NEW

Charging cordless tool batteries is safer and more convenient using this innovative cabin. Eliminate lost or stolen batteries in the knowledge that batteries are being charged in a controlled environment. Individual lockers with individual RCD protection and an automatic fire suppression system provides the best possible protection to your site.





# Convenient on-site battery charging Enhanced safety and fire protection Improves site productivity Secures batteries from loss or theft

	Specs
Length	1220mm / 4ft
Width	1220mm / 4ft
Height	2377mm
Unladen Weight	620kg
Power Requirement	32Amp Appliance Inlet
Product Code:	60647

PLEASE CALL FOR QUOTATION

**Product Code** 

12710

£43.00

#### **Two Way Radios**

Ideal for directing operations on large or noisy sites, these two way radios provide an excellent means of communication.



#### Air Cleaner

This Air Cleaner is designed to remove dust and help improve air quality in your working area.

✓ HEPA filtration for high degree of separation





	D	L400	DC2000
Air Flow (inlet)	400m³/hr		1850m³/hr
Power	190W		350W
HWL	380 x 340 x 495mm 970 >		70 x 500 480mm
Weight	13kg		25kg
Product Code:		10900	10910
	1ST DAY	EXTRA DA	Y WEEKLY
DC400	£44.50	£21.7	5 £89.00
DC2000	£74.50	£37.2	5 £150.00

#### Line Marker Trolley

This Line Marker is ideal for temporary marking out of playing fields, car parks or site lines.



Product Code:			12730
	1ST DAY	EXTRA DAY	WEEKLY
Line Marker Trolley	£18.50	£8.25	£34.00

#### Tar Boiler

When working with bitumen for roofing or roadworks, you will need a way to melt quantities of bitumen to the correct consistency.





Product Code:	12740			
	1ST DAY	EXTRA DAY	WEEKLY	
Tar Boiler	£29.50	£13.00	£54.00	

#### Drip Tray / Bunds

To catch light drips or spills from drums or static machinery, use one of these simple Drip Trays or Separators.



	۰ ۱	<b>Volume</b>	
Spill Bund 4'4" x 2'6" / 1.3 x 0.7m		350l	
Spill Bund 4'4" x 4'4" / 1.3 x 1.3m		700l	
Product Code:		12760	
Drip Tray	1ST DAY	EXTRA DAY	WEEKLY
3' x 2' / 0.9 x 0.6m	-	-	£13.00
8' x 4' / 2.4 x 1.2m	-	-	£22.00
Separator 8' x 4' / 2.4 x 1.2m	-	-	£78.00
Sump Pallet	-	-	£20.00

#### **Rubbish Chutes**

These strong Rubbish Chutes connect together to provide a safe way of moving debris from high buildings to ground level. 1.2m sections allow quick and easy assembly.



	Rubbish C	hute	Hopper
Length		0.75m	
Weight	8.2kg		9.4kg
Product Code:			12765
	1ST DAY	EXTRA DAY	WEEKLY
Rubbish Chute, 1m	-	-	£13.00
Rubbish Chute, Hopper Unit	-	-	£16.00



#### **Rubble Trucks**

Designed for maximum performance and efficiency, these multipurpose rubble trucks are the ideal solution for handling materials, waste and rubble on-site. Engineered for heavy-duty usage, these trucks offer a massive 400I capacity and a 750kg weight loading capacity. Extra strong crane hooks, an inbuilt tipping feature and a braking system are included for ease of use.

Capacity Weight Loading Capacity Length Width Height Unladen Weight Product Code:	400l 750kg 1460mm 855mm 88.5kg 12770 1ST DAY	EXTRA DAY	WEEKLY
Weight Loading Capacity Length Width Height Unladen Weight	750kg 1460mm 760mm 855mm 88.5kg		
Weight Loading Capacity Length Width Height	750kg 1460mm 760mm 855mm		
Weight Loading Capacity Length Width	750kg 1460mm 760mm		
Weight Loading Capacity Length	750kg 1460mm		
Weight Loading Capacity	750kg		
Capacity	4001		
	4001		
<ul> <li>Inbuilt tipping feature</li> <li>Extra strong crane hooks</li> </ul>	Specs		0
capacity	_	-0	La armorga
✓ 750kg weight loading			

#### Wheelbarrow

Perfect for moving sand, concrete, soil and a range of other materials around the garden or on-site.





#### Site Transformers

These heavy duty step-down Transformers reduce 240V or 415V power to 110V output for safe use on site. Ratings are not continuous and both 16A and 32A outlets are available.



#### **Extension Leads**

A range of 110V, 240V and 415V Extension Leads are available in loose or reeled format, up to 50 metre lengths.



Product Code:			12860
	1ST DAY	EXTRA DAY	WEEKLY
110V, 14m Loose	£5.00	£2.00	£12.00
240V, 14m Loose	£4.50	£3.00	£12.00
25m - 50m, 1.5mm Reel	£4.50	£3.00	£12.00
25m - 50m, 2.5mm Reel	£5.50	£3.00	£13.00
110V, 10m, 6mm Loose	£7.50	£4.00	£17.00

R

#### **Junction Boxes**

A range of Junction Boxes is available to safely increase the number of electrical outlet sockets.



Product Code:			12870
	1ST DAY	EXTRA DAY	WEEKLY
110V Junction Box	£9.00	£4.25	£19.00



#### **Silenced Petrol Generator**

Ideal for powering small power tools, or for camping and leisure use. Clean light and quiet, this unit will provide dependable power when you need it.



	Specs		
Output	1700W/1.7kw		
Voltage	240V		
Amps	16A		
Engine	Petrol/4 stroke		
Run Time (approx)	3.6 hours		
Weight	21kg		
Product Code:	12780		
	1ST DAY	EXTRA DAY	WEEKLY
Silenced Petrol Gene	rator £30.00	£21.75	£76.00

#### **Petrol Generators**

Ideal for powering<br/>small power tools orOut<br/>Out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>out<br/>ou

			Specs
utput	2	2.2kW	4kW
oltage	110/	240V	110/240V
mps		16A	16A
ngine	Petrol / 4	stroke	Petrol / 4 stroke
un Time (	(approx)	3 hrs	3 hrs
/eight		41kg	59kg





#### **6kVA Diesel Generator**

This trolley-mounted Diesel Generator is an economical solution when you require portable 110V or 240V power on site.

Relegent		7	Specs
	Output		6kVA/5kW
	Voltage		110/240V
	Amps		16A & 32A
	Engine		Diesel
	Run Tim	e (approx)	17hrs
	Weight		193kg
	Product Co	de:	12810
	1ST DAY	EXTRA DAY	WEEKLY
6kVA Diesel Generator	£42.00	£30.75	£105.00

#### **6kVA Silenced Generator**

These Diesel powered
Silenced Generators are
suitable when noise is a
consideration. Ideal for
working at night or in built
up areas when you need a
mobile power supply.

		specs
Output		6kVA / 5kW
Voltage		110/240V
Amps		16A & 32A
Engine	Diesel	/ Electric Start
Run Time @75	5% Load	14.1hrs
Weight		196kg
Product Code:		12820



	1ST DAY	EXTRA DAY	WEEKLY
6kVA Silenced Generator	£57.00	£43.25	£144.00



#### **10kVA Silenced Generator**

Mounted on a wheel barrow frame, this lightweight generato is easy to handle whi still providing 10kVA multi-phase power.	r le		5
Generator Size	10kVA / 8kW		
Voltage	110/240V		
Amps	16A & 32A		
Engine Dies	el / Electric Start		
Run Time/Approx	15 hours		
Weight	388kg		
Product Code:	12830		
	1ST DAY	EXTRA DAY	WEEKLY
10kVA Silenced Gener	ator £66.50	£49.25	£167.00

#### Floor Lights, LED

These lightweight versatile lights can be used either handheld or freestanding and are ideal for inspection and servicing work. Ultra bright, they are excellent for lighting awkward areas where space is tight.



	Floor Lig	ht	Cordless
Voltage	110V or 240	)V Rec	hargeable
Run Time		-	10 hours
Power Rating	932 lume	ns 140	0 lumens
Weight	2.0	kg	1.1kg
Product Code:			12890
	1ST DAY	EXTRA DAY	WEEKLY
Floor Light, LED	£9.00	£4.25	£19.00
Cordless. LED	£11.50	£6.00	£24.00

#### **Festoon Lighting**

Ideal for temporary low level lighting, simply string them along fencing, scaffolding or internal structures for on site light.



		Specs	
Voltage		110V	
Power Rating		1000W	
Weight		5kg	
Length		22m	
No. Bulbs		10	
Product Code:		12890	
	1ST DAY	EXTRA DAY	WEEKLY
Festoon Lighting	£19.00	£9.00	£39.00

#### Extendable Light, LED 뢷

Light up your work area with this Extendable Tripod LED super bright Floodlight. Mast is extendable to 3.2m.



#### Cordless Fold-up LED Light Mast

With an extendable mast that reaches up to 2.2m this cordless LED can light up work spaces without casting shadows but can still be easily carried to site.

- ✓ Extendable mast up to 2.2m
- Light weight and easy to handle

	Specs	
Max. Mast Height	2.2m	
Max. Lumens	2800	
Run Time 4.5 hours o	on 18V Battery 🦉	
Product Code:	12890	
1ST	DAY EXTRA DAY	WEEKLY
Cordless Light Mast £3	5.00 £17.50	£70.00
Cordless Light Mast £3	5.00 £17.50	£70.00

#### Plasterer's Light, LED


This LED light delivers broad, near shadow-free illumination perfect for plastering and general decorating jobs and first fix applications. Power socket for linking multiple units together or for use with small power tools on site.

		Specs		
Voltage		110V	-	
Power Rating	2462	2 lumens		
Weight		10kg		
Product Code:		12890		
	1ST DAY	EXTRA DAY	WEEKLY	
Plasterer's Light L	ED £10.00	£5.00	£21.00	

#### 360° Mast Site Light LED



With full 360° spread of light and a mighty 16000 lumens, this 3.5m mast light offers up to 50m of area lighting, ideal for indoor or outdoor work areas.



**TOOL HIRE** 

#### **Balloon Lighting Towers**

Balloon Lighting Towers are unique in their ability to provide 360° glare-free illumination to your site. Weighing only 26kg they can easily be set up by a single operator in minutes, ideal for illuminating indoor or outdoor workplaces with a less disruptive light and no drop shadow for additional safety. Great for creating a pleasant atmosphere for small or large functions, garden parties or events where a reliable and glare-free lighting source is required.

- 🖌 360° glare-free illumination
- Tear and water-resistant envelope
- 🖌 Only 26kg
- Easily set up by one operator
- Only 700W power source required

	Specs
Mast Height	4.5m
Lumen Rating	75000
Voltage	110V
Power Rating	700W
Weight	26kg
Wind Speed	80 km/h
Product Code:	12910





#### Available with light weight tripod or heavy duty base

Add a Generator for mains free lighting

|--|

	1ST DAY	EXTRA DAY	WEEKLY
Balloon Lighting Tower c/w Tripod	£66.50	£32.75	£133.00
Heavy Duty Base	£17.00	£8.00	£34.00



#### **Portable Lighting Towers**

These unique Portable Lighting Towers stand out for their performance and compactness, 6 x 50W LED lights provide exceptional light quality while consuming up to 70% less energy than larger lighting towers. Noise and fume free, these towers can be used both indoors or out. Weighing only 83kg, they can be easily set up by a single operator and transported in a car or small van. Lights can be configured straight or up to 360°.

- ✓ 4.5m mast with multi directional head
- ✓ 36000 lumens from 6 x 50W LED floodlights
- Low energy consumption only 300W
- Compact and easy to manoeuvre

	Specs
Mast	4.5m
Lumen Rating	36000
Voltage	110V
Power Rating	6 x 50W LED
Weight	83kg
Wind Speed	110km/h
Dimensions closed	441 x 441 x 1440mm
Product Code:	12920



# **FOR A FULL RANGE OF LARGER LIGHTING TOWERS & EQUIPMENT** SEE PLANT HIRE PAGE 156

HIR

1ST DAYEXTRA DAYWEEKLYLUX Lighting Tower£66.50£32.75£133.00



**TOOL HIRE** 

## **WELDING & CUTTING**



#### **Inverter Welder**

For light repairs and emergency work, this lightweight Inverter Welder is ideal. This dual voltage machine will burn rods up to 4mm with ease.





	Specs		
Welding Current	160A		
Supply Input	240V/110V16A		
Weight	6kg		
Max electrode	3.25mm		
Product Code:	12970		
	1ST DAY	EXTRA DAY	WEEKLY
Inverter Welder	£26.00	£21.00	£68.00

#### **Plasma Cutters**

For clean, quick cutting of metal plate up to 25mm thick, these Plasma Cutters provide the solution. A compressed air supply is required.

- Quick clean cutting
- ✓ Cuts mild steel plate up to 25mm
- (F)



	415V	240V	
Max Cut (Mild Steel)	18mm	25mm	
Power Rating	415V/60A	240V/110V	
Weight	24kg	10kg	
Product Code:	12980	12980	
	1ST DA	Y EXTRA DAY	WEEKLY
Plasma Cutters	£90.50	) £69.00	£228.00



#### **WELDING & CUTTING**

#### 150A Petrol Welder / Generator

When you need to weld in the most inaccessible of sites, these small Welders can be carried almost anywhere. This Petrol Welder will easily burn 4mm rods.

<ul> <li>✓ Only 34kg</li> <li>()     <li>()     <li>()</li> <li>()<th>Specs</th><th></th><th></th></li></li></li></ul>	Specs		
Welding Output 2	0 - 150amp		
Power Rating 5	.5hp / Petrol		
Weight	34kg		
Product Code:	12990		
	1ST DAY	EXTRA DAY	WEEKLY
150A Petrol Welder / Generator	r £43.50	£34.50	£112.00

#### 200A Petrol Welder / Generator

These trolley-mounted Portable Welders offer heavy duty welding capabilities and a convenient 110V or 240V power supply. Ideal for repair tasks around the farm or on the building site.



#### **Diesel Welders**

For working on larger continuous welding industrial applications, these Heavy duty Diesel Welders provide high levels of performance for long periods of use. Variable amperage control allows precise setting for smooth welding characteristics while fast tow versions offer portability around site.

- Super silenced reduced noise pollution
- Towable or skid versions

67 👘

- Suitable for continuous applications
- Extension welding cables & remote control accessories available



	300 Amp	500 Amp	
Welding Output	40 - 300A	40 - 500A	
Power Output	3kW/110V	3kW / 100V	
Average Sound Level	65dB(A) @7m	70dB(A) @7m	
Fuel Tank Capacity	19	451	
Run Time	10 hrs	12 hrs	
Net Weight	350kg	570kg	
Product Code:	13010	13020	
	1ST D	AY EXTRA DAY	WEEKLY
300 Amp 500 Amp	£64. £107.		£164.00 £272.00





# **PLANT HIRE**



**PLANT HIR** 

AN EXTENSIVE RANGE OF QUALITY PLANT AND EQUIPMENT IS AVAILABLE, SUITABLE FOR A WIDE VARIETY OF TASKS OR PROJECTS, LARGE OR SMALL. WHETHER YOU ARE DIGGING, PUMPING, COMPACTING, LIGHTING OR REFUELLING, WE'LL HAVE THE EQUIPMENT FOR YOUR JOB. ALL EQUIPMENT IS ROUTINELY MAINTAINED AND CERTIFIED TO ENSURE OUR CUSTOMERS ARE ONLY OFFERED THE MOST RELIABLE, SAFE AND EFFICIENT EQUIPMENT.

Compressors & Air Tools	122-125
Fencing & Ground Protection	126-131
Site Works & Equipment	132-134
Fuel & Water Bowsers & Tanks	135-137
Contractors Pumps	138-140
Site Dumpers	141-144
Rollers & Compactors	145-149
Mini Diggers & Excavators	150-152
Digger Attachments	153-155
Site Lighting	156-159
Traffic Management & Road Works	160-163
Trailers	164-167



#### Single Tool Compressors 90 - 100cfm


For powering breakers and small air tools, these Diesel Compressors are economical and easily towed by most vehicles to site.

Supplied with one standard hose

	Specs		
Air Delivery	90cfm		
Working Pressure	7 bar		
Operational Weight	565kg		
Fuel Capacity	321		
Product Code:	20100		
	1ST DAY	EXTRA DAY	WEEKLY
Single Tool Compressor 90cfm	£43.20	£42.80	£109.00

#### Two Tool Compressors 105 - 150cfm

For road works or applications requiring a larger air supply, this Compressor will run two large breakers or numerous other pneumatic tools.





#### 260 - 290cfm Compressors

Shot blasting or large air consumption applications will require one of these powerful Compressors for the job. Fully road-tow complaint, these units allow excellent manoeuvrability and access to any site.

Supplied with one standard hose



#### **Petrol Compressor**

When no convenient electrical power supply is available, this Petrol Compressor is easily transported to site.

Supplied with one standard hose

	le standard nose			
	Specs	Statistics of the second		
Air Delivery	15cfm			
Working Pressure	8.5bar	-		
Tank Capacity	150			
Power	5.5hp Petrol			
Weight	125kg			
Product Code:	20140			
	1ST DAY	EXTRA DAY	WEEKLY	
Petrol Compressor	£39.80	£39.20	£98.00	

#### 400cfm Compressor

These Compressors provide a highly dependable and flexible power source for large scale industrial applications. Air can be delivered via one large outlet or several small outlets, depending on your requirement.



	Specs			
Air Delivery Working Pressure	400cfm 9 bar	<ul> <li>✓</li> </ul>	Supplied with or standard hose	ıe
Operational Weight	1870kg			
Fuel Capacity Product Code:	170l 20130	-		
	1ST [	DAY	EXTRA DAY	WEEKLY
400cfm Compressor	£174	.40	£173.60	£436.00

#### Garage Compressors

Ideal for spray painting or powering tools around the garage, these Compressors can be wheeled into position to provide a reliable air supply.

Supplied with one standard hose

19 (7)



			Specs	
Air Delivery	10cfm		15cfm	
Working Pressure	8.5 bar	1	0.0 bar	
Tank Capacity	501		2001	
Power Rating	1.5kW/240V	2.2kW	/240V	
Weight	62kg		78kg	
Product Code:			20140	
		1ST DAY	EXTRA DAY	WEEKLY
10cfm 15cfm		£28.80 £37.60	£29.20 £36.40	£73.00 £94.00

#### **Portable Compressor**

The Hand Portable Unit can be carried around the site. Ideal for use with nail guns or staplers.

Supplied with one standard hose

	Specs		1
Air Delivery	5cfm		
Working Pressure	8.5 bar		
Tank Capacity	51		
Voltage	1000W 110 / 240V		
Weight	12kg		
Product Code:	20140		
	1ST DAY	EXTRA DAY	WEEKLY
Portable Compres	sor £22.20	£21.80	£56.00

#### Air Breaker (Jack Hammer)

Anti vibration Jack Hammers protect operators whilst offering the power required to break the toughest materials on site. Breakers are fully

#### Air Pick (Demolition Hammer) Air Chipping Hammer

For light demolition work on masonry or concrete, this powerful lightweight tool can be used horizontally or vertically.

Air Consumption Weight Product Code:	<b>Specs</b> 63cfm 25 - 34kg 20160		Air Consumption Weight Product Code:	Specs 40cfm 10kg 20170		Air Consur Weight Product Code:
Air Consumption			Air Consumption	/		Air Consum
				and a second		
		Ton		2	7	<b>4</b>

#### **Air Hosing**

A full range of Air Hosing is available to compliment all compressors and pneumatic tools.




Product Code:			20150
	1ST DAY	EXTRA DAY	WEEKLY
3/8″ 10m	£4.50	£2.50	£11.00
3/4″ 15m	£4.50	£3.50	£13.00
1 1/4″ 15m	£19.90	£19.90	£50.00
2″ 10m	£19.90	£19.90	£50.00

Ideal for removing plaster or cutting conduit tracks in concrete walls, this hammer has an extremely high power to weight ratio.



#### 3 Head Scabbler

For increased productivity while preparing, cleaning or removing surface decay on steel or masonry, 3 Head Scabblers provide the best solution.



#### Long Reach Tile Scaler

The perfect tool for chipping and scraping tiles, adhesives, screed and vinyl along with many other cleaning and industrial applications.

Weight	6.25kg	ľ
Length	1,400mm	
5		
Air Consumption	4.5cfm	
•		
BPM	2200	
	11 1 12	
Vibration Level	$11.4m/s^{2}$	
	11.4m/s <sup>2</sup>	
Vibration Level Product Code:	1 1.4m/s <sup>2</sup>	
		,

#### Pole Scabbler

Pole Scabblers will reach awkward spots for surface cleaning and preparation tasks. Ideally used for vertical applications.

- Ideal for foundation dressing or work between rebars
- For concrete reduction or repair

	Specs		
Weight	19.3kg		
Length	1,250mm	I	
Air consumption	25cfm		
BPM	1100		
Vibration level	4.2m/s <sup>2</sup>		
Product Code:	20190		
	1ST DAY	EXTRA DAY	WEEKLY
Pole Scabbler	£42.00	£41.00	£104.00

#### Needle Gun

Air Needle Guns offer a fast and effective solution for preparation and cleaning of steel and masonry, getting into the tightest of corners.

## 



	Specs		
Air Consumption	10cfm		
Weight	4.5kg		
Product Code:	20200		
	1ST DAY	EXTRA DAY	WEEKLY
Needle Gun	£23.30	£22.70	£59.00

#### Water Separators

12

Reduce freezing and damage to air tools using these effective Water Separators.




		Specs	
Separators	Small	Large	
Air Consumption	90cfm	210cfm	
Product Code:		20200	
	1ST DAY	EXTRA DAY	WEEKLY
Small	£25.50	£23.50	£63.00
Large	£33.20	£32.80	£84.00



#### **Pedestrian Fencing**

Ideally used for demarcation of large areas, providing guidance to pedestrians or to prevent access to work areas. these panels are free-standing, lightweight for easy handling and interlink, offering continuous fencing.



#### Stillage

All larger quantities of Barriers are delivered in stillages to aid placement on site and significantly reduce labour costs. Stillaging also speeds up loading and unloading times as well as preventing damage during transportation and storage.

Stillage	Quantity	Wei	ght Full	
Pedestrian Fence Panel	25		435kg	
Product Code:			20220	
	1	ST DAY	EXTRA DAY	WEEKLY
Pedestrian Fencing		-	-	£5.00

#### **Temporary Hoarding**

When you require privacy, security or wish to give your site or event a tidy appearance, these Temporary Hoarding Panels provide the solution. Ideal for shopping malls and other public areas, they can be easily handled by two men and rapidly erected and dismantled. These panels use bases and couplers similar to temporary fencing, however wind bracing poles are essential for added stability.



#### **Temporary Fencing**

Large Fence Panels provide ideal security for any site, event or demarcation of a large public area. Panels are lightweight and easily handled allowing for quick set-up. Supplied with heavy duty rubber bases & couplers and wind bracing poles, if required.

- Can be supplied in labour saving stillages reduces damages & speeds up loading and unloading times
- Pedestrian and vehicle gates available






	Large Fence Panels
Dimensions (W x H)	3.5m x 2m
Weight	24kg
Rubber Base Weight	20kg

#### Stillage


Large quantities of fencing can be supplied in stillages to aid site placement and reduce labour costs.

			C	
Stillage	Quantity	Wei	ght Full	
Temporary Fence Panels	25		746kg	
Temporary Hoarding	20		896kg	
Product Code:			20220	
	15	T DAY	EXTRA DAY	WEEKLY
Temporary Fencing		-	-	£5.10

#### Fencing Accessories Pedestrian Gate



#### Vehicle Gate



Dimensions
4261mm 2000mm
x 40mm
Weight
32kg

Dimensions

x 40mm Weight

14.4kg

Dimonstant

1151mm x 2000mm

## Double Flat Metal Foot



#### Fence Stabiliser



#### 595mm x 122mm x 175mm **Weight** 1.8kg

Dimensions

#### Dimensions 988mm 150mm x 1487mm Weight 2.5kg

#### Dimensions

2266mm x 2143mm x 452mm **Weight** 18.7kg

	1ST DAY	EXTRA DAY	WEEKLY
Pedestrian Gate	-	-	£9.30
Vehicle Gate	-	-	£18.40
Double Flat Metal Foot	-	-	£2.90
Fence Stabiliser	-	-	£2.90
Pedestrian Barrier Gate	-	-	£14.00



#### Front of Stage Barriers

Front of Stage Barriers are ideal for providing security at concerts, festivals, shows or any events that require a safe area in front of the stage for security staff or medical personnel and to help prevent stage invasion. Barriers are fitted with rounded top rails and non-slip platforms.

Front of Stage Barriers	_	_	£60.80
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:	20240		
Weight	60kg		
Dimensions (W x H)	1.05m x 1.2m	A.	and the second se
	Specs	and a second	and the second s
	and the second		
		- AL	
	t		2
		1-16	Sec.
		The last	-1
-	-	1/ 1/	1 8-
🖌 Provide a safe area i	in front of stage	1/\1	NE L
plationisi		11/1 30	Parma mar 100

#### **Noise / Acoustic Barriers**

The Echo Barrier is a temporary and portable solution that offers noise reduction and absorption for building sites, demolition works or events that need to manage noise levels. Ideal for urban site work or environmentally sensitive areas, simply fit to site fencing or scaffolding. Water, fire and temperature resistant, these lightweight and barriers are easy to install by a single operator.

- Simply fit to site fencing or scaffolding
- ✓ Up to 43dB noise reduction
- Easy to install by a single operator
- Ideal for events or urban construction sites

Noise / Acoustic Barriers

e Specs Dimensions 2050mm x 1335mm Weight 5.3kg Max Noise Reduction 43dB Max Noise Absorption 99% Product Code: 12690 IST DAY EXTRA DAY WEEKLY - - - - £29.00

.

#### Water Filled Barriers

These low-level heavy-duty containment barriers are the ideal solution for events, traffic management or construction sites providing maximum protection for pedestrians and vehicles. Easy deployed by two persons these 2m barriers can achieve 35° angles for going around corners or over uneven ground.

- ✓ Highly visible, especially when alternated (red and white)
- Additional anti-climb mesh hording panels available
- Only 32kg empty
- 🖌 350kg when filled



	Barrier
Dimensions (L x W x H) Weight	2060mm x 860mm x 500mm Empty 32kg / Full 350kg
	Fence
Dimensions (L x W x H) Height With Barrier	1790mm x 40mm x 1350mm 2250mm
Product Code:	20250




-	£19.90
	-

#### **Concrete Barriers**

Protect your facility or function against unauthorised access with these heavy-duty interlocking concrete barriers. Providing high-level security or traffic management at industrial or construction sites and events, these blocks can be easily be moved and repositioned where necessary.

- Heavy duty barrier for a range of applications
- ✓ Interlocking high strength design
- Can also be used for flood defense
- 900kg; cannot be moved without machinery



Length	1500mm
Width	500mm
Height	800mm
Weight	900kg
Product Code:	20260



	1ST DAY	EXTRA DAY	WEEKLY
Concrete Barriers	-	-	£14.00

#### **Retractable Barrier**

Quick and easy to deploy by a single operator these 6ft high barriers will safely cordon off pedestrian or vehicle traffic both indoors and out.

- Lightweight yet ultra-strong
- ✓ Quickly & safely corden off work , pedestrian or traffic areas
- ✓ 6ft (1884mm) high for added security
- Easy to deploy by one person



Specs

Dimensions Closed Dimensions Extended Weight

Product Code:

450mm 542mm x 1884mm 2380mm 542mm x 1884mm 40kg

20270



	1ST DAY	EXTRA DAY	WEEKLY
Retractable Barriers	-	-	£65.00



**PLANT HIRE** 

#### **Tiger / Guard Barrier**

These 2m long, highly visible Barriers conform to all regulations for temporary road works or to guard open excavations. These lightweight Barriers link together easily for quick set up.

FENCING & GROUND PROTECTION

Specs       Dimensions (w x h)     2m x 1m       Weight     14kg       Product Code:     20980       1ST DAY     EXTRA DAY     WEEKLY       Tiger / Guard Barrier     -     -     £5.70				h
Weight     14kg       Product Code:     20980       1ST DAY     EXTRA DAY     WEEKLY	Dimonsions (w x h)	••••••		
Product Code: 20980 1ST DAY EXTRA DAY WEEKLY				
1ST DAY EXTRA DAY WEEKLY				
	Product Code:	20980		
Tiger / Guard Barrier £5.70		1ST DAY	EXTRA DAY	WEEKLY
	Tiger / Guard Barrier	-	-	£5.70

#### **Steel Road Crossing Plates**

Heavy duty steel Road Crossing Plates are suitable for bridging excavations or covering dangerous openings. Lifting eyes assist positioning and moving on site.



#### Cover dangerous openings Bridge over excavations

	Specs		
Dimensions (W x H)	2.4m x 1.2m		
Weight	420kg		
Product Code:	20280		
	1ST DAY	EXTRA DAY	WEEKLY
Steel Road Crossing Plates	-	-	£31.00

#### Ground Protection & Pedestrian Mats



Ground Protection & Pedestrian Mats provide temporary access and ground protection for pedestrian or vehicle movement. These mats are easy to handle with pedestrian mats coloured to demarcate pathways etc. Ground mats can distribute loads of up to 60t and used as roadways or to form parking and turning areas.

- ✓ No ground preparation required
- Pedestrian mats coloured for demarcation
- Ground mats can ~ distribute loads up to 60t
  - Easy to handle

#### Ground Protection Mats

#### Pedestrian Mats

3 👘

Dimensions (W x H)	2.4m x 1.2m	1.2m x 0.8m (0.02m thick)
Weight	33kg	20g
Material	100% recycled PVC	100% recycled PVC
Product Code:	20290	20290

#### **IDEAL FOR:**

- 🚹 Temporary Roadways & Pedestrian Walkways
- Car Parks & Caravan Sites
- Event Access
- **Civil Engineering & Construction** Sites
- **Golf Course & Sports Field** Maintenance





#### **GRP Trench Plates**

GRP Trench Plates provide a lightweight, slip resistant alternative for bridging openings in street-work type environments.



	Specs		
Dimensions (W x H)	1.195m x 0.795m		
Weight	16kg		
Max Load	450kg		
Max Trench Width	0.7m		
Product Code:	20300		
	1ST DAY	EXTRA DAY	WEEKLY
<b>GRP Trench Plates</b>	-	-	£17.80

#### **Cable Protectors**

Protect your cables from traffic or other potential damage with these heavy duty clip together Protectors. Ideal for public events or building sites.



Cable Protectors	-	-	£23.30
	1ST DAY	EXTRA DAY	WEEKLY
Product Code:	20310		
Channel Size	32mm x 32mm		
Number of Channels	5		
Weight	11.3kg		
Length	900mm		



## SITE WORKS & EQUIPMENT



#### **Dust Suppression Cannon**

Water-jet Dust Suppression unit designed for both indoor and outdoor sites requiring dust suppression coverage of large areas with minimal water usage. This high-capacity misting fan produces finely divided water droplets to cover and envelop dust clouds more effectively while minimising water pooling on the ground. Simply roll up, plugin and switch on.

- Dust suppression through water nebulisation
- 🖌 15m range
- ✓ Easily manoeuvrable
- Simply connect to a water and power supply



	Specs
Range (without wi	<b>nd)</b> 15m
Pressure	1 - 5 bar
Air Flow	90m³/h
Tilting Angle	0° - 45°
Weight	97kg
Power Required	110V/5kVA/132A
Water Connection	Standard hose connection
Dimensions	1092mm x 935mm x 8790mm
Product Code:	20340



	1ST DAY	EXTRA DAY	WEEKLY
Dust Suppression Cannon	£79.00	£36.75	£156.00

()) CALL OUR HIRE DESK TODAY 0845 338 1388

PLANT HIRE

#### SITE WORKS & EQUIPMENT

#### Work Utility Vehicle

When your work involves moving people and cargo across uneven terrain, these all terrain utility vehicles provide the perfect solution. With a powerful diesel engine and 4 wheel drive, you're guaranteed to get the job done comfortably and efficiently.

- Power steering
- 🖌 4 Wheel Drive
- 🖌 Powerful diesel engine
- Fully independent suspension
- 🖌 Tipping cargo box

#### Full Door option available

## For all Utility Vehicles & Buggies see page 389



#### John Deere Gator XUV 8550

Power	854cc Diesel 21hp
Payload Capacity	635kg
Cargo Capacity	454kg
Velocity	0-52km/h (32mph)
Towing Capacity	680kg
Weight	788kg
Dimensions	1571 x 3021 x 1903mm
Product Code:	20330

#### PLEASE CALL FOR QUOTATION

#### Gas Cage / COSHH Store

These versatile cages provide a safe environment for the storage of hazardous or dangerous materials or gases. Full opening doors allow easy access while forklift pockets make it easy to transport while empty.





## **SITE WORKS & EQUIPMENT**

#### Forklift Mounted Sweeper / Collector

These forklift mounted sweeper/collectors are quick and easy to attach to telehandlers and forklifts providing a 2 metre sweeping width. Known for their sweeping performance and versatility, these machines are ideal for both small and large heavy-duty applications. When fitted on a telehandler the extending boom is perfect for getting into those awkward to reach areas.

- Superb sweeping performance
- Quick and easy to attach
- Sweeps and collects
- ✓ Water tank and dribble bar for dust suppression
- Close wall / curb sweeping




	Spec
Power Supply	Hydraulic
Width	2m (6' 6'')
Debris Container Capacity	425ltrs
Water Tank Capacity	200ltrs
Product Code:	20360



	1ST DAY	EXTRA DAY	WEEKLY
Fork Mounted Sweeper / Collector	£89.00	£87.50	£266.00
· · · · · · · · · · · · · · · · · · ·			

#### Tractor Road Brush (Sweeper / Collector)

When you need to remove mud or dirt from roads or concrete surfaces, these sweeper / collectors will clean heavily soiled areas in no time. The NC linkage design allows quick attachment to any tractor over 50hp.



- $\checkmark$  Water tank and dribble bar for dust suppression
- Close wall / curb sweeping



	spec		
Power Supply	Hydraulic		
Width	2.2m		
Min HP Required	50hp		
Product Code:	20360		
	1ST DAY	EXTRA DAY	WEEKLY
Tractor Road Brush	£89.00	£87.50	£266.00

#### Dump Trailers 12t - 14t

When transporting large quantities of site material or muck around the farm, these Trailers provide a fast and durable solution. 14T versions now available with power-tilt doors providing extra versatility for awkward loads such as trees, stumps, boulders etc.



## FUEL & WATER BOWSERS & TANKS



#### Wheeled Bowser

When refuelling access is limited, this bunded Wheeled Bowser is ideal for transporting diesel to your static site equipment.



	Specs			
Capacity	701			
Weight Empty	20kg			
Weight Full	84kg			
Product Code:	20460			
		1ST DAY	EXTRA DAY	WEEKLY
Wheeled Bowser		£26.50	£10.50	£48.00

#### **Static Fuel Bowser**

When transporting bulk fuel to site, these Static Fuel Bowsers allow you to do so in a safe, legal manner. Can be used for refuelling or connection to static equipment.



	1000l		2000l	4500l
Capacity	978		20001	4500l
Size (m) 1.153 x 1.1	52 x 1.318	2.292 x 1.	14 x 1.319	2.9 x 1.83 x 1.98
Weight Empty	509kg		823kg	1450kg
Product Code:	20420		20420	20430
		1ST DAY	EXTRA DAY	WEEKLY
1000		£67.50	£16.50	£85.00
2000		£88.00	£23.00	
4500l		£147.50	£38.00	£187.00

é



**PLANT HIRE** 

#### **Bulk Fuel Tanks**


For long run requirements, these fully bunded Tanks can be coupled to a generator or heater providing a hassle free fuel supply. All tanks are UN approved for transport on the public highway and comply with PPG2 regulations. Extra large tanks are now available for larger generators or for feeding two or more machines from one fuel source.

✓ All tanks are fitted with a secure lockable access hatch a standard

Mobile Bowsers available







#### **Mobile Fuel Bowser**



When transporting bulk fuel to site, these Tandem Axle Fuel Bowsers allow you to do so in a safe, legal manner. This Fuel Bowser is fully bunded and compliant with all road towing regulations. Can be used for refuelling or connection to static equipment.



#### AdBlue versions available



			Specs
Capacity	950l / 250gal		2000l / 400gal
Weight Empty	750kg		1497kg
Weight Full	1.75t		3.5t
Product Code:	20440		20450
	1ST DAY	EXTRA DAY	WEEKLY
950l 2000l	£48.50 £59.00	£22.00 £27.00	£89.00 £109.00

#### FUEL & WATER BOWSERS & TANKS

#### Water Bowser

Use this Bowser to easily transport water to locations where no mains supply is available.



£88.00

£22.00

£112.00

2000



#### Waste Holding Tanks

Waste holding tanks can be supplied for your toilet, shower or canteen facilities providing a safe storage solution you can rely on. The flat design allows Tanks to be placed behind or underneath units allowing easy connection.

- ✓ Flat, low level design
- 🖌 Easy empty hatches
- 🖌 5" inlet ports
- Forklift pockets and lifting eyes

Linking kit option available to double tank capacity

	2100l	4200l
Height	0.44m	0.60m
Width	2.4m	2.4m
Length	2.1m	3.0m
Dry Weight	270kg	428kg
Product Code:		61130
PLEASE	CALL FO	R QUO

#### **On-demand Pumps**

On-demand pumps can be supplied with a water supply tank to provide a constant water pressure to your facility. Alternatively, on-demand pumps can be supplied separately for use with your own water supply.



•••••••••••••••••		Charles and the second se	
Width	0.73m		
Length	0.6m		
Height	0.9m		
Weight (Empty)	78kg		
Volume	1500l/hr		
Product Code:	61130		
PLEAS	E CALL FOR C	UOTATION	



### **CONTRACTORS PUMPS**



#### **Diesel Diaphragm Pump**

For prolonged use, Diesel Diaphragm Pumps offer reliability and the ability to run dry indefinitely without the need for supervision.

✓ Can dry run indefinitely All pumps supplied with 1 x 4m suction & 1 x 10m delivery hose 

	Specs
Outlet Size	75mm/3"
Max Suction Head	<b>l</b> 6m
Max Total Head	18m
Max Capacity	378lpm
Weight	160kg
Product Code:	12420

	1ST DAY	EXTRA DAY	WEEKLY
Diesel Diaphragm Pump	£56.00	£28.50	£115.00



### **CONTRACTORS PUMPS**

#### 3" Trash Pumps

Capable of handling sludge and solids up to 25mm, these Pumps are suitable for clearing site excavations or dirty manholes. Ideal for waste water or effluent applications.

- 🖌 Electric start
- ✓ Up to 72m³/h capacity
- ✓ Handles sludge and small solids

All pumps supplied with 1 x 4m suction & 1 x 10m delivery hose





	Petrol	Diesel
Outlet Size	50mm / 2"	75mm / 3"
Max Suction Head	8m	7m
Max Total Head	29m	24m
Max Capacity	950lpm	72m³/h - 15000 gal
Weight	45kg	124kg
Product Code:	12430	12440



	1ST DAY	EXTRA DAY	WEEKLY
Petrol Trash Pump	£42.00	£21.25	£86.00
Diesel Trash Pump	£56.00	£28.50	£115.00

#### 4" Silenced Water Pump

Easily towed from site to site, these high performance Silenced Pumps offer flexibility and reliability. Suitable for dewatering & sewage applications. All pumps will prime quickly from dry and are designed for continuous use.

- ✓ Up to 195m³/h (42000 gallon) capacity
- Towable & skid mounted versions available
- Dewatering or sewage applications
- ✓ Quick priming from dry
- 3 All pumps supplied with 1 x 3m suction & 1 x 6m delivery hose

	Specs
Outlet Size	100mm / 4"
Max Suction Head	8m
Max Total Head	24m
Max Capacity	195m³h / 42000gal
Weight	1430kg
Noise Level	53dB(A) @10m
Solids Handling	40mm
Product Code:	20500

## 





#### **CONTRACTORS PUMPS**

#### Settlement Tank

Reduce silt or solids discharge into water courses with these robust Settlement Tanks. Can be linked together for multi stage settlementation if required.

<ul> <li>✓ Reduces solid:</li> <li>✓ 2" - 6" conne</li> <li>✓ 10 (1)</li> <li>✓ 10</li></ul>	s or silt discharge	PHZ O	Specs	
Capacity Connection Size Weight	50mm / 2", 75mm / 3"		00l / 1000gal	
Product Code:			20610	
	1ST DAY	EXTRA DAY	WEEKLY	
Settlement Tank	£66.50	£33.00	£133.00	

#### **Pump Auxiliaries**

1

Product Code: 20630

Strainers, Reducers, Enlargers, T Pieces or Bends, we stock a range of pumping auxiliaries.



A range of poly or rubber hoses fitted with Bauer Clamps is available to suit most pumping requirements.



#### **Drip Tray/Separator**

This Drip Tray is designed to separate oil and water thereby avoiding contamination to your site and contain oil drips or leakage from your equipment.



#### **Pipe Ramp**

These steel Pipe Ramps are essential if you need to pump water across without excavating the ground or disrupting the flow of traffic. Extremely durable - can withstand the heaviest usage.



#### SITE DUMPERS



#### **Petrol Powered Wheel Barrow**

Take the strain out of handling site waste or landscaping tasks with this 4WD Powered Barrow. Only 700mm wide and tips easily to clear the load.

Only 700mm wide

	Specs	C		T
Capacity	250kg		- Stilling	
Width	700mm			
Height	0.85m			
Weight	92kg			
Product Code:	20650			
		1ST DAY	EXTRA DAY	WEEKLY
Powered Wheel Bar	row	£45.50	£45.00	£136.00

#### Electric 4×4 Mini Dumper

This unique 4 x 4 articulating walk behind mini dumper is the ideal solution for working in confined spaces or fitting through door ways.

Battery powered, the dumper is quiet and fume free making it the environmentally friendly option for operators.

## 

	Specs		
Unladen Weight	224kg		
Maximum Payload	300kg		
Working Gradient	25°	Battery powered	
Power	12V Batterty	<ul> <li>Quiet &amp; fume free</li> </ul>	
Width	720mm		
Length	1751mm		
Turning Circle	1400mm		
Product Code:	20650		
	1ST DAY	EXTRA DAY W	EEKLY
Electric 4x4 Mini Dumper	£64.50	£63.50 £1	93.00

TRUXTA



#### **SITE DUMPERS Mini Tracked Dumpers**

Two sizes of Mini Tracked Dumpers are available to take the hard work out of handling materials around rough and confined sites. At only 700 / 750mm wide and capable of tipping to heights of 1325mm, these compact machines take the strain out of landscaping and light building tasks.

- ✓ High tip up to 1.34m
- Rubber tracks
- Self loading version available
- Petrol & diesel options
- Ride on facility

## 

		Specs
Capacity	500kg	1000kg
Width	0.66m	0.75m
Length	1.75m	1.9m
Max Dump Height	1.2m	1.34m
Weight	500kg	770kg

Product Code

20660



	1ST DAY	EXTRA DAY	WEEKLY
500kg	£97.50	£97.50	£195.00
1000kg	£115.50	£116.50	£232.00

#### **1t Narrow Access Dumper**

These 4WD Compact Dumpers are designed for the most demanding terrain whilst providing excellent manoeuvrability. Dump heights of up to 1600mm allow tipping into a standard skip.

✓ High tip up to 1.6m Lightweight, only 1200kg Manoeuvre over rough terrain at ease 



	Specs
Capacity	1000kg
Width	1.25m
Height	1.57m
Max Dump Height	1.6m
Weight	1200kg
Product Code:	20670



	1ST DAY	EXTRA DAY	WEEKLY
1t Narrow Access Dumper	£63.00	£63.00	£190.00

# **SITE DUMPERS**

### 1.5t Swivel Dumper

With a 90° power swivel skip these unique Dumpers will dump materials where others cannot. Excellent stability and traction are other features of these versatile machines.

			<b>()</b>
<ul> <li>90° power swivel skip</li> <li>Lightweight, only 1440kg</li> </ul>		Capacity Width Height Max Dump Height Weight	<b>Specs</b> 1500kg 1300mm 1700mm 678mm 1440kg
✓ Only 1.3m wide		Product Code:	20680
1.5t Swivel Dumper	1ST DAY £75.00	EXTRA DAY £75.50	WEEKLY £227.00

# **3t Swivel Dumper**

For general site work or landscaping, these Dumpers are ideal for use with mini excavators. Straight or swivel skip versions available.

			Specs
	Capa		3000kg
	Width	ı	1.8m
	Heigh	nt	2.6m
	Max I	Dump Height	1.19m
	Weig	ht	2270kg
	Produc	t Code:	20690
]] 🦻	✓ S	itraight or swivel wailable	skip versions
	🖌 🖌	.19 max dumpir	ng height
	DUDBS		•
	1ST DAY	EXTRA DAY	WEEKLY
3t Swivel Dumper	£75.00	£75.50	£227.00

### **6t Swivel Dumper**

When you need to place bulk loads in difficult to access areas, these Swivel Skip Dumpers allow discharge at 90° to the direction of travel. Ideal for trench filling or pouring concrete.

Cabbed or ROPS versions available

Discharge at 90° to the direction of travel

		NEW	
	ROPS	Cabbed	
Capacity	6000kg	6000kg	F
Length	5.05m	5.05m	а
Width	2.25m	2.25m	
Height	2.90m	3.30m	
Max Dump Height	1.12	1.12m	
Weight	4840kg	5180kg	
Product Code:		20700	

Full Cab versions available



### → PLEASE CALL FOR QUOTATION



PLANT HIRE

# **SITE DUMPERS**

### 9t Dumpers

PLANT HIRE

These large Dumpers are the first choice when you wish to move high volumes of muck or site material. Shuttle transmissions provide efficiency and high levels of drivability along with power engine & 4 wheel drive.

 $\checkmark$  Highly manoeuvrable and offers excellent traction over rough terrain

- Ideal for high volumes of earth moving
- Easy and safe to operate



### Full Cab versions available

Cabbed Dumpers provide operators with exceptional comfort and also protection from falling material or machine overturn with an engineered, reinforced structure.



	Specs
Capacity	9000kg
Width	2.5m
Height (bar down)	2.55m (3.34)m
Weight	4715kg
Fuel Tank Capacity	721
Product Code:	20710

### PLEASE CALL FOR QUOTATION







### 80cm Tandem Roller

Narrow ride on Rollers provide excellent compaction and finishing for asphalt work on driveways or paths. Also suitable for smaller compaction tasks on stone or gravel.

~	Pressurised water sprinkler	
---	-----------------------------	--

- ✓ Optimum edge vision
- ✓ Ideal for surface finishing

# 

	Specs	
Width	856mm	
Drum Width	800mm	
Length	2194cm	
Compaction Force	17kN	
Weight	1550kg	
Static Linear Load	8.9kg / cm	
Product Code:	20730	

1ST DAY EX		
	(TRA DAY	WEEKLY
80cm Tandem Roller £87.00	£65.00	£218.00



Æ



### 120cm Tandem Roller

These popular Tandem Rollers are suitable for compaction of sub layer aggregates as well as asphalt compaction and finishes. They provide high compaction rates and excellent drivability. Superior all round visibility increases accuracy and avoids damage.

- Ideal for sub layer compaction of asphalt finishing
- Superior all round visibility



	Specs
Width	1272mm
Drum Width	1200mm
Length	2529mm
Compaction Force	41kN
Weight	2700kg
Static Linear Load	12.5kg/cm
Product Code:	20740



	1ST DAY	EXTRA DAY	WEEKLY
120cm Tandem Roller	£124.00	£93.00	£308.00

### 140cm Tandem Roller

Essential for road contracts or heavy construction jobs, these Rollers provide increased levels of compaction and efficiency. With an operating weight of 4345kg, they are ideal for highway construction or maintenance, car parks or larger areas.

Ideal for larger areas

Increased compaction levels & efficiency



	specs	
Width	1506mm	
Drum Width	1380mm	
Length	2860mm	
Compaction Force	64kN	
Weight	4345kg	
Static Inner Load	15.8kg / cm	
Product Code:	20750	

PLEASE CALL FOR QUOTATION

ς

### 170cm Tandem Roller

Primarily designed for laying asphalt in larger scale projects such as road building, resurfacing, carparks and airports. These rollers can also be used for compaction of gravel layers as well as base courses and final asphalt or tarmac wear courses. At 11 Tonnes this machine allows faster compaction than lighter rollers, requiring less passes. At 1.7m wide the area covered is considerably greater than a smaller machine, providing efficiency for larger jobs. Fitted with a large water tank and sprinklers, full cab with a movable seat allows good vision on both sides.

- Ideal for large road, industrial estate or airport applications
- 🖌 1,700mm drum width
- 110kN compaction force
- Movable seat allows good vision on both sides



	Specs	
Width	1822mm	
Drum Width	1700mm	
Length	4760mm	
Compaction Force	110kN	
Weight	10400kg	
Static Inner Load	30.9kg / cm	
Product Code:	20750	
160		
	CALL FOR Q	

### **170cm Heavy Compaction Roller**

7 Tonne single drum rollers are suitable for compacting soil or clay, hardcore and gravel on smaller sites where a high level of compaction is still required. Rubber-tired wheels at the rear allow these machines to climb steep gradients and provide traction in clay and soil conditions. These compaction rollers provide considerably more compaction (up to 112 / 74kN) than smaller tandem rollers and their width (1690mm) allows large areas to be covered quickly.

- Ideal for road, industrial estate or airport applications
- ✓ Rubber-tired wheels for steep gradients & traction
- 🖌 1690mm drum width



Specs
2800mm
4550mm
1820mm
1690mm
24kg/cm
112 / 74kN
6700kg



### 213cm Heavy Compaction Roller

For road construction or large civil engineering projects, These heavy duty Rollers provide unrivalled levels of compaction and gradeability. The enclosed cab provides exceptional operator visibility, enhancing productivity and safety.



- High levels of compaction and productivity
- Suitable for a range of material types
- Excellent visibility for improved site safety
- Simple single lever control

	Specs
Height	2972mm
Length	5850mm
Width	2250mm
Drum Width	2130mm
Static Linear Load	53.2kg/cm
Compaction Force	275 / 202kN
Weight	12473kg
Product Code:	20760

		Compaction o	utput (m³h)
Rock fill	Gravel, sand	Mixed soil	Silt clay
470-940	300-600	240-480	120-240


### High Climb Version available

Has extra torque for high gradient work.

# Compaction Meter available

A Compaction meter is available on some models for measuring the rigidity of the surface layers and compaction levels.

CALL OUR HIRE DESK TODAY 0845 338 1388



Pad foot versions are available as an alternative to smooth drum rollers. Pad foot drums are covered with protrusions that provide a manipulative (kneading) force that compress materials with more force at each impact point and at greater depths. This action increases overall soil strength and is ideal for soft surfaces, silty

or cohesive soil and dense clay.

Compacts materials with more force and at greater depths
 Ideal for sloped surfaces and clay

PLEASE CALL FOR QUOTATION


PLANT HIRE

### **Trench Roller**

Trench rollers are designed for the compaction of clay, soil or gravels in confined spaces or below ground where personnel are prohibited from entering. They are operated via radio or cable remote control to allow the machine to be driven from a safe distance. The drums are fitted with pad feet to provide traction and allowing the roller to access trenches via steep gradients.

- ✓ Operated by a remote control
- Pad feet to provide traction
- Access trenches via steep gradients





PLEASE CALL FOR QUOTATION

# QUALITY USED EQUIPMENT DIRECT FROM OUR HIRE FLEET





# **MINI DIGGERS & EXCAVATORS**

### **Micro Excavator**

✓ Only 70cm wide

These compact machines make light work of an otherwise heavy manual task. Extendable and height adjustable tracks provide excellent stability. Excellent for internal work where you have restricted access or narrow doorways.

96 HIRE U484



	-
+	
	10

	1t		1.2t	
Width	700 - 860mm	7	50 - 990mm	
Height	2260 - 1950mm	226	0 - 2100mm	
Max Dump Height	2030mm		2210mm	
Max Dig Depth	1500mm		1800mm	
Weight	980kg		1190kg	
Product Code:			20790	
	1ST	DAY	EXTRA DAY	WEEKLY
Micro Excavator	£10	3.00	£103.00	£345.00



# **MINI DIGGERS & EXCAVATORS**

### 1.6t Mini Excavator

With variable width tracks for added stability and a dig depth of over 2m, these Mini Excavators are ideal for landscaping or confined building sites.

Full Cab or Canopy versions available



# 

# 2.7t Mini Excavator

For trench work or utility tasks, these robust Excavators are easily transported between work sites, providing a versatile digging solution. Two-speed tracking, quick hitches and dozer blades are standard features on these machines.

Zero tail swing machines are available offering better visibility, additional safety and manoeuvrability on site. Productivity is therefore enhanced while there is less chance of damage to the machine or surrounding workplace.

1000

2.9t Zero 1.55m 2.50m 2.89m 3.12m 2930kg 20810 EXTRA DAY

£125.00

£130.50

£125.00

£130.00

- 🖌 Zero tail or standard options available
- Supplied with quick hitch & 3 buckets

Product Code:	He Ma Ma	Z.7tidth1.47might2.39max Dig Depth2.86max Dump Height3.14meight2590kg
	Pro	
1SI DAY		1ST DAY

	Specs
Width	0.98 - 1.3m
Height	2.25m
Max Dig Depth	2.39m
Max Dump Heig	<b>ht</b> 2.70m
Weight 1	680 - 1800kg
Product Code:	20800
1.6t Mini Excava	ator

1ST DAY

£103.00

EXTRA DAY

£103.00

WEEKLY

£345.00

2.7t

2.9t Zero

WEEKLY

£416.00

£434.00

# **MINI DIGGERS & EXCAVATORS**

### **5t Mini Excavators**

These heavy duty 5t Zero Tail Swing machines provide unmatched power along with 360° manoeuvrability, ideal when working in restricted areas. These mid sized Excavators offer impressive power and dig depth and are ideally suited to civil engineering or utility jobs.

- ✓ Versatile mid sized excavator
- ✓ Zero tail swing
- Supplied with quick hitch and 3 buckets

	Specs
Width	1.96m
Height	2.55m
Max Dig Depth	3.58m
Max Dump Hei	<b>ght</b> 3.85m
Weight 482	25kg - 4965kg
Product Code:	20820



8 - 9t Midi Excavators

Powerful Rubber Tracked 8t & 9t Excavators offer outstanding dig depth and dump height whilst still having the characteristics of a mini excavator. Features include off-set jib and scraper blade. Zero tail swing or conventional reduced swing machines available.



	Specs
Width	2.20m
Height	2.54m
Max Dig Depth	4.59m
Max Dump Height	5.2m
Max Tail Swing	360mm
Weight 8t/9t	8350kg - 8715kg
Product Code:	20830

PLEASE CALL FOR QUOTATION

🕽 CALL OUR HIRE DESK TODAY 🛛 0845 338 1388

# **DIGGER ATTACHMENTS**



### Site/Window Guards

Window guards are available to help protect Diggers and Telehandlers against unwanted damage from vandals on site overnight or at the weekend.





Product Code: 20920

# **Raking / Riddler Buckets**

These robust rakes are ideal for landscaping and clearing applications allowing separation of soil from heavier materials such as stones or roots.

Product Code: 20850

Available for 1.5t, 3t, 5t, 8t & 13t excavators

PLEASE CALL FOR QUOTATION

### **Tilting Excavator Bucket** Ideal for finish grading or slope profiling or when you want to dig level grades while working on uneven surfaces. Great for landscaping, site preparation or drainage applications. 45° tilt in either direction 3t 8t 1.2m/48" 1.5m/60" Width 20850 Product Code:

PLEASE CALL FOR QUOTATION

# **DIGGER ATTACHMENTS**

### 0.8 - 6t Rock Breakers

For demolition jobs, road works or general excavation, these Breakers will break concrete or asphalt with ease. Suitable for any mini or medium sized excavators.

Suitable for 0.8t to 8t excavators

_	_	_	
	Mh		
	( 1157 )		

	0.8 - 1.5t	2.5 - 3t	5t	Contraction of the second seco
Weight Carrier Weight	104kg	163kg 1.4t - 4.9t	322kg 3t-7.7t	· · /
Tool Diameter Energy Class	46mm 200	48mm 350	69mm 700	
Product Code:	200	20870	20880	J
		1ST DAY	EXTRA DAY	WEEKLY
1.5t 2.5 - 3t 5t		£60.50 £78.00 £91.50	£61.00 £78.50 £91.50	£184.00 £236.00 £276.00



A diesel exhaust scrubber is designed for use with off road equipment to help improve workplace health and safety by reducing harmful engine exhaust emissions and comply with local regulations.

### 8 - 20t Rock Breakers

For breaking rock or large areas of reinforced concrete, these heavy duty Breakers can be hired with an Excavator or fitted to your own machine.

Can be fitted to your own excavator





	8t	13t	20t	N. C.
Weight	390kg	626kg	1021kg	
Carrier Weight	3.5t-10.4t	6.5t - 16t	12t - 22t	
Tool Diameter	69mm	90mm	114mm	
Energy Class	1,000	1,500	2,500	
Product Code:	20890	20900	20910	V
		1ST DA	Y EXTRA DAY	WEEKLY
8t		£118.5	0 £117.00	£356.00
13t		£196.5		£518.00
20t		£323.0	0 £323.50	£852.00

### **Hydraulic Auger**

Hydraulic Augers can be fitted to any mini excavator up to 5t for boring clean postholes up to 450mm diameter.

✓ Auger sizes available - 200, 250, 350 & 450mm



**Digger Size** Max Hole Diameter

Weight without Auger



Product Code:	20915		
	1ST DAY	EXTRA DAY	WEEKLY
1.5t	£48.50	£49.00	£147.00
5t	£63.00	£64.00	£191.00

Specs 1.5t - 5.0t

450mm

72kg

# **DIGGER ATTACHMENTS**

### **Mounted Compactors**

Excavator Weight ... . .

.....

Mounted compactors efficiently replace traditional handheld equipment and avoid the necessity to put operators into unprotected trenches or onto steep slopes. Offering outstanding compaction rates and performance, they provide a safer, faster and more effective way to compact.



Weight	410kg without cradle			
Width	600n	nm		
Length	650n	nm		
Centrifugal	Force 3,600	)kg		
Ground Pres	sure 0.9Kg/c	:m <sup>2</sup>		
Product Code:	20	920		
		1ST DAY	EXTRA DAY	WEEKLY
Mounted Co	ompactors	f113.00	f114.50	£342.00

### Selector Grab

Ideal for sorting or handling on site, these rotating grabs are suitable for a range of applications including demolition, recycling or landscaping.

- Fast open/ close cycles for high product
- Easy and concise operation ~
- Perforated jaws give optimal visibility

	Specs
Fits	6t -9t
Jaw Width	600mm
Jaws Open	1500mm
Jaw Closing Force	3000kgf
Weight	600kg
Product Code:	20920

### PLEASE CALL FOR QUOTATION

5	
tivity	<u>T</u>
ΔΤΙΟΝ	

# **Pallet Forks**

Increase your excavator versatility with this robust Pallet Fork.

- Allows material handling placement on site without requirement for extra machine
- Fits 13t Excavator



# **Flail Cutter Head**

Suitable for cutting hedges, briars and overgrown grass areas, this flail cutter attachment is ideal for getting to hard-to-reach places and allows the operator to cut close to and around obstacles.



	Specs
Dil Flow	50  - 90
Cutting Width	1000mm
Fits Mini Excavators	2.7t - 7t
Product Code:	20920

 Cuts overgrown areas or hedges Ideal for hard to reach places

PLEASE CALL FOR QUOTATION

(



### Linkable Lighting Towers

To enable the lighting of longer roadways, paths and larger sites from one power supply, up to four light towers can be linked together. These 1600W Metal Halide Towers will quickly extend to 7m high and are linked using a cable and socket connection.



 Link together for lighting longer pathways or sites



Voltage

Weight

Lights

**Power Rating** 

Mast Height



Product Code:	20925	100.000	
	1ST DAY	EXTRA DAY	WEEKLY
Link Light	£83.00	£82.00	£189.00

Specs

110V

1.6kVA

226kg

4 x 400W Metal Halide

7m

**)** CALL OUR HIRE DESK TODAY 0845 338 1388

### **Mini Lighting Towers**

Light up carparks, pathways or work sites using these compact towers. 4 adjustable 200W LED lights mounted on a 5.4m mast provide exceptional lighting spread and quality. Excellent manoeuvrability allows easy set up by a single operator. These towers provide a reliable lighting source that can be deployed quickly and with minimum effort.

- ✓ 4 x 200W LED lighting heads
- ✓ Quiet run only 67dBA @ 7m
- 🖌 Up to 52 hours running time
- ✓ Very Economical only 1.2l/h fuel consumption



	Specs
Mast	5.4m
Lights	LED 4 X 200W
Weight	365kg
Fuel Tank Capacity	341
Run Time	29h
Noise Level	67dBA @ 7m
Product Code:	20930



	1ST DAY	EXTRA DAY	WEEKLY
Mini Lighting Tower	£83.00	£82.00	£189.00

# FOR A FULL RANGE OF Smaller Lighting Products See tool Hire Page 115





### **Mobile Lighting Towers**


Mobile lighting towers provide superb lighting quality for sports grounds, car parks, motorways, maintenance and construction sites. Mast extend up to 9m providing enough light to illuminate up to 3800 square meters at 5 lux.

The latest LED technology provides a truly eco-friendly solution reducing CO<sub>2</sub> emissions by as much as 70%, while a fuel consumption of only 0.55 L/Hr allows up to 200 hours of use between refuelling.

Automatic stop/start day light sensors, auto mast retraction when moved and quiet running are just some of the standard features on these towers.

### Mobile or Static versions available






Eco-friendly -70% CO<sub>2</sub> reduction

Fuel savings -Over 180 hours run time

Super silent operation -Zero noise option available



Auto Start/Stop





### Specs

Weight	1030kg
Lights	6 x 150 LED
Mast	9m hydraulio
Fuel Tank Capacity	110L
Run Time	200 hours
Noise Levels	65 dBA @ 7m
•••••••••••••••••••••••••••••••••••••••	

Up to 200 hours run time on full tank Super silent - only 65 dBA@7m



**Hybrid Lighting Tower** 



Reduce fuel consumption, noise and your carbon footprint with the hybrid lighting tower. Four 240W high efficiency floodlights provide similar lighting characteristics of a standard tower but with all the benefits only hybrid can supply.

- Reduced fuel consumption
- Reduced noise
- Reduced CO<sub>2</sub>
- Can connect to solar kit



UUUKEE

Eco Version

	Specs
Weight	1246kg
Lights	4 x 240W LED
Mast	7m Hydraulic
Fuel Tank Capacity	100
Run Time	471 hrs at 25% - hybrid mode
	180 hrs at 100% - hybrid mode
Noise Levels	0 - 58dB(A) @ 7m
Category	20937
Product Code:	20937

### PLEASE CALL FOR QUOTATION





Powered by three solar panels, this innovative lighting tower is the ultimate environmentally friendly solution for your site. With high performance batteries and high efficiency floodlights, this lighting tower will provide an excellent light performance 8 hours per day most of the year round. In the absence of sunlight an external power source can be connected for recharging.

- No fuel costs
- 🖌 No servicing
- No noise or emissions
- 🖌 4 x 100W LED lights
- 🖌 Up to 8 hours per day usage

	Specs
<b>GOGREEN</b>	1500kg
Eco Version	4 x 60W LED
	8.5m hydraulic
	Unlimited - depending on
	weather conditions
	N/A

c.....

20938

Noise Levels Product Code

Weight Lights

Mast Run Time

PLEASE CALL FOR QUOTATION

NEW



### Portable Traffic Lights (Tripod)

Portable - Tripod traffic lights are the ideal solution when rapid deployment is needed to keep traffic flowing. These Radio-Controlled units provide the flexibility of being transported in a small commercial vehicle or estate car. Easy and quick to set up the lights come with Autogreen technology which is proven to improve journey times at road works by up to 50%.

- Seasily fits in a small van or estate car
- Quick and easy set up
- ✓ Up to 36 hours of run time on a single charge
- ✓ Noise & fume free



		Specs	
Batteries		1	
Built in charger	yes		
Weight	28kg (per unit, assembled)		
Charge time	8 hours		
Product Code:	20940		
	1ST DAY	EXTRA DAY	WEEKLY
Portable Traffic Lights	£49.00	£50.00	£99.00

) CALL OUR HIRE DESK TODAY 0845 338 1388

### **Temporary Traffic Lights**

Easily handled by one operative, these advanced traffic lights units are ultraefficient and overcome the old problems of poor signal performance, battery theft and reliability. A best-in-class run time of 18 days or more reduces battery swaps, battery charging and associated costs. You can see the battery level and estimated days remaining on the signal display.

Operatives will find the units really easy to use with the simple control panel while built in chargers avoid the need to remove batteries. Batteries can be secured against theft with a steel locking bar built within a solid frame and lock down stabilisers prevent unwanted movement when the signal is in use.

Auto green technology dynamically adjusts green times for 2-way operation, proven to improve journey times by up to 50%.



### **Remote Control Stop - Go Boards**

These Boards are essential when working on difficult road locations to control traffic. Activated by one man using a remote control facility, they are a great labour saving device.

	Specs			
Power	Battery / 12V			
Max Run Time	100 hrs			
Max Range	100m			
Weight	30kg/unit			
Product Code:	20960			
		1ST DAY	EXTRA DAY	WEEKLY
Remote Contro	l Stop - Go Boards	£35.00	£33.00	£99.00



			Specs	
Batteries			2	
Built in charger		yes		
Weight		130kg (per unit)		
Charge time	12 hours			
Trailer		6'	x 4' unbraked	
Product Code:			20950	
	1ST DAY	EXTRA DAY	WEEKLY	
Temporary Traffic Lights	£72.00	£52.00	£209.00	





### Variable Message Sign

Variable Message Signs are a flexible and cost effective method of transferring vital information to road users while increasing traffic safety. These units are ideal for road works, traffic calming, incident management or public events.

- 🖌 No Running Costs
- 🖌 No Noise
- 🖌 No Pollution
- 🖌 Remote Operation
- 🖌 Reliable
- 🖌 Easy to Use
- ✓ 3 Line and 10 Character Display







→ PLEASE CALL FOR QUOTATION

### APPLICATIONS AND USES:



	Specs
Power	12V/Solar
Display Size	2.4m x 1.2m
Legibility Distance	335m
Character Heights	267 - 760mm
Product Code:	20970

### Coloured Versions available





### Manual Stop - Go Boards

The conventional way of controlling traffic on low volume roads.





### **Traffic Cones**

We stock a full range of Road Cones and battery operated Flashing Lamps.





### **Road Signs**

A full range of Reflective Road Signs are available for warning traffic and pedestrians.





	1ST DAY	EXTRA DAY	WEEKLY
Stop - Go Boards	£7.00	£9.00	£25.00

Product	Codo	20000

	1ST DAY	EXTRA DAY	WEEKLY	
Traffic Cones	-	-	£2.50	Road Signs

Product Code: 20990			
	1ST DAY	EXTRA DAY	WEEKLY
Road Signs	-	-	£9.30



### Tiger / Guard Barrier

These 2m long, highly visible Barriers conform to all regulations for temporary road works or to guard open excavations. These lightweight Barriers link together easily for quick set up.



# TRAILERS



### Single Axle Trailer

Ideal for garden waste or household rubbish, these small Trailers are light and easy to handle. Fitted with a tail ramp for easier loading of wheeled equipment.

✓ Full width ramp			Specs
<ul> <li>Can be towed by most vehicles</li> </ul>		Gross Weight	700kg
		Unladen Weight	194kg
		Internal Length	1.88m
INT INC MARKING MAR INC.		Internal Width	1.25m
		Overall Length	2.9m
		Overall Width	1.75m
		Product Code:	21010
0-		12	
0	1ST DAY	EXTRA DAY	WEEKLY

### Builders' / Plant Trailer

These sturdy Plant Trailers are excellent for carrying cement mixers, mini diggers or ride on mowers. Fitted with a reinforced tail ramp for easy access. Alternatively they are ideally suited for building materials and general goods.

✓ Full width ramp		Specs
	Gross Weight	2600kg
✓ Lightweight	Unladen Weight	550kg
	Internal Length	2.45m
	Internal Width	1.27m
	Overall Length	4.38m
-	Overall Width	1.78m
	Product Code:	21020
FR	00	đ

	1ST DAY	EXTRA DAY	WEEKLY
Builder's/Plant Trailer	£34.50	£17.50	£72.00

# TRAILERS

### **Heavy Duty Plant Trailers**

Ideal for shifting plant and machinery up to 2.8t, these heavy duty Trailers have a low centre of gravity for added stability.



### **Flatbed Trailers**

Flatbed Trailers are ideal for palletised or forkliftable loads. Drop sides & a removable tail door allow you to load difficult or heavy goods with ease.

<ul> <li>2 sizes available</li> </ul>		12' x 6'6"	14′ x 6′6″
🖌 Ramps available	Gross Weight	2700kg	3500kg
	Unladen Weight	675kg	735kg
	Internal Length	3.62m	4.23m
	Internal Width	1.98m	1.98m
	Overall Length	5m	5.6m
	Overall Width	2.1m	2.1m
	Product Code:		21050



1ST DAY	EXTRA DAY	WEEKLY
£42.00	£21.00	£85.00
£44.50	£22.00	£89.00
	£42.00	£42.00 £21.00

# **Tipping Trailer**

These versatile Tipping Trailers allow you to move and dump building material or other bulk products with ease.

🖌 High tipping angle			Specs
🖌 Hinged tail door		Gross Weight	2600kg
		Unladen Weight	730kg
		Internal Length	2.46m
		Internal Width	1.49m
		Overall Length	3.81m
		Overall Width	1.59m
		Product Code:	21060
	ST DAY	EXTRA DAY	WEEKLY
Tipping Trailer f	36.50	£19.00	£76.00

# Tri-Axle Flatbed Trailer

Ideal for longer loads these Tri-axle Flatbed Trailers will accommodate materials up to 4.77m. Standard features include drop sides and ramps, these trailers are great for bulky lightweight loads.

<b>J</b>		16' x 6'6"
	Gross Weight	3500kg
	Unladen Weight	905kg
	Internal Length	4.77m
	Internal Width	1.98m
	Overall Length	6.2m
	Overall Width	2.1m
	Product Code:	21050
000	110	

	1ST DAY	EXTRA DAY	WEEKLY
Tri-Axle Flatbed Trailer	£51.00	£24.50	£105.00

# TRAILERS


### **Tilt Bed Equipment Trailer**

Designed for equipment with low ground clearance, this Tilt Bed Trailer has an exceptionally low loading angle making it ideal for electric scissor lifts and other access equipment.

✓ Reinforced anti slip floor			Specs
🖌 Tie down points		Gross Weight	3500kg
🖌 Machine stop bar		Unladen Weight	690kg
		Internal Length	3.1m
		Internal Width	1.6m
		Overall Length	4.8m
		Overall Width	2.12m
		Product Code:	21070
		2000000	0-
	1ST DAY	EXTRA DAY	WEEKLY
Tilt Bed Equipment Trailer	£55.50	£28.00	£116.00

### **Car Transporter**

Tilt Bed Car Transporters provide a safe and secure solution for shifting cars or vans. Easily loaded by one man and pulled by most medium sized vehicles.



### **Three-Axle Transporter**

This extremely versatile commercial vehicle transporter is suitable for vans, sports cars or machinery. The stability of 3 axles, low loading angles, hydraulic tilt bed and high grip surfaces make this trailer ideal for the toughest applications.

- ✓ Suitable for wide & long vehicles up to 2m wide, 5.5m long
- ✓ 3 axles for added stability
- ✓ Low loading angle



	Specs
Gross Weight	3500kg
Max Load Weight	2620kg
Unladen Weight	880kg
Bed Length	5.5m
Bed Width	2.07m
Overall Length	7.07m
Overall Width	2.13m
Product Code:	21080





	1ST DAY	EXTRA DAY	WEEKLY
Three-Axle Transporter	£69.50	£34.50	£140.00

### **Box Van Trailers**

If moving home or shifting perishable goods, these Box Van Trailers will provide protection against all weather conditions. Easy access via the front or rear lockable doors.

Small enough to tow conveniently behind your car or van, these Unbraked Box Van Trailers provide 2.3m<sup>3</sup> of space. Perfect for leisure, domestic or small business users.

- ✓ Unique swing open or drop down doors
- ✓ Fully enclosed against all weather conditions



	6' x 4'	8′ x 5′	10' x 5'	
Gross Weight	500kg	2700kg	2700kg	
Unladen Weight	200kg	675kg	770kg	
Internal Length	1.85m	2.4m	3m	
Internal Width	1.15m	1.47m	1.47m	
Overall Length	2.9m	4.1m	4.7m	
Overall Width	1.65m	2.1m	2.1m	
Product Code:			21090	



	1ST DAY	EXTRA DAY	WEEKLY
6' x 4'	£34.50	£17.50	£72.00
8' x 5'	£49.00	£24.50	£99.00
10' x 5'	£53.50	£27.00	£109.00



CALL OUR HIRE DESK TODAY 0845 338 1388



# **ACCESS PLATFORM HIRE**



WE OFFER ONE OF THE MOST COMPREHENSIVE RANGES OF AERIAL WORK PLATFORMS AVAILABLE FOR HIRE THROUGHOUT IRELAND. OUR FEET OF SCISSORS, BOOMS AND SPECIALIST LIFTS ALLOW YOU TO WORK SAFELY AT HEIGHTS OF UP TO 48M.

Low-Level Access	170-175
Electric Scissor Lifts	176-181
Tracked & Self Levelling Scissor Lifts	182-184
Diesel Scissor Lifts	185-189
Trailer & Tracked Boom Lifts	190-197
Electric Boom Lifts	198-204
Diesel Articulating Boom Lifts	205-210
Diesel Telescopic Boom Lifts	211-216
Vehicle Mounted Lifts	217-219





### Manual Platform Lift 3.5 - 4.2m

These unique access machines are elevated using a wind up mechanism, requiring no power source or batteries.

No power source required
 Manual wind up operation
 Easily manoeuvrable
 Image: Image:

### Non-powered Powered Access...







Eco version	Peco Lift	Eco Lift	
Working Height	3.5m	4.2m	
Platform Height	1.5m	2.2m	
Platform Capacity	150kg	150kg	
Platform Dimensions	0.6 x 0.72m	0.64 x 0.85m	
Working Footprint	0.7 x 0.985m	0.74 x 1.28m	
Height Stowed	1.55m	1.95m	
Weight	180kg	305kg	
Product Code:	30100	30110	
PLEASE CALL FOR QUOTATION			

() CALL OUR HIRE DESK TODAY 0845 338 1388

**ACCESS PLATFORM HIRE** 

### Push Around Lifts 3.6m - 4.55m

Designed as an alternative to podium steps or small scaffold towers, these units are simply pushed into position and elevated by the push of a button. At only 700mm wide and light enough to be easily pushed by a single person, these Lifts offer a safe solution for working at heights of up to 4.55m.

- These machines will easily pass through a standard doorway
- ✓ Light & easily manoeuvrable





	3.6m	4.55m
Max Working Height	3.6m	4.55m
Max Platform Height	1.6m	2.55m
Platform Capacity	240kg	240kg
Platform Dimensions	0.52×1.01m	0.57×1.05m
Working Footprint	0.7×1.135m	0.7×1.21m
Height Stowed	1.63m	1.8m
Weight	215kg	349kg
Power Source	Battery	Battery
Product Code:	30120	30130

### → PLEASE CALL FOR QUOTATION

LET US TRAIN YOU...

**APPROVED OPERATOR TRAINING** 

**COURSES AVAILABLE** 

SEE PAGE 10



enis GR-261



APPROVED TRAINING CENTRE

	Power Tower	IQ Pro
Max Working Height	5.1m	5.0m
Max Platform Height	3.1m	3.0m
Platform Capacity	250kg	240kg
Platform Dimensions	0.65×1.52m	0.7 x 1.2m
Working Footprint	0.78×1.52m	0.7 x 1.2m
Height Stowed	1.92m	1.8m
Weight	312kg	370kg
Power Source	Battery	Battery
Product Code:		30140

Push Around Lift 5.1m

For applications requiring extra reach and more room on the deck, these

5.1m working height lifts are ideal for fit-out, mechanical & electrical and

maintenance tasks.

Large platform

GOGREEN

Eco Version

PLEASE CALL FOR QUOTATION





### Vertical Mast Lifts 9.6m - 13.1m



AWP25S AWP36S AWP30S Working Height 9.6m 11.0m 13.1m **Platform Height** 7.6m 9.0m 11.1m Platform Capacity 159kg 159kg 159kg **Height Stowed** 1.98m 1.98m 2.78m Width 0.74m 0.74m 0.74m 1.31m 1.35m 1.4m Length Deck Size 0.69 x 0.66m 0.69 x 0.66m 0.69 x 0.66m Weight 330kg 352kg 472kg Power Source Battery Battery Battery Product Code: 30150

### PLEASE CALL FOR QUOTATION

These lightweight vertical lifts can be wheeled through a single doorway allowing work to be

Easily pushed into place and stabilised using 4 manual outriggers.

safely completed.

Up to 13.1m
 working height
 Only 330kg

**GOGREEN** Eco Version

### Self-propelled Lifts 4.5m Lightweight

This lightweight, self-propelled Access Platform which gives up to 4.5m working height and is ideal for applications where space and floorloading is at a premium. Compact dimensions & zero inside turning radius allow this machine to access the most difficult areas.

Roll out deck extension gives increased workspace


Zero inside turning radius











**ACCESS PLATFORM HIRE** 

### Self propelled Lifts 5.4m



Hydraulically operated vertical mast provides an exceptionally smooth operation while clean and quiet for a variety of environments. Front wheel drive provides outstanding manoeuvrability and long cycle duties.

✓ Non marking tyres fitted as standard





Eco Version	JLG 1230 ES	Genie GR12
Working Height	5.66m	5.45m
Platform Height	3.66m	3.45m
Platform Capacity	230kg	230kg
Width	0.76m	0.75m
Length	1.36m	1.35m
Height Stowed	1.64m	1.66m
Deck Size	0.68 x 1.25m	0.75 x 0.89m
Deck Size Extended	N/A	0.75 x 1.4m
Weight	805kg	717kg
Outreach Max	N/A	N/A
Power Source	Battery	Battery
Product Code:	30170	30170
		_

### PLEASE CALL FOR QUOTATION

### Self-propelled Lifts 6.5m



When operating in tight workspaces, a short wheel base and high degree steer angle provide these machines with superior functionality and efficiency over conventional scissor lifts. Slide out deck extensions on most machines also allow up and over capability.

✓ Non marking tyres fitted as standard



Eco Version	Genie GR15	Skyjack SJ16
Working Height	6.52m	6.75m
Platform Height	4.52m	4.75m
Platform Capacity	227kg	227kg
Width	0.75m	0.77m
Length	1.35m	1.37m
Height Stowed	1.68m	1.68m
Deck Size	0.75 x 0.89m	0.69 x 0.85m
Deck Size Extended	0.75×1.4m	N/A
Weight	994kg	971kg
Outreach Max	N/A	0.5m
Power Source	Battery	Battery
Product Code:	30180	30180



### Self-propelled Lift Oil-free



This all-electric oil-free lift is the only option for applications where there is zero tolerance for oil leaks no matter how minor. Maintenance free electrical components replace conventional hydraulics' to offer an energy saving and silent machine for the cleanest environments.

- ✓ Totally oil free, no more hydraulic leaks
- Zero noise, emission, or pollution
- ✓ Maintenance free

-		Eco Version
	Oil-free	
Working Height	6.7m	
Platform Height	4.7m	
Platform Capacity	230kg	
Width	0.76m	
Length	1.45m	
Height Stowed	1.99m	
Deck Size	1.0 x 0.76m	
Deck Size Extended	1.5 x 0.76m	
Weight	1350kg	
Outreach Max	0.5m	
Power Source	Battery	
Product Code:	30185	

### → PLEASE CALL FOR QUOTATION





Driveable when fully elevated at working heights of up to 8.07m, these machines offer increased productivity for fit-out, maintenance or stock picking tasks.






	Genie GR20
Working Height	8.07m
Platform Height	6.07m
Platform Capacity	159kg
Width	0.80m
Length	1.35m
Height Stowed	1.98m
Deck Size	0.89 x 0.75m
Deck Size Extended	0.75 x1.4m
Weight	1112kg
Power Source	Battery
Product Code:	30190
PLEASE CALL	FOR QUOTATION

# ACCESS PLATFORMS ACCESSORIES

Make your task easier & safer with our range of accessories. If you need racks for carrying materials or want to protect surfaces from marks or spills, we have numerous extras available to hire or buy.





### **Outrigger** Pads

Suitable for unstable or soft ground these Outrigger Pads are ideal for use with booms or scissors with jacklegs or outriggers.



### Nappy / Spill Kit

Protect floors from potential spills or drips with a Nappy or spill kit. Available for scissors or booms, kits are made from durable PVC and can be washed and re-used.



### **Exhaust Scrubber**

A diesel exhaust scrubber is designed for use with off road equipment to help improve workplace health and safety by reducing harmful engine exhaust emissions and comply with local regulations.



### Scissor Lift Pipe Racks

Optimise platform space and reduce clutter using a rack to securely carry pipes and long materials up to your work area.



### **Wheel Covers**

Easy to fit wheel covers protect finished floors and surfaces.



### Scissor Lift Board Carrier

The board carrier is a safer more efficient and time saving way of moving and installing sheet materials.



# **ELECTRIC SCISSOR LIFTS**



### **Compact Scissor Lift 5.9m**



The Genie® GS-1330m scissor lift offers a maximum platform height of 12.8ft (3.9m) and a maximum working height of 18.8ft (5.9m), with a 2-person, 500lb (227kg) capacity and weighing in at only 1950lb (885kg). The Genie GS-1330m scissor lift is equipped with an efficient, all-electric DC drive system that offers productive power for getting around indoor job sites with quiet, zero-emissions operation.

• Only 78cm wide (30.5")

🖌 Only 885kg

	Genie 1330	Snorkel 3010	
Working Height	5.9m	5.0m	
Platform Height	3.9m	3.0m	
Platform Capacity	227kg	227kg	
Width	0.78m	0,77m	
Length	1.41m	1.26m	7
Weight	885kg	495kg	
Power Source	Battery	Battery	
Product Code:	30200	30330	

PLEASE CALL FOR QUOTATION

# **ACCESS PLATFORM HIRE**

# **ELECTRIC SCISSOR LIFTS**

### Compact Scissor Lift 7.8m



For those hard-to-access areas where turning space is limited, these Compact Scissors are ideal for safe working at heights up to 7.8m. Fold down handrails allow travel through a standard door.

Only 81cm wide (32")

🖌 7.8m working height



	1932	
Working Height	7.8m	
Platform Height	5.8m	
Platform Capacity	227kg	
Width	0.81m	
Length	1.83m	
Height Stowed	2.03m	
Height Rails Lowered	<b>1</b> .75m	
Deck Size	0.74 x 1.63m	
Deck Size Extended	0.74 x 2.54m	
Weight	1503kg	
Power Source	Battery	
Product Code:	30210	

### PLEASE CALL FOR QUOTATION

### Narrow Scissor Lifts 8m - 10m



With working heights up to 10m and only 810mm wide, these Narrow Scissors are perfect for manoeuvring into awkward areas. Non-marking tyres allow travel over sensitive floors.

Fold down handrails are fitted as standard





2032 2632 9.9m Working Height 8.1m **Platform Height** 6.1m 7.9m Platform Capacity 363kg 227kg Width 0.81m 0.81m Length 2.44m 2.44m **Height Stowed** 2.13m 2.5m **Height Rails Lowered** 1.91m 1.75m Deck Size 0.81 x 2.26m 0.81 x 2.26m Deck Size Extended 0.81 x 3.18m 0.81 x 3.18m Weight 1621kg 2002kg Power Source Battery Battery 30220 Product Code: 30230 PLEASE CALL FOR QUOTATION



# ELECTRIC SCISSOR LIFTS

### Narrow Scissor Lift 12m



This unique machine has built-in stabilisers to allow work up to an impressive 11.8m whilst still being able to access narrow passageways and aisles.

✓ This machine is fitted with self-levelling jacklegs for added safety

🖌 Only 81cm wide

		Θ
--	--	---

	3232	
Working Height	11.8m	
Platform Height	9.8m	
Platform Capacity	227kg	
Width	0.81m	
Length	2.44m	
Height Stowed	2.38m	
Height Rails Lowered	<b>1</b> .75m	
Deck Size	0.81 x 2.26m	
Deck Size Extended	0.81 x 3.18m	
Weight	2352kg	
Power Source	Battery	
Product Code:	30240	

### → PLEASE CALL FOR QUOTATION



### Standard Width Scissors 10m - 12m



Ideal for high-level maintenance or fit-out applications up to working heights of 12m, these Scissors offer additional deck space to their narrow equivalent. Roll-out platform extensions come as standard.

✓ Non marking tyres & fold down handrails are standard features.



Eco Version	2646	3246	
Working Height	9.9m	11.8m	
Platform Height	7.9m	9.8m	
Platform Capacity	454kg	318kg	
Width	1.17m	1.17m	
Length	2.41m	2.41m	
Height Stowed	2.26m	2.39m	
Height Rails Lowered	1.68m	1.8m	
Deck Size	1.15 x 2.26m	1.15 x 2.26m	
Deck Size Extended	1.15 x 3.18m	1.15 x 3.18m	
Weight	1956kg	2364kg	
Power Source	Battery	Battery	
Product Code:	30250	30260	

PLEASE CALL FOR QUOTATION

# **ACCESS PLATFORM HIRE**

# **ELECTRIC SCISSOR LIFTS**

#### Scissor Lift, Narrow Aisle 14m



At only 1.19m wide and offering a working height of nearly 14m, this Scissor Lift is ideal for high-level maintenance or fit-out of warehouses or factories. A lifting capacity of up to 350kg and a 91cm slide out deck extension make this machine exceptionally versatile. Standard features include solid non marking tyres and folding handrails.

- ✓ Driveable at full height
- Exceptional 14m working height
- 🖌 Only 1.19m wide

	4047	
Working Height	13.93m	
Platform Height	11.89m	
Platform Capacity	249kg	
Width	1.19m	
Length	2.48m	
Height Stowed	2.54m	
Height Rails Lowered	1.95m	<b>GOGREEN</b>
Deck Size	1.16m x 2.26m	Fco Version
Deck Size Extended	1.16m x 3.18m	
Weight	3260kg	
Product Code:	30270	

#### PLEASE CALL FOR QUOTATION

#### Electric & Hybrid Scissor Lift 14m



Available in electric hybrid options, these machines provides excellent rough terrain capability whilst offering zero emissions and quiet operation for noise sensitive environments. Other features include a maximum working height of 14.2m and a 4.31m extended deck size.

- Ideal for larger indoor or outdoor applications
- 14m working height
- ✓ Large 1.6m x 4.31m deck
- ✓ Auto-level jacklegs

	4069	
Working Height	14.2m	
Platform Height	12.2m	
Platform Capacity	363kg	
Width	1.75m	
Length	3.12m	
Height Stowed	2.74m	
Height Rails Lowered	2.08m	<b>GOGREEN</b>
Deck Size	1.6 x 2.79m	Eco Version
Deck Size Extended	1.6 x 4.32m	
Weight	3260kg	
Product Code:	30280	
		ΙΟΤΑΤΙΟΝ

# **ELECTRIC SCISSOR LIFTS**

#### **Electric Scissor Lift 16m**



A narrow platform size of 0.81m / 2.64m and a massive 15.8m working height, this scissor is ideal for working at large heights and in tight areas. Fitted with a host of systems including pot hole protection, speed limiting at height and a load sensing system. Standard features include solid non-marking tyres and folding handrails.

	S4550E	
Working Height Platform Height	15.8m 13.8m	<ul> <li>Massive 15.8m working height</li> <li>Driveable at full height</li> </ul>
Platform Capacity	277kg	✓ Small footprint
Width	1.25m	
Length	2.76m	
Height Stowed	2.60m	
Height Rails Lowered		
Deck Size	0.81 x 2.64m	
Deck Size Extended	0.81x 3.54m	
Weight	3366kg	Eco Version
Product Code:	30290	

#### → PLEASE CALL FOR QUOTATION

#### **Electric Scissor Lift Twin Deck 18m**





Offering the same features as the standard diesel version but fully electric, these rugged twin deck scissor lifts have an 680kg lift capacity and large 5.41m long deck. Quiet and emission free, this machine will work all day on a single charge.

	18M T/0	🖌 Fully electric	
Working Height	18.0m	<ul> <li>Zero emissions</li> </ul>	
Platform Height	16.0m	<ul> <li>Quiet operation</li> </ul>	
Platform Capacity	680kg	✓ Full rough terrain	
Width	2.29m	capability 4 x 4	
Length	4.88m		
Height Stowed	3.19m		
Height Rails Lowered	2.49m		
Deck Size	1.83 x 3.98mm		
Deck Size Extended	1.83 x 5.41m		
Weight	9760kg		
No Deck Extensions	1		
Product Code:	30380		
PLEASE CALL FOR QUOTATION			


# **ELECTRIC SCISSOR LIFTS**

### Electric Scissors Lift 19m - 22.5m



These impressive Scissor Lifts provide a maximum working height of 19m or 22.5m (depending on the model) while still only 1.22m wide. An automatic levelling system provides the user with additional stability allowing indoor or outdoor use. Ideal for high level narrow warehouse aisle applications or inner-city applications on narrow pathways etc.

Proportional control and  $90^{\circ}$  steering angle allow a tight turning radius making this lift very flexible and agile.





# TRACKED & SELF LEVELLING SCISSOR LIFTS



#### **Tracked Scissor Lift 8m**



This Tracked Scissor Lift has auto levelling outriggers which extend to 400mm allowing levelling on the most uneven surfaces. Retractable outriggers allow travel through narrow entrances only 800mm wide making this machine ultra versatile.

- ✓ 400mm outriggers allow levelling on the most uneven surfaces
- ✓ Dual position outriggers retract to 800mm
- ✓ Non marking rubber tracks
- Drop down frame enables access through standard doors.

	850 HE	
Working Height	8m	
Platform Height	6m	
Platform Capacity	250kg	
Width	0.8/1.12m	
Length	2.14m	
Height Stowed	2.34m	
Heights Rails Lowere	ed 1.49m	
Deck Size	0.7m x 1.39m	
Deck Size Extended	0.7 x 2.27m	
Weight	1730kg	
Product Code:	30310	



## TRACKED & SELF LEVELLING SCISSOR LIFTS Bi-Level Tracked Scissor Lift 8m & 10m





This unique Bi-level Tracked Scissor provides safe access solutions on slopes of up to  $20^{\circ}$ . Capable of levelling both longitudinally and laterally, this machine will operate in the roughest and most uneven conditions. The crawler traction allows access to areas not suitable for traditional  $4 \times 4$  machines.

- ✓ Multi directional bi-levelling system
- Suitable for extreme conditions with various gradients
- ✓ Rubber tracks provide extra stability
- Suitable for indoor or outdoor work
- Automatic powered platform levelling
- ✓ Front to Back 20°
- ✓ Side to Side 870BL (14°) 1090BL (15°)









	870 BL	1090 BL
Working Height	8.0m	10m
Platform Height	6.0m	8.0m
Platform Capacity	250kg	300kg
Width	1.3m	1.4m
Length	1.94m	2.29m
Height Stowed	2.52m	2.94m
Height Rails Lowered	1.98m	2.09m
Deck Size	1.2m x 1.5m	1.3m x 1.8m
Deck Size Extended	1.2m x 2.35m	1.3m x 2.92m
Weight	2460kg	2830kg
Product Code:		30310

# **TRACKED & SELF LEVELLING SCISSOR LIFTS**

# Speed Level Scissor Lift 8m




The unique SL3OSL Speed Level offers automatic powered platform levelling without the need for outriggers. Level up to 13° from side-to-side and up to 9° from front-to-back swiftly for a stable working platform. Driveable at full height (11m), the Speed Level offers a spacious platform (1.72m x 4.32m) and a powerful 4-wheel-drive ideal for cladding and glazing applications on rough terrain sites even on compound slopes.





	SL30SL
Working Heights	11.0m
Platform Height	9.0m
Platform Capacity	590kg
Width	2.13m
Length	4.3m
Height Stowed	2.6m
Height Rails Lowered	1.7m
Deck Size	1.72m x 4.32m
Weight	3400kg
Product Code:	30310





9° front to rear

13° side-to-side

#### (**J**) CALL OUR HIRE DESK TODAY 0845 338 1388

T





This Narrow diesel scissor lift provides excellent off-road performance but with slim dimensions is still able to access those awkward areas. Ideal for narrow paths or entrances where a conventional machine will not fit. A large deck with roll out extension and self-levelling outriggers make this a versatile workhorse.

	S2755RT	🖌 Only 1.45M wide	
Working Height	10.1m	🖌 Full 4 x 4 capability	
Platform Height	8.1m	Only 2750kg	
Platform Capacity	300kg	- , S	
Width	1.45m		
Length	3.3m		
Deck Size	1.4m x 2.73m		
Deck Size Extended	1.4m x 3.93m		
Weight	2750kg		
No. Deck Extensions	1		
Product Code:	30315		
$\rightarrow$ please call for ouotation $\sim$			

NEW

# **DIESEL SCISSOR LIFTS**

Compact Diesel Scissors 10m - 12m



These compact Rough Terrain Scissors will handle the most rigorous sites, but still access those awkward areas. Self-levelling jacklegs provide extra stability and the ability to work on sloped or uneven ground. Standard features include puncture-proof tyres and a roll out deck extension.

Auto level jacklegs & puncture-proof tyres are standard features
 Compact but still with working height to 12.7m

	2668 Compact	3268 Compact
Working Height	9.9m	11.8m
Platform Height	7.9m	9.8m
Platform Capacity	567kg	454kg
Width	1.73m	1.73m
Length	2.67m	2.67m
Deck Size	1.55 x 2.51m	1.55 x 2.51m
Deck Size Extended	1.55 x 3.73m	1.55 x 3.73m
Weight	3004kg	3846kg
No Deck Extensions	1	1
Product Code:	30330	30340

#### → PLEASE CALL FOR QUOTATION

# QUALITY USED Equipment direct From our hire fleet



# **ACCESS PLATFORM HIRE**

# **DIESEL SCISSOR LIFTS**

#### Twin Deck Diesel Scissor 12m





With twin roll-out deck extensions providing a platform size up to 7.38m long and lift capacity of up to 1.1t, these Scissor Lifts will handle the toughest jobs.

	3384
Working Height	12.1m
Platform Height	10.1m
Platform Capacity	1134kg
Width	2.13m
Length	4.88m
Height Stowed	2.68m
<b>Height Rails Lowered</b>	2.0m
Deck Size	1.83 x 3.89m
Deck Size Extended	1.83 x 6.57m
Weight	5445kg
No Deck Extensions	2
Standard Features	Auto level jacklegs & puncture proof tyres
Product Code:	30350



Onboard power available as an option

#### PLEASE CALL FOR QUOTATION



Extra large deck space, high reach and heavy lifting capacity make these Scissors ideal for your largest cladding and roofing applications.



Extra long deck provides additional work space, ideal for cladding ~ applications

Auto level jacklegs fitted as standard to all diesel scissors

# 


	8841	4390
Working Height	14.3m	15.1m
Platform Height	12.5m	13.1m
Platform Capacity	680kg	680kg
Width	2.2m	2.29m
Length	3.5m	4.88m
Height Stowed	2.9m	2.93m
Height Rails Lowere	ed 2.2m	2.25m
Deck Size	1.7 x 3.4m	1.83 x 3.98m
Deck Size Extended	1.7 x 4.6m	1.83 x 7.3m
Weight	4935kg	6031kg
No of Deck Extensio	<b>ns</b> 1	2
Standard Features	Auto level jacklegs & puncture proof tyres	Auto level jacklegs & puncture proof tyres

Product Code: 30360



# **DIESEL SCISSOR LIFTS**

#### Twin Deck Diesel Scissors 17m - 18m



These large twin-decked machines offer exceptional deck space up to heights of 18m, making these Scissors ideal for your largest cladding and roofing applications. Puncture proof tyres and auto-level jacklegs fitted as standard.

	9250	5390	🖌 7.3m extended
Working Height	17.2m	18.2m	deck length
Platform Height	15.2m	16.2m	
Platform Capacity	907kg	680kg	
Width	2.34m	2.29m	Onhoard nower
Length	4.47m	4.88m	Onboard power available as an
Height Stowed	3.16m	3.15m	option
Height Rails Lowered	2.29m	2.47m	option
Deck Size	1.88 x 4.3m	1.83 x 3.89m	
Deck Size Extended	1.88 x 7.31m	1.88 x 6.57m	
Weight	6668kg	7537kg	
No Deck Extensions	2	2	
Standard Features	Super Deck	Super Deck	_
Product Code:		30370	

#### → PLEASE CALL FOR QUOTATION

Mega Diesel Scissor Lift 22.5m



With a massive maximum working height of 22.5m and lift capacity of 1,000kg this heavy duty Diesel Scissor Lift is ideal for large industrial or construction applications.

	S225-24	<ul> <li>Provides 22.5m working height</li> </ul>
Working Height	22.5m	5
Platform Height	20.3m	<ul> <li>Puncture proof tyres and auto level jacklegs fitted</li> </ul>
Platform Capacity	750kg	as standard
Width	2.47m	<ul> <li>Large capacity up to</li> </ul>
Length	4.84m	1000kg
Height Stowed	3.83m	
Height Rails Lowered	2.99m	
Deck Size	2.36 x 4.5m	
Deck Size Extended	2.36 x 7.2m	
Weight	14030kg	
No Deck Extensions	1	
Product Code:	30380	
-> PLEASE CA		



# DIESEL SCISSOR LIFTS

### Mega Diesel Scissor Lift 27.5m




This mega HL-275 D25 Diesel Scissor Lift offers a working height of 27.5m, a working area of up to  $8.25m \times 2.35m$  (extended) and a safe working capacity of 1000kg.

These rough terrain machines are unique in their ability to be driven at full height providing operators with a safe and efficient solution when working at substantial heights of up to 27.5m. Weighting in at 22670kg, you can be assured of the stability and dependability you require.

These lifts also offer 110V power outlets onboard, ideal for industrial and construction applications.








	HL-275 D25
Working Height	27.5m
Platform Height	25.2m
Platform Capacity	1000kg
Width	2.5m
Length	6.57m
Height Stowed	3.89m
Height Rails Lowered	3.13m
Deck Size	6.15m x 2.35m
Deck Size Extended	8.25m x 2.35m
Weight	22670kg
No. Deck Extensions	1
Product Code:	30390

# **TRAILER & TRACKED BOOM LIFTS**




#### **Trailer Mounted Lift 12m**



Retractable axles on this machine allows access to otherwise inaccessible areas, whilst enabling two men to work at heights of up to 12.2m. A compact and lightweight design allows this Lift to be towed by most vehicles.

✓ Retractable axle allows access through narrow gateways



# **TRAILER MOUNTED LIFTS**

## **Trailer Mounted Lift 17m**



#### **Traction Drive** Versions Available



18

17

16 15

14 13

12

11 10

9

8

2

These towable Platform Lifts enable two men to work at heights of up to 17m. Quick set-up enables easy movement from one site to the next.

- Easily towed behind most vehicles
- Bi-energy power allows indoor or outdoor use



# **TRACKED / SPIDER BOOMS**

### Tracked Boom Lift 12m





This robust Tracked Boom Lift allows accessibility to the most difficult sites. It delivers 60% gradeability with excellent traction on steep or rough terrain. Its light weight means site to site transportation is easy and large tracks provide minimal impact to the ground.

1m 2m 3m

Ideal for steep or rough terrain

		A	13
	TD 120	в	11
Working Height	12.2m		911
Platform Height	10.2m	c	8m
Outreach Max	6.1m		7m
Platform Capacity	200kg	l n	6m
Width	1.1m		5m
Weight	1850kg		4m
Power Source	Diesel / Battery		3m
Jackleg Spread	3.55m	V	2m
Stowed Height	1.9m		1m
Product Code:	30420		0
PLEASE (	CALL FOR QU	OTATION	

**ACCESS PLATFORM HIRE** 

Tracked / Spider Boom Lift 15m



These Tracked Lifts will travel across soft or uneven ground and allow access through narrow gateways or into confined sites. Excellent outreach makes these machines ideal for tree pruning, shopping mall maintenance or work around the house or garden.

Only 0.79m wide 15m Tracked Boom Working Height 15.4m Platform Height 13.4m **Outreach Max** 6.6m Platform Capacity 230kg Width (Retracted) 0.74m Width 1.1m **Overall Length** 4.02m Weight 1950kg **Power Source** Diesel / Battery Jackleg Spread 2.8m Stowed Height 1.99m Product Code: 30420



#### Tracked / Spider Boom Lift 17m



This 17m Spider Lift is ultra compact allowing you to work in the most difficult to access areas. Designed to go just about anywhere including ground sensitive areas where weight or disturbance is a concern. Ideal for tree surgery in parks or a range of maintenance jobs inside or out.

 Extensive familiarisation handover provided with all Spider Booms

Traccess170
Norking Height 17m
Platform Height 15m
Dutreach Max 7.5m
Platform Capacity 200kg
Width (retracted)0.8m (Tracks)
ength 4.25m
leight Stowed 2.0m
Neight 2050kg
Power Source Petrol / 110V
ackleg Spread 2.85 x 2.85m
Product Code: 30420

→ PLEASE CALL FOR QUOTATION

MAX RATED WORKING LOAD: 230 KG v

## TRACKED / SPIDER BOOMS Tracked / Spider Boom Lift 20m

#### With a 230kg working capacity for the whole working area, this 20m Spider Lift is unique in its class. This machine offers 9.7m continuous outreach with an operating footprint of only 2.9m x 2.9m. At only 5m long and 795mm wide this boom can access the tightest areas while providing an impressive working envelope. Extensive familiarisation handover provided Offers impressive 9.7m outreach **Outrigger Pads** included GOGREEN Eco Version Hinowa 20.10 Working Height 20m **Platform Height** 18m **Outreach Max** 9.7m Platform Capacity 230kg MAX RATED WORKING LOAD: 230 KG Width (retracted) 0.795m (Tracks) Length 5.01m Height Stowed 1.99m/6'6' Weight 2880kg Petrol / 110V Power Source 2.93 x 2.93m Jackleg Spread 30430 Product Code: PLEASE CALL FOR QUOTATION

# LET US TRAIN YOU... Approved operator training Courses available See Page 10





## **Outrigger Pads**

Suitable for unstable or soft ground these Outrigger Pads are ideal for use with Booms or Scissors with jacklegs or outriggers.

	Small	Medium	Large
Size	400 x 400 x 40mm	500 x 500 x 40mm	750 x 750 x 40mm


# **TRACKED / SPIDER BOOMS** Tracked / Spider Boom Lift 26m



# Battery Hybrid version allows for indoor operation



With working heights of up to 26m and impressive outreach capability of up to 23.7m, these Tracked Spider Lifts are ideal for accessing difficult or otherwise impossible to reach areas. They are ideal for indoor and outdoor use and at only 990mm wide are suitable for accessing narrow entrances. Extendable tracks and lengthened undercarriage provide greater stability while overall weights of just 4,365kg offer low ground pressure for sensitive sites.



23.12m

() 26.14m

Length

Weight

#### Tracked / Spider Boom Lift 33m




32.6m and is capable of 16.5m outreach, taking up-and-over capabilities to a new level, these impressive booms can also be operated at negative levels. With a lithium battery and diesel engine hybrid power system, this boom is suitable for both indoor and outdoor work offering low noise and pollution-free operation. The compact design allows access to confined spaces and areas other machines simply cannot reach.



The Hinowa 33.17 Tracked Spider Boom Lift reaches heights of up to

Battery Hybrid power allows for indoor operation

Eco Version



Working Height	32.6m
Platform Height (Max)	30.6m
Outreach (Max)	16.5m
Platform Capacity	230kg
Width	1.2m - 1.7m
Transport Length	6.5m
Height Stowed	1.99m
Weight	7740kg
Power	Hybrid - Diesel / Battery
Jackleg Spread	5.14m x 4.6m
Product Code:	30430



Outreach up to 16.5m Automatic assisted stabilisation Bi energy - low noise and pollution-free operation Can be operated at negative levels

# **Bi-level Crawler Boom Lift 16m**




	1670 EVO
Working Height	16m
Platform Height (Ma	<b>ax)</b> 14m
Outreach (Max)	8.5m
Platform Capacity	230kg
Width	1.35m
Platform Size	1.4m x 0.7m
Length	5.17m
Height Stowed	1.99m
Weight	3850kg
Standard Features	Jib, Non-marking tracks
Product Code:	30440


#### PLEASE CALL FOR QUOTATION

The Almac 1670 Crawler Boom Lift offers up to 16m working height, 8.5m front and lateral outreach an impressive 9.8m travel height. Unique in their ability to offer a dynamic and proactive automatic levelling system to allow the operator to work safely on uneven ground or steep slopes, guaranteeing total functionality on gradients of up to 22° (40%) with a slew rotation of 110°. These compact machines are ideal for construction sites or challenging pedestrian areas where space is restricted with awkward terrain.

Operated with a single joystick these easy to use boom lifts also offer a basket rotation of +/-70% and a maximum capacity of up to 230kg (2 operators).

- ✓ Dynamic and proactive automatic levelling system up to 22° (40%)
- 🖌 9.8m travel height
- Compact and easy to use
- 🖌 Adjustable track undercarriage
- ✓ 16m working height & 8.5m outreach





#### **Telescopic Crawler Boom 22m**




When you need the ultimate in rough terrain ability, the 4-track telescopic boom lift is the only answer. With unique 4-point tracking and oscillating axle this machine offers superior traction allowing it to go where other booms will not. Suitable for the most arduous sites and field conditions, ideal for transmission line work.

- 4 independent rubber tracks
   20° Track swivel allows smooth travel
   Oscillating axle offers better traction
   30° steer angle for easy manoeuvring
   Articulating Jib with 133° range of motion
- ✓ Dual lift capacity of 300kg and 450kg

#### Secondary Guarding included

	S65 TRAX
Working Height	21.81m
Platform Height	19.81m
Horizontal Outreach	16.51m
Platform Capacity - Unrestrict	<b>ed</b> 300kg
Width	2.58m
Platform Size 0.91 / 0.76m	x 2.44 / 1.83m
Weight	13154kg
Stowed Height	2.81m
Standard Features 4 Inde	ependent Tracks
Product Code:	30440



COLOR SEE LINE



→ PLEASE CALL FOR QUOTATION

NEW

Milli



#### Vertical Mast Boom Lift 10m



With zero tail swing, a short wheelbase and at only 990mm wide, this machine offers excellent manoeuvrability in confined areas. This Vertical Mast Lift also provides 3.1m of outreach making it ideal for factory maintenance and repair tasks.

11

10

- ✓ Ideal for confined factory maintenance jobs
- ✓ Only 99cm wide

	Haulotte Star 10	
Working Height	10.0m	8
Platform Height	8.0m	
Platform Capacity	200kg	
Outreach Max	3.1m/10'	, i i i i i i i i i i i i i i i i i i i
Width	0.99m	
Length	2.65m	4
Platform Size	0.68 x 0.92m	
Height Stowed	1.99m	
Weight	2760kg	
Power Source	Battery	
Product Code:	30450	4 3 2 1 0 1 🦱 4

#### Narrow Electric Boom 11m



For working in narrow factory aisles or places where larger booms cannot reach. Rotating jib and basket allows perfect work positioning.

35 ft

- 🖌 Zero tail swing
- ✓ Only 1.2m wide
- ✓ Provides 6.3m outreach

		10.67 m		9	+ +72	20	
	Z30/20	30 ft 9.14 m	- (	_ <b>µ</b> ĖĘ			_
Working Height	10.9m	25 ft		b			
Platform Height	8.9m	7.62 m		$\mathbb{V}$	17		
Outreach Max	6.3m	20 ft	_/	-7	2°		
Platform Capacity	227kg						9
Width	1.19m	15 ft 4.57 m		-		÷	51
Platform Size	1.17 x 0.76m	10 ft					
Weight	6450kg	3.05 m					
Stowed Height	2m	5 ft 1.52 m			19		
Additional Features	Narrow Width, Rotating Jib	0 ft 0 m	0	$\overline{\mathbf{O}}$	V		
Product Code:	30460	-5 ft -1.52 m	0 ft Om	5 ft 1 <i>52</i> m	10 ft 3.05 m	15 ft	2 61
→ PLEASE (	CALL FOR O	UOT		)N		4	

## Narrow Electric Boom 12m



This narrow-width Electric Boom provides outstanding outreach and working height capability, whilst allowing access to the tightest locations.

40 ft 12.19 m

35 ft 10.87 m

 Non marking tyres fitted as standard

✓ Ideal for factory maintenance jobs

Z34/22			V
Working Height 12.5m	25 ft 7.62 m	1	
Platform Height 10.5m	20 ft	-/	
Outreach Max 6.8m	15 ft		
Platform Capacity 227kg	4.57 m		
<b>Width</b> 1.47m	10 ft		_
Platform Size 1.42 x 0.76m	5 ft		
Weight 5216kg	1.52 m	E	
Stowed Height 2m	0 ft 0 m -5 ft	0.7	5 ft
Product Code: 30470	-1.52m	0 m	1.521

→ PLEASE CALL FOR QUOTATION

20 ft

### Lightweight Boom 12m



Ideal for work on weight sensitive floors or paved areas. This Boom has both engine and battery power for use indoors or outdoors.

0 1 2 3 4 5 6

7 13

12

11

10

9

8

7

6

5

4

3

2

1

0m

12.20m

40ft

- Bi-energy (Diesel / Battery) or Battery only versions available
- Lightweight, suitable for soft ground or weight sensitive floors

	_		- 22	
	HR12	Z33-18		
Working Height	12.2m	12.0m		$\langle \rangle$
Platform Height	10.2m	10.0m	#	
Outreach Max	6.1m	5.57m	//	2
Platform Capacit	<b>ty</b> 200kg	200kg	h	
Width	1.5m	1.5m		
Platform Size	1.1 x 0.65m	1.17 x 0.76m	M	/
Weight	3060kg	3665kg	$\mathbb{V}$	6.10m
Stowed Height	1.9m	1.98m		20ft
Product Code:		30480		
			TION	

#### PLEASE CALL FUR QUUIAIIUN

## Narrow Artic Boom 13.5m - 14.3m



These narrow self-propelled aerial work platforms are quickly deployable, designed to raise two operators to work at heights of up to 14m. These booms are ideal for shopping mall maintenance or work around the house or site.

Only 1.5m wide


Platform capacity of 215kg which can accommodate 2 persons

Suitable for indoor and outdoor use

•	Turning radius of 2.4	m
---	-----------------------	---

	A38E	Z40/23
Working Height	13.5m	14.3m
Platform Height	11.5m	12.3m
Outreach Max	5.4m	6.9m
Platform Capacity	215kg	227kg
Width	1.05m	1.50m
Weight	3880kg	6940kg
Stowed Height	2.0m	1.89m
Length Stowed	4.1m	4.1m/13'4"
Product Code:		30490

PLEASE CALL FOR QUOTATION  $\rightarrow$ 



#### **Electric Artic Boom 15m**



With working heights of up to 15.9m, these guiet, emission-free Lifts can provide outreach capacity of up to 6.1m and full 360° articulation. Perfect for internal jobs, which require high reach and perfect positioning.

- Fully electric (battery) operated
- Quiet & emission free
- Non-marking tyres



#### PLEASE CALL FOR QUOTATION

#### **Electric Artic Boom 20m**



This all electric Boom allows emission free and guiet operation for heights up to 20m. It also boasts the reach characteristics of standard machines but with the advantages of non-marking tyres and continuous 360° rotation while being very economical to run.

50

40


250kg 551lb

10 12

- ✓ Fully electric (battery) operated
- Quiet & emission free
- Non-marking tyres
- 360° continuous rotation

	BA20CERT
Working Height	20.15m
Platform Height	18.15m
Outreach Max	11.13m
Platform Capacity	250kg
Width	2.33m
Platform Size	1.83 x 0.79m
Weight	8300kg
Stowed Height	2.57m
Product Code:	30515

## Hybrid Electric / Diesel Boom 17m



This narrow Self-propelled Boom will lift to a working height of 17.2m and provide an exceptional outreach of 9.7m.  $180^{\circ}$  platform rotation provides exceptional control when positioning the platform in narrow, confined spaces where there is a need to reach over machinery or fixed objects.

COGREEN

#### → PLEASE CALL FOR QUOTATION

	HR17N
Working Height	17.2m
Platform Height	15.2m
Outreach Max	9.6m
Platform Capacity	225kg
Width	1.5m
Length Stowed	5.0m
Weight	7200kg
Platform Size	1.5 x 0.7m
Height Stowed	2.1m
Turning Radius	4.4m
Power Source	Bi-energy Diesel / Battery
Product Code:	30510


🖌 Only 1.5m wide

✓ Bi-energy - diesel / battery

Excellent horizontal reach to 9.7m

Ideal machine for maintenance within large warehouses

#### Secondary Guarding included



#### () CALL OUR HIRE DESK TODAY 0845 338 1388

#### Hybrid Electric / Diesel Boom 20m



This Hybrid Boom is ideal for outdoor and indoor applications such as construction sites, sports arenas, malls, manufacturing facilities and even challenging pedestrian areas with the demand for low noise and clean performance.

This Articulating Boom provides lifting versatility with a combination of up, out and over positioning capabilities. The Genie FastMast<sup>™</sup> boom system allows operators to descend and retrieve materials and quickly return to working height.

	Z60 37FE	Nifty HR21 Hybrid	Secondary Guarding included
	200 37 FE		
Working Height	20.16m	20.8m	✓ Hybrid - battery / diesel powered
Platform Height (max)	18.16m	18.8m	🖌 Fume free operation
Outreach (max)	11.15m	13.0m	🖌 Low noise
Platform Capacity	227kg	250kg	<ul> <li>Suitable for indoor or outdoor use</li> </ul>
Width (retracted)	2 40m 2 27m		Horizontal reach of 11.15m (36'5")
Platform Size	1.83 x 0.76m	1.8 x 0.8m	<ul> <li>All terrain non marking tyres</li> </ul>
Length	8.15m	6.62m	standard
Height Stowed	2.54m	2.18m	
Weight	7756kg	6680kg	
Power Source	Hybrid	Hybrid	_
Product Code:	30520	30520	
PLEASE CAL	L FOR QUO	TATION	



### Hybrid Electric / Diesel Boom 28m






	HR28 Hybrid
Working Height	28.0m
Platform Height	26.0m
Outreach Max	19.0m
Platform Capacity	280kg
Width	2.49m
Length Stowed	7.3m
Weight	14650kg
Platform Size	2.4 x 0.9m
Height Stowed	2.7m
Turning Radius	5.9m
Power Source	Bi-energy Diesel / Battery
Product Code:	30525



#### Secondary Guarding included



Combining advanced power-source technology with efficient four-wheel drive allow this 28m articulating boom to work in any environment, indoors or out. Emission free operation and reduced running costs along with a lighter weight and more compact foot print make this one of the most versatile boom lifts available.

#### 🖌 Hybrid power

- 🖌 Can operate emission free
- ✓ Quiet operation
- ✓ Compact & lightweight design
- ✓ Reduced running costs



# **ACCESS PLATFORM HIRE**

# **DIESEL ARTICULATING BOOM LIFTS**



#### **Diesel Artic Boom 12m**



These Booms offer 4WD capability for applications up to 12.6m. With zero tail & nose swing and at only 1.99m wide, these Diesel Booms are ideal for working in confined areas.

Zebra 12 model has exceptional 8.5m outreach
O () () ()

			40 ft							
	Z34/22	Zebra 12	12.19 m 35 ft			H				_
Working Height	12.6m	12.2m	10.67 m 30 ft			6				
Platform Height	10.6m	10.2m	9.14 m		/	VH				
Outreach Max	6.78m	8.5m	25 ft 7.62 m		1					
Platform Cap.	227kg	230kg	20 ft 6.10 m						917	
Width	1.85m	1.99m	<b>15 ft</b> 4.57 m	-(		-	-	~		
Platform Size	1.5 x 0.8m	1.5 x 0.8m	10 ft 3.05 m							_
Weight	5027kg	5150kg	5 ft 1.52 m		λ		<b>-</b> 0-	_		
Stowed Height	2m	2.1m	1.52 m		-		V	÷		
Std. Features	Jib ,4WD	Jib, 4WD	0m -5		0 ft	5 ft	10 ft	15 ft	20 ft	25 ft
Product Code:		30530	*1,4		will.	1.02.10	0.0010	F		r Alc III



#### **Diesel Artic Boom 15m**



The 45ft Boom is the workhorse of the access industry. 4WD, puncture-proof tyres, zero tail swing and flick-out jibs are just some of the features making this machine perfect for the toughest sites.

Zero tail swing


Puncture proof tyres

# 

# Onboard power & Secondary Guarding available on most models

	Z45/25	1
Working Height	15.9m	10
Platform Height	13.9m	1
Outreach Max	7.6m	
Platform Capacity	227kg	
Width	2.29m	
Weight	6460kg	
Platform Size	1.8 x 0.76m	
Stowed Height	2.13m	
Standard Features	Jib / 4WD	
Product Code:	30540	





#### PLEASE CALL FOR QUOTATION

### **Diesel Artic Boom 17m**



These all terrain Diesel Booms are designed for high access jobs on unfinished sites where room is at a premium. Work at heights of up to 17m with large outreach capacity.

Provides additional 2m of outreach to 15m version

# Onboard power & Secondary Guarding available on most models

	Z51/31	SJ51AJ
Working Height	17.59m	17.58m
Platform Height	15.59m	15.58m
Outreach Max	9.37m	9.16m
Platform Cap.	227kg	227kg
Width	2.29m	2.24m
Weight	7394kg	7316kg
Platform Height	1.8 x 0.76m	1.8 x 0.76m
Stowed Height	2.13m	2.07m
Std. Features	Jib / 4WD	4WD
Product Code:		30550



**ACCESS PLATFORM HIRE** 

#### **Diesel Artic Boom 20m**



For up & over positioning where additional outreach is required, these large Articulating Booms have zero-tail swing allowing rotation in restricted areas where other similar machines cannot go.

- 🖌 Zero tail swing
- New model available with additional outreach


#### **Onboard power &** Secondary Guarding available #

	Z60/34	Skyjack 63AJ
Working Height	20.3m	21.38m
Platform Height	: 18.3m	19.38m
Outreach Max	11.05m	12.19m
Platform Cap.	227kg	227kg
Platform Size	1.8 x 0.76m	1.8 x 0.9m
Width	2.46m	2.44m
Weight	10215kg	9979kg
Stowed Height	2.69m	2.54m
Std. Features	Jib, 4WD	Jib, 4WD
Product Code:		30560



#### Lightweight Hybrid Artic Boom 21m NEW

Secondary Guarding included



The Nifty HR21 Hybrid Boom offers all the features of our standard 20m Articulating Boom Lifts but provides a more compact and lightweight option for those confined or weight sensitive areas. The hybrid feature allows all electric, noise and fume free operation with the option to switch to engine for outdoor use when battery levels are low. This machine also offers an additional 1m of outreach and exceptional outside turning radius of only 3.89m.

	HR21 Hybrid	
Working Height	20.8m	<ul> <li>Hybrid system allows electric or engine</li> </ul>
Platform Height	18.8m	operation
Outreach Max	13.0m	Noise and fume free
Platform Capacity	250kg	operation
Width	2.27m	🖌 Lightweight - only
Platform Size	1.8 x 0.8m	6680kg
Weight	6680kg	🖌 Reduced running
Stowed Height	2.18m	costs
<b>Outside Turning Radius</b>	3.89m	✓ Compact &
Standard Features	4WD	lightweight design
Product Code:	30520	

PLEASE CALL FOR QUOTATION  $\rightarrow$ 

#### **Diesel Artic Boom 26.5m**



With an impressive outreach of 18.3m or 60ft, this large Artic Boom provides unsurpassed up & over positioning. This machine is ideal for maintenance or repair tasks on old buildings or industrial applications.

- ✓ 18.3m / 60' outreach
- 🖌 8.83m / 29' up and over reach
- ✓ 360° continuous turntable rotation for fast easy positioning


#### **Onboard power & Secondary Guarding** available on most models

PLEASE CALL FOR QUOTATION

	Z80/60
Working Height	26.38m
Platform Height	24.38m
Outreach Max	18.3m
Platform Capacity	227kg
Width	2.49m
Platform Size	0.76 x 1.85m
Weight	17010kg
Stowed Height	3.0m
Standard Features	Jib, 4WD
<b>N</b> 1 4 <b>N</b> 1	

Product Code:

30570 Genie 2-80/60



() CALL OUR HIRE DESK TODAY 0845 338 1388


# **Diesel Artic Boom 40.1m**



The JLG 1250AJP's unique boom design significantly reduces lift / lower cycle times for the operator while the dual platform capacity of up to 450kg allows increased versatility and productivity. With a massive 19.25m of horizontal outreach, full four wheel drive and four wheel steer, this large articulating boom offers superb mobility and high reach access around the site.

- 🖌 Quick lift / lower times
- ✓ 450kg platform capacity (restricted)
- ✓ 19.25m horizontal reach
- ✓ 4 x 4 and 4-wheel steer

	1250AJP	
Working Height	40.1m	
Platform Height	38.1m	
Outreach Max	19.25m	
Platform Capacity	227kg	
Width (retracted)	2.49m	
Width (extended)	3.81m	
Platform Size	0.91m x 2.44m	
Weight	19958kg	
Stowed Height	3.05m	
Product Code:	30580	





Onboard power & Secondary Guarding available on most models



## **Diesel Artic Boom 43m**



The Z135/70 gives an impressive working height of 43.15m and a massive up and over reach of 18m at 23m high or 21.26m of reach at nearly 10m vertically. The 20m extending jib provides effortless positioning while the chassis extends in a unique X pattern for ease of set up.

- X-design chassis allows easy set up
- Telescoping jib extends to 6.10m / 20'
- Option to work at 20ft below ground level ~

# Onboard power & Secondary Guarding available on most models


#### PLEASE CALL FOR QUOTATION $\rightarrow$

	2155/70
Working Height	43.15m
Platform Height (max)	41.15m
Horizontal Reach (max)	21.26m
Lift Capacity	up to 272kg
Width - axles ext	3.94m
Width - axles ret	2.49m
Platform Size	2.454 x 0.91m
Weight	21092kg
Stowed Height	3.09m
Standard Features	Ext. Jib
••••••	

#### Z135/70







**ACCESS PLATFORM HIRE** 

#### CALL OUR HIRE DESK TODAY 0845 338 1388

# **ACCESS PLATFORM HIRE**

# **DIESEL TELESCOPIC BOOM LIFTS**



# **Diesel Telescopic Boom 15m**



With 4WD and flick-out jibs as standard, these Rugged Telescopic Booms are ideal for a host of applications, including structural steel and general maintenance work.

✓ 4WD and flick out jib come as standard

#### Onboard power & Secondary Guarding available on most models



S45

15.9m

13.9m

11.2m

227kg


2.3m

6709kg

2.49m

Jib, 4WD

1.83 x 0.76m



# **DIESEL TELESCOPIC BOOM LIFTS**


# **Diesel Telescopic Boom 20m**



These mid-range Telescopic Booms are ideal for those larger sites where that extra reach is required, but where you still need manoeuvrability in confined spaces. 4WD and flick-out jibs come as standard.

✓ 4WD and flick out jib come as standard

Onboard power & Secondary Guarding available on most models



(TRA CAPACITY
VERSIONS AVAILABLE

_		S65
	Working Height	21.8m
	Platform Height	19.8m
	Outreach Max	17.1m
	Platform Capacity	227kg
	Width	2.49m
	Platform Size	1.83 x 0.76m
	Weight	10102kg
	Stowed Height	2.72m
	Standard Features	Jib, 4WD
60 At 18.29 m	Product Code: 30600	

#### PLEASE CALL FOR QUOTATION

#### Lightweight Hybrid Telescopic Boom 20m





The S60 FE Hybrid boom offers all the capabilities of a standard telescopic boom but with the added benefit of quiet and clean battery operation. The boom is also 25% lighter than a conventional diesel machine making it ideal for city jobs or applications where low floor loading is required.

✓ 25% lighter than diesel equivalent Hybrid system allows electric or engine operation h 70 ft 60 ft 18.3 m 50 ft 15.2 m 40 ft 12.2 m 30 ft 9.1 m 20 ft 6.1 m 10 ft 3 m 0 ft 20 ft 6.1 m 30 ft 91 m 40 ft 50 ft 0 ft 0 m 10 ft 3 m



Non-marking tyres



	S60 FE
Working Height	20.6m
Platform Height	18.6m
Outreach Max	12.3m
Platform Capacity	300kg
Width	2.49m
Platform Size	1.80 x 0.80m
Weight	8051kg
Stowed Height	2.73m
Standard Features	4WD
Product Code: 30600	

# **DIESEL TELESCOPIC BOOM LIFTS**

#### **Diesel Telescopic Boom 28m**



With working heights of up to 28.21m these heavy weight Telescopic Booms are the ultimate in reach and stability. With a dual basket capacity system of 227kg on full reach and 341kg on restricted reach, they have a greater lift capacity than their rivals (\*some models only). Features include full time four wheel drive and fixed width axles (some models only).


- Fixed width axles allow faster set up
- Oscillating axle enhances traction
- ✓ 4WD and foam filled tyres come as standard

# 

	S85	SJ86T
Working Height	27.9m	28.21m
Platform Height	25.9m	26.21m
Outreach Max	23.6m	23.42m
Platform Capacity	227kg	227kg / 341kg restricted reach
Width 2.4	44m Ext 3.07m	2.49m
Platform Size	2.44 x 0.91m	2.44 x 0.91m
Weight	17917kg	17146kg
Stowed Height	2.8m	3.0m
Standard Features	Jib / 4WD	Foam filled tyres
Product Code:		30610

Product Code:

#### PLEASE CALL FOR QUOTATION



Onboard power & Secondary Guarding available on most models



Genie

# **DIESEL TELESCOPIC BOOM LIFTS**

## **Diesel Telescopic Boom 40m**




The Genie S125 provides working heights of up to 40.2m and maximum horizontal reach to an impressive 24.4m. Four-wheel drive and four-wheel steer are standard to meet the demands of rugged outdoor use.

PLEASE CALL FOR QUOTATION

	S125
Working Height	40.2m
Platform Height	38.2m
Outreach Max	24.4m
Platform Capacity	227kg
Width	2.49m Ext 3.35m
Platform Size	2.44 x 0.91m
Weight	20248kg
Stowed Height	3.07m
Standard Features	Jib, 4WD
Product Code:	30620
✓ 4 wheel steer	

✓ Massive 24.38m/80' outreach

# Onboard power & Secondary Guarding available on most models



# DIESEL TELESCOPIC BOOM LIFTS

#### **Diesel Telescopic Boom 43m**




The Genie SX-135 XC telescopic boom lift provides 3m (10ft) more outreach and 32 per cent more capacity than typical self-propelled booms of this size. Thanks to its unique up-and-over style capability, operators will easily navigate any obstacles at height.

- ✓ Mini Genie XChassis design for easy transport
- ✓ 5.48m to 9.14m (18 to 30ft) telescoping Jib-Extend with 125° articulation
- Dual lifting capacity of 300kg 454kg
- Massive outreach (27.43m 90ft)

	SX-135 XC
Working Height	43.5m
Platform Height	41.15m
Horizontal Reach	27.43m
Platform Capacity	300kg / 454kg
Weight	21546kg
Width - Axles Ext.	3.94m
Width - Axles Ret.	2.94m
Stowed Height	3.05m
Standard Features	Rotating Jib
Product Code:	30630

#### → PLEASE CALL FOR QUOTATION





# **DIESEL TELESCOPIC BOOM LIFTS**

#### **Diesel Telescopic Boom 48m**




With up to 48m working height and x-chassis design providing extra stability, this Super Boom is ideal for extreme access jobs. It has positive traction drive, a self levelling platform, rough terrain foam filled tyres and an on board generator as standard. A 10' Rotating Jib gives perfect positioning for any task.



	SX150
Working Height	48.02m
Platform Height (max)	46.02m
Horizontal Reach (max)	24.38m
Lift Capacity	340kg
Weight	22997kg
Width - axles ext	5.03m
Width - axles ret	2.49m
Stowed Height	3.05m
Standard Features	Rotating Jib
Product Code:	30630

- Easily extending axles for excellent stability
- ✓ Ultra high reach capacity
- Large working envelope which minimises machine movement
- 🖌 Platform capacity 340kg

# Secondary Guarding included



13

12

11

10

9

8

# **VEHICLE MOUNTED LIFTS**



#### 4 X 4 Truck Mounted Lift 13.1m



SWL 240 kg

# Outrigger Pads included

4×4 Truck Mounted Platforms offer a working height of 13.1m and 6.2m outreach ideal for utility, telecom or streetlight maintenance where the task requires quick and easy site set up. 360° rotation, 240kg platform capacity and zero tail swing allowing operators to access the most difficult working areas.

Less than 3500kg GVW and 4 A-frame stabilisers gives these rough terrain trucks the ability to be operated efficiently both on and off-road.

	Specs	
Working Height	13.1m	
Platform Height	11.0m	
Outreach Max	6.2m	
Platform Capacity	240kg	
Width with outriggers exten	<b>ded</b> 3.5m	
Gross Vehicle Weight	3500kg	
Stowed Height	2572mm	
Tail Swing	Zero	
Standard Features A-Frame outriggers		
Product Code:	81300	



2 0

3 4 5 6

rotation ✓ 240kg platform capacity

Can be driven on a standard licence

→ PLEASE CALL FOR QUOTATION



# **VEHICLE MOUNTED LIFTS**

#### Truck Mounted Lift 20m, 3.5t GVH



Ideal if your work involves moving from site to site or you need to vacate the site on completion of your task. Vertical outriggers allow quicker set-up on site and less roadside disruption due to their extremely compact footprint.


At less than 3500 GVH, this vehicle can be driven on a standard licence and offers greater fuel efficiency than heavier trucks in the 20m class. Suitable for a wide variety of applications including sign maintenance, street lighting, TV and sporting events.

- 🖌 Quick site set up
- Compact footprint
- 🖌 Can be driven on a standard licence



#### PLEASE CALL FOR QUOTATION

	3.5T GVW
Working Height	20.0m
Platform Height	18.0m
Outreach Max	9.2m
Platform Capacity	200kg
Width with outriggers extended	2.865m
Gross Vehicle Weight	3500kg
Stowed Height	2.5m
Basket Rotation	65° left / right
Tail Swing	Zero
Standard Features	Vertical outriggers
Product Code:	81300



# **VEHICLE MOUNTED LIFTS**

#### Van Mounted Platform 13m



These Van Mounted Platforms are ideal for applications such as street light or sign maintenance where you need additional payload capacity for tools and materials.

They provide a payload capacity of 250 - 300kg (depending on model) and ample space for your equipment. Working heights of up to 13m and outreach of 8.5m provided by the telescopic boom allows access to most jobs without the need for accurate positioning. A-frame stabilisers make set up quick and easy while features such as the single joystick control and zero tail swing provide ease of operation.

- 🖌 250 300kg payload capacity (depending on model)
- 360° continuous turntable rotation for fast, easy positioning
- Quick set up
- Can be driven on a standard licence

5t options available offering increased payload (Contract Hire only)


#### PLEASE CALL FOR QUOTATION

	5.50
Working Height	13.0m
Platform Height	11.0m
Outreach Max	8.5m
Platform Capacity	230kg
Width with Outriggers	2.45m
Gross Vehicle Weight	3500kg
Stowed Height	3.5m
Fly Jib	120°
Tail Swing	Zero
Payload	250 - 300kg
Product Code:	81310

Product Code:

**Cut-away** versions available





3 5t

CALL OUR HIRE DESK TODAY 0845 338 1388



# **LIFTING EQUIPMENT HIRE**

LIFTING EQUIPMENT HIRE

REGARDLESS OF WHAT YOU ARE LIFTING, WE CAN PROVIDE A WIDE VARIETY OF LIFTING GEAR AND EQUIPMENT TO ENSURE YOUR LIFT IS UNDERTAKEN SAFELY AND EFFICIENTLY. FROM MINI CRANES TO FURNITURE MOVERS OR MACHINE SKATES, WE CAN OFFER YOU THE SOLUTION TO MOST LIFTING PROJECTS OR TASKS.

Cranes, Lifts & Gantries	222-234
Glass & Cladding Handling	235-246
Site Lifting & Handling	247-252
Cable Handling	253-254
Crane & Forklift Accessories	255-257
Trollys & Trucks	258-263
Hoists, Winches & Lifting Gear	264-268
Jacks & Skates	269-270
Fall Arrest & Safety & Testing	271-273



#### Mini Spider Crane, Electric, 2.82t x 1.4m



This fully electric powered mini crane offers all the features of the standard model but with the added advantage of being completely emission free. Mini cranes often operate in confined indoor spaces, this unique machine allows operation in non-ventilated areas without any concerns. The crane will operate for a full day on a single charge but can be charged while during operation if required.



#### ML 285CB-3

	2.82 @ 1.4m
the ground)	8.7m @ 550kg
	8.205m x 0.15t
und	-10.1m (4 falls)
	750mm
	1470mm
	2800mm
Min. outrigger spread width	
width	4718mm
	1995kg
	40100
Non marking tracks     Radio remote control	COGREEN Eco Version
	width

PLEASE CALL FOR QUOTATION

CALL OUR HIRE DESK TODAY 0845 338 1388

 $\rightarrow$ 

# LIFTING EQUIPMENT HIRE

# **CRANES, LIFTS & GANTRIES**


#### Mini Spider Crane, 2.82t x 1.4m

At only 750mm wide retracted and with a maximum lifting capacity of 2.82t, this mini crane will travel into the most inaccessible areas and undertake serious lifting tasks. With electric or diesel power options it will happily operate outdoors or in. Radio remote control allows the operator to position loads independently while multi outrigger positions allow set up in the most awkward spaces.









Crane Capacity	2.82t x 1.4m
Max. Lifting Height (on the ground)	8.7m
Max. Working Radius	8.205m x 0.15t
Max. Reach Below Ground	-10.1m (4 falls)
Travel width	750mm
Stowed height	1470mm
Stowed length (with electric motor)	3285mm
Min. outrigger spread width	3990mm
Max. outrigger spread width	4718mm
Weight	2160kg
Product Code: 40100	

Product Code: 40100

→ PLEASE CALL FOR QUOTATION



# Mini Spider Crane, Knuckle Boom, 2.8t x 1.8m



NEW

The Innovative Maeda 3053C Knuckle Boom crane offers additional versatility, reach, and lift height over other machines. With a 16.95m maximum lift height while still only 780mm wide, this crane will get into areas and lift where others cannot. A three section fully automatic telescopic boom along with stepless outrigger settings provides the up and over versatility and capabilities that other cranes cannot offer.

- Unique 3 section knuckle boom
- Additional up and over reach
- 🖌 16.95m max lift height
- 🖌 Only 780mm travel width
- 🖌 Radio remote control
- Non marking tracks
- Negative angle detachable jib
- GOGREEN Eco Version



#### MK3053CB

Crane Capacity	2.8t x 1.8m
Max. Lifting Height (on the ground)	16.95m
Max. Working Radius	14.3m
Travel width	780mm
Stowed height	1945mm
Stowed length (with electric motor)	3195mm
Min. outrigger spread width	4315mm
Max. outrigger spread width	4546mm
Weight	2900kg
Product Code:	40100

 $\rightarrow$ 



Outriggers Position : Max

#### Spider Crane - 3.83t x 2.7m

This powerful mini crane offers an outstanding 3.83t lifting capacity while still only 1.38m wide, allowing access and heavy duty lifting in restricted areas. This crane provides a 500kg pick and carry capability while other standard features include a crane / outrigger interlock system, working limit setting and variable speed travel. Manual and remote-control options ensure safe and efficient lifting no matter how difficult the task.









Product Code: 40100

PLEASE CALL FOR QUOTATION




## Pick & Carry Crane, 2t Electric


These Mini Cranes are designed to operate in confined spaces, capable of a wide range of lifting tasks. With an impressive 2.25 tonne lifting capacity they are still narrow enough to fit through a standard doorway. Suitable for industrial applications where machinery needs moved or for construction sites to carry out glass installations or material lifting tasks where safety and efficiency are essential.

- Fitted with 900mm fly jib for extra versatility ~
- Maximum lifting capacity 2250kg
- Non-marking tyres for use in clean environments
- Battery powered fume free
- Visual and audible load safety indicators
- Designed for indoor and confined space operation

#### **APPLICATIONS & USES**

- Construction
- Machinery moving
- **Glass installation**
- a Curtain walling
- Factory maintenance
- Artwork installation
- **Facilities management**







Product Code



# **CRANES, LIFTS & GANTRIES** Pick & Carry Crane, 900kg Tracked

~

~

900kg capacity 🖌 4.3m lift height Easy to operate



The unique tracked pick and carry crane allows safe positioning and handling of goods or materials on soft ground or rough terrain. The tracked crawler chassis provides low ground pressures while retractable tracks allow access to narrow driveways or paths. With a lift capacity of 900kg, forward reach of over 3m and lift height of 4.3m, the tracked pick and carry crane is ideal for positioning glass, marble slabs or structural beams in otherwise hard to reach places.



PRough terrain Pick & Carry capabilities		
Pretractable tracks allow narrow access	8	
900kg capacity		
4.3m lift height		
Easy to operate		
	Max lift capacity Max lift height Max forward reach Width Weight Power source Max incline Product Code: 40110	1
III O	PLEASE CALL FOR QUC	DTATION



900kg 4.3m 3.1m 1240mm / 1800mm 1568kg Petrol 11.7hp 20%



# **Contract Lifting**

When hiring a mini crane, two options are available depending on your requirements. Hire only or Contract lifting.

#### HIRE

As with all hire's, you are fully responsible for the complete operation and the equipment during the hire. This includes slinging loads, supervision of the site and any auxiliary lifting gear. You are also responsible for the planning, risk assessment and method statement which should be undertaken by an appointed person. Our machines can also be hired with a qualified operator under your own risk and control.

#### **CONTRACT LIFT**

In the case of a contract lift the crane hire company takes full responsibility of the lift program and provides qualified operators and the appointed person to ensure the lift is carried out in compliance with BS7121 & LOLER. After initially inspecting the site and receiving details of the required lift, all aspects of the lifting program are then planned in advance before proceeding. Full insurance is provided along with the required personnel to ensure your project is completed safely, efficiently and on time.

#### Contract lifting services include:

- On-site inspection
- Planning & risk management
- Risk assessments & method statements
- Insurance
- 🖌 Auxiliary lifting gear
- Transportation



Each service has different responsibilities for us the crane provider and you the customer. The differences in responsibilities is outlined below:

#### HIRE

#### You are responsible for:

- Safety and welfare of crane operator
- Safe operation of the crane
- Supplying an appointed person
- Carry out all work in accordance with BS7121
- Provide third party liability and hired plant insurance
- Producing risk assessment and method statement

#### We are responsible for:

- Providing a suitable crane
- Providing a CPCS trained crane operator if required

# **CONTRACT LIFT**

#### You are responsible for:

- Allowing access to for a full site survey from one of our CPCS appointed persons
- Supplying information of the load to be lifted
- Advise us of any hazards that are not evident in the site visit

#### We are responsible for:

- Supplying an a CPCS appointed person
- Produce risk assessment and method statement
- Organisation and control of the lifting operation
- Carry out all work in accordance with BS7121
- Provide a CPCS trained crane operator
- Provide a suitable crane
- Loss of or damage to other property caused solely by the owner's negligence in the performance of the lifting contract subject to:
- A maximum liability of £25,000 in respect to goods lifted (this can be increased with prior arrangement)
- A maximum liability of £5,000,000 in respect to loss or damage to other property and injury of persons

# **Mini Floor Cranes**



Manual mini floor cranes are designed for lifting applications where no overhead lifting point is available or cannot be accessed by other powered equipment. Easily moved into position, these cranes can safely undertake lifts up to 900kg at hook heights of 2.9m. With a maximum outreach of 1.4m floor cranes are particularly advantageous when obstacles or limited floor loadings prevent direct access or the use of forklift.

Three versions are available depending on how much you need to lift, how much space you have and what your around conditions are.



CALL OUR HIRE DESK TODAY 0845 338 1388

## Mini Floor Crane, Rotary

The rotary mini floor crane allows precise positioning of your load by rotating the counterbalance along with the crane jib arm. Weight of up to 500kg can be handled safely with rotation of 270° and 5 locking positions for added flexibility.



Lift up to 500kg

- ✓ Hook heights up to 2.8m
- 270° rotation


LIFTING EQUIPMENT HIRE

- 5 safe locking positions
- Only 955mm wide



	01M5
SWL	500kg
HOL	2.804m
Weight	608kg
Width	0.995m
Product Code:	40120

#### PLEASE CALL FOR QUOTATION



Ideal for maintenance, warehouse, engineering or use in the entertainment industry, these lightweight lifts are easy to transport and are suitable for those lifting tasks inaccessible by forklift. Lifts are available from 3m - 7m lift heights along with a range of accessories.



	ALP L476	ALP L620	ALP L752
S W L	350kg	350kg	300kg
HOL	4.76m	6.20m	7.52m
Weight	143kg	174kg	188kg
Width	0.77m	0.77m - 1.90m	0.77m - 1.90m
Product Code:	40130	40140	40140
PLEASE CALL FOR QUOTATION			

# LIFTING EQUIPMENT HIRE

# **CRANES, LIFTS & GANTRIES**

# Counterbalance Material Lift 400kg NEW



This counterbalance lift will allow lifts of up to 400kg and 4m high up against walls or other fixtures where access by forklift or other lifting equipment is not possible. The unique compact

design allows loading into a small van for transport by one person.

- Lifts up to 400kg
- Counterbalance design allows access up against objects
- 🖌 Max lift height 4m
- Easy to transport
- 🖌 Easy to handle by one person





	WLU-P / KS4.0
SWL	400kg
HOL	4.0m
Weight	271kg
Product Code:	40150

#### PLEASE CALL FOR QUOTATION



Lifting weights of up to 800kg and heights up to 6m, this heavy-duty machine is the solution to lifting heavy loads in areas inaccessible to forklifts or other lifting devices. Allowing access up against walls or other fixtures this lift will operate safely in any environment. A unique worm gear drive unit provides easy operation without the need for a crank handle.

- ✓ Lifts up to 800kg
- Counterbalance design allows access up against objects
- Easy lift operation using cordless drill
- Jib crane or forks available
- 🖌 Max lift height 6.1m



# **Counterbalance Lift 160kg**

These Counterbalance Lifts allow goods to be lifted close to walls or obstacles without the restriction of legs.

Allows lifts close to walls

20		
S W L	Specs 159kg	
HOL	3.56m	
Weight	68kg	0
Size	0.72 x 0.73 x 2.0m	
Product Code:	40150	

# **Panel Lifter**

Used for lifting plasterboard or panels into position at ceiling level, making fixing work easy for a single person.

Ideal for plywood or plasterboard

			MACO	1
	Specs			
SWL	70kg			3
HOL	4.57m		1.1	
Weight	45kg			
Product Code:	40170			
→ PLEASE	E CALL FOR	OUOTATI	ON	

# **Beam Lifter**



operate lifter suitable for lifting steel, wood beams or other materials into position. Lifts up to 600kg to heights of 3m but will fold down and fit into most estate cars.

- Lifts up to 600kg
- Reliable screw mechanism
- 🖌 Only 730mm wide
- Ideal for lifting steel or wood beams
- Easy to transport

	Specs
S W L	600kg
HOL	3.0m
Total weight	86kg
Height	1.59m
Length (working / stowed)	0.81m
Width	0.61m
Product Code:	/0125

PLEASE CALL FOR QUOTATION  $\rightarrow$ 



# Air Operated Lifts

Compact and portable one man compressed air lift operated by adding a small air compressor. Ideal for ducting or mechanical installations where access is limited.



#### PLEASE CALL FOR QUOTATION

#### Floor / Engine Cranes

This easily transported Hydraulic Crane is perfect for lifting engines and other heavy loads.



# Portable Davit

NEW

The portable Davit is a rapidly deployable lifting system that can be operated by one person for goods. The system can be easily rotated 360° under full load of up to 1000kg.

- Lift up to 100kg
   360° rotation
   Rapid deployment
   One person operation

	Specs
SWL	500kg
HOL	1935mm
Radius	1200mm
Weight	41kg
Product Code:	40185



# Mobile Davit Counterbalance Base



A 5 piece portable base suitable for our portable Davit which is easily transportable to site. The base acts as an anchor point

where a fixing point is not otherwise available. Ideal for confined spaces or work at height tasks.

- Anchor point for Davit
- Allows lifting up to 600kg
- 🖌 5 pieces allows easy transportation

	Specs	
SWL	600kg	
Radius	800 - 1200mm	
Weight	78kg	
Product Code:	40185	

→ PLEASE CALL FOR QUOTATION

# Foldable Aluminium Mobile Gantry 1000kg

The unique and innovative Portagantry Rapide is a height-adjustable and foldable Aluminum Mobile Gantry designed for rapid deployment. Capable of an impressive load lifting capacity of up to 1000kg this system can be assembled and disassembled by just one person within a minute without the need for any tools. The perfect solution for confined space access and rescue & entry lifting scenarios due to its ability to lift equipment and goods of up to 1000kg and personnel of up to 500kg.

✓ Up to 1000kg capacity

 $\checkmark$  Assembled and disassembled by just one person within a minute

	Specs
SWL	1000kg
HOL	2880mm
Weight	62kg
Dimensions	464mm x 536mm x 4077mm
Width/size	2.98m max work span
Product Code:	40190
000	Anning Street Street



PLEASE CALL FOR QUOTATION

# Aluminium Mobile Gantry 2000 - 5000kg

These easy to assemble lightweight portable Gantries are ideal for lifting applications in inaccessible places. Easily transported and adjustable in height and beam length.

Easily transported and assembled









# **Glazing Positioners**

The revolutionary way to install windows or glass, Glazing robots will quickly improve efficiency and health and safety on site. Window elements up to 575kg can be lifted, transported and easily installed avoiding back injuries and reducing damage to glass. With rough terrain capabilities and the ability to travel with heavy elements through narrow doorways, these versatile machines can access areas other heavy equipment cannot due to surface pressures.

- Rapid installation and improved safety
- 🖌 360° continuous rotation
- Vacuum swivel, keeps hoses out of the way
- 🖌 Rough terrain capability
- Compact enough to fit into a van









# Glass Positioner 350 - 400kg

These powered self-propelled machines come standard with four hydraulic functions as well as linear movements which significantly reduce installation times. Suitable for indoor or outdoor applications, the 350 model is only 690mm wide and compact enough to be driven into a van for transportation to site.


- ✓ Rapid installation and improved safety
- ✓ 360° continuous rotation
- $\checkmark$  Vacuum swivel, keeps hoses out of the way
- 🖌 Rough terrain capability
- Compact enough to fit into a van




	350kg	400kg
External Length	1450mm	1975mm
External Width	690mm	860mm
Max. Lifting Capacity	350kg	410kg
Max. Load at Max Extension	200kg	225kg
Max. Capacity on 1 Side	200kg	200kg
Total Weight Excl. Counterweights	512kg	N/A
Total Weight Incl. Counterweights	617kg	912kg
Min. Extension	290mm	458mm
Max. Extension	790mm	958mm
Max. Lifting Height	2800mm	3078mm
Side Offset	100mm	100mm
Tilt Function	180°	Back 45° / Forth 97°
Continuous Rotation	360°	360°
Suction Cups	4 X Ø270mm	4 X Ø310mm
Batteries	2 X 95 Ah	2 X 90 Ah
Product Code:	40200	40200

#### → PLEASE CALL FOR QUOTATION









# Glass Positioner 575 - 1000kg

With a maximum lift height up to 4.1m these larger positioners combine superior lifting capacity and reach with a unique and compact design. A unique "gyro function", ensures that the glass is automatically lifted in the same position while movements can be controlled to the nearest millimetre by means of the unique control which also activates or deactivates the vacuum suction. This lifter has 6 hydraulic functions, with both lateral movement and rotation being hydraulically triggered.

- ✓ Full hydraulic rotation
- Full linear movement
- The professional glazer / window installers choice




	575kg	1000kg
External Length	1880mm	2100mm
External Width	890mm	890mm
Max. Lifting Capacity	575kg	1000kg
Max. Load at Max Extension	275kg	300kg
Max. Capacity on 1 Side	275kg	300kg
Total Weight Excl. Counterweights	1025kg	1363kg
Total Weight Incl. Counterweights	1300kg	1816kg
Min. Extension	700mm	800mm
Max. Extension	1800mm	2500mm
Max. Lifting Height	3600mm	4100mm
Side Offset	100mm	75mm
Tilt Function	180°	Back 43° / Forth 88°
Continuous Rotation	360°	360°
Suction Cups	4 X Ø350mm	4 X Ø410mm
Batteries	2 X 150 Ah	2 X 150 Ah
Product Code:	40200	40200


#### PLEASE CALL FOR QUOTATION








1880







#### **Glass Positioner, Forklift Mounted 350kg**



	350kg
External Length	1850mm
External Width	840mm
Max Lift Capacity	350kg
Max Load (at max extension)	200kg
Max Capacity / Side	200kg
Weight	400kg
Min Extension	290mm
Max Lifting Height	2700mm
Side Offset	100mm
Rotation	360°
Suction Cups	6 X Ø270 mm
Batteries	2 X 95 Ah
Lifting Fork Height	70mm
Lifting Fork Width	150mm
Centre distance between Forks	640mm
Product Code:	40200

#### → PLEASE CALL FOR QUOTATION




This glass positioner fits directly to the forks of a telehandler or forklift for installation of glass at height or where ground conditions are


difficult. With a 350kg capacity and operated by a cabled remote control, the unit allows safe handling and manipulating of glass in places a standard unit cannot reach.


- Fits directly to telehandler forks
- Full manipulation functions
- Remote control operation
- ✓ Lift capacity 350kg


# 











# LIFTING EQUIPMENT HIRE

# **GLASS & CLADDING HANDLING**

#### **Glass Vacuum Lifters**


Whatever your glass lifting project involves we have a glass lifting hire option to suit your needs no matter the weight, shape or size. Glass lifting vacuums and associated equipment make lifting, carrying and placing of glass and other non-porous materials effortless, improving efficiency, safety and removing the manual handling strain. All vacuums are fitted with dual circuit vacuums and low vacuum alerts to ensure safety is never compromised.



# Glass Vacuum Lifter - Compact 135kg

his compact vacuum is ideal for smaller applications as an alternative to using manual practices, taking the strain out of tasks and improving efficiency.

- ✓ Ideal for smaller applications
- An effective alternative to using manual practices



#### Glass Vacuum Lifter - Compact Multi Position 350kg




A compact glass vacuum designed for smaller applications which is adaptable for different glass shapes. Simple manual operation allows precise positioning, the unit can be tilted 90° and rotated 360°.

- Compact and easy to use
- Simple manual operation
- 🖌 360° rotation
- 🖌 90° tilt

# 





	Specs
Load Capacity	vertical 300kg / horizontal 350kg
Rotation	360°
Tilting	90°
Weight	43kg
Product Code:	40210

#### PLEASE CALL FOR QUOTATION

# Glass Lifting Vacuum - Inline 450kg

With 300kg capacity using 4 suction pads or 450kg using 6 pads this inline lifter is the perfect choice for lifting longer units or panels. 360° manual rotation and 90° tilt makes this a versatile appliance.

4 or 6 suction pad versions available Perfect choice for lifting longer units or panels. 360° manual rotation 90° tilt 

	Specs
Load Capacity	4 pads 300kg / 6 pads 450kg
Rotation	360°
Tilting	90°
Weight	45kg
Product Code:	40210

PLEASE CALL FOR QUOTATION

4 or 6 suction pad versions available

360° manual rotation


~

#### Glass Lifting Vacuum - Compact Multi Position 450kg

Perfect choice for lifting longer units or panels.

This compact but powerful lifter offers multiple configurations to suit a variety of panel shapes or sizes. The slimline design allows access into the most difficult situations while the variable length extension arms are easy to set up.





	Specs
Load Capacity	450kg
Suction Plates	6
Frame Size	2100mm x 680mm x 200mm
Product Code:	40210

#### PLEASE CALL FOR QUOTATION


#### Glass Lifting Vacuum - Compact Multi Position 600kg



This manual and easy to use multi position glass vacuum is suitable for a range of window shapes or sizes and is easily adapted to suit your application. Safe and precise positioning is assured with an audible warning device to alert of impending loss of vacuum. Battery operated, the unit will run for 8 hours without recharging.

- Suitable for a range of shapes or sizes of glass
- Simple manual operation
- ✓ 360° rotation
- 🖌 90° tilt





Load Capacity Rotation Dimensions

Weight

4 pads 300kg / 6 pads 450kg / 8 pads 600kg 360° 680 x 900mm (2100mm with extensions) 45kg

Product Code: 40215

PLEASE CALL FOR QUOTATION

#### **Glass Lifting Vacuum Multi Position** - 750kg

Exceptional slimline design and weighing only 75kg this lifter is ideally suited to working in tight working environments. Capable of lifting up to 750kg with 10 suction cups fitted, this vacuum is an impressive performer.

<ul> <li>Narrow depth of just 180mm f</li> <li>Impressive 750kg lifting capaci</li> <li>Wheeled stand</li> <li>Low vacuum alert</li> <li>Impressive 70 f</li> <li>Impressiv</li></ul>	for tight working environments ty (10 suction cups)
	Specs
Load Capacity	750kg
Suction Plates	10
Rotation	360°
Tilt	90°
Dimensions	1380mm x 760mm x 160mm
Dimensions with Widenings	2540mm x 1400mm x 160mm
Tare Weight	140kg

Product Code: 40210

#### PLEASE CALL FOR QUOTATION

# Manual Vacuum Lifters

A handheld, pump activated suction lifter for materials such as glass, metal or plastic.	Diameter Capacity
	Weight Product Code:

#### PLEASE CALL FOR QUOTATION

#### **Glass Lifting Vacuum Multi Position** - 1050kg

With remote control, motorised rotation and hydraulic tilting this vacuum easily handles larger glass panels. With up to 1050kg capacity this lifter will handle the most arduous tacks with ease.

- Up to 1050kg load capacity
- Low height: 800mm (centre of rotation to suspension point)
- Motorised rotation by 360°
- Hydraulic tilting 90°



#### Specs

1050kg
10
360° (motor)
90° (hydraulic)
1225mm x 862mm x 280mm
2800mm x 862mm x 280mm

Product Code: 40215

# PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388

Specs

57kg


1.9kg 40215

200mm/8"

# Glass Lifting Vacuum Multi Position NEW - 1500kg

This slimline heavy capacity vacuum is the flagship of our fleet. The compact innovative design provides increased productivity for the larges glass panels and installation tasks.





- Continuous manual 360° rotation
- Dual independant vacuum circuits
- Hydraulically assisted tilting
- Wheeled stand


# 

	Specs
Load Capacity	4 cups 1200kg / 12 cups 1500kg
Rotation	360°
Tilting	90°
Weight	250kg
Product Code: 40215	
PLEASE CALL FC	DR OUOTATION

#### **Curved Glass Lifting Vacuum** - 400kg




When taking extra care when installing curved glass panels, this vacuum is the solution. With multiple round suction pads it allows the handling of both concave and convex curved glass panels. The vacuum can also be adapted to suit different curvature radius glass with two adjustment positions available.



Product Code: 40215 PLEASE CALL FOR QUOTATION

CALL OUR HIRE DESK TODAY 0845 338 1388

#### **Counterbalance Beams**



Every construction site or renovation has its special circumstances, areas that are difficult to reach such as balconies, canopies or under eves niches, often presenting a challenge for installers or erectors. Overhanging or counterbalance beams offer a solution to this problem by balancing the install load with a radio-controlled moving counterweight that moves along the beam to match the required weight. Ideal for installing and positioning glass using a vacuum lifter or for numerous other applications.

Reach difficult areas under canopies or balconies

<ul> <li>Attach a glass vacuum for easy install</li> <li>Radio remote controlled</li> <li>Maximum capacity 800kg</li> <li> <ul> <li></li></ul></li></ul>	
Max. lift Capacity	Specs 800kg
Width	890mm
Length min. (with/without tip)	3461 / 3063mm
Length max. (with/without tip)	4671 / 4273mm
Height min. (without/with castors)	1145 / 1380mm
Height max. (without/with castors)	2620 / 2855mm
Dead Weight	1060kg
Extension Lengths 1250mm / 1	1500mm / 1750mm / 2000mm
Product Code:	40760

#### PLEASE CALL FOR QUOTATION

# **Cladding Vacuum Lifter - Easy Clad**

The Easy Clad vacuum lifter is the ideal solution for lifting and installation of wall cladding panels. With a tilt mechanism feature and rotating system panels it can be moved safely from horizontal to vertical position. Suction pads are suitable for flat or micro rib panels used in most cladding and cold-store construction applications.

Removable lifting arm allows reduced clearance

- Radio remote control as standard
- Dual vacuum circuit



	specs
Max. lift Capacity	375kg
Overall Pad Size	1000mm x 500mm
Depth	280mm
Weight	61kg
Rotation	90° (manual)
Tilt	90° (manual)
Low Vacuum Warning	Audible & visual
Product Code:	40230

C ... . ...



# **S** LIFTING EQUIPMENT HIRE


# **GLASS & CLADDING HANDLING**

# **Cladding Vacuum Lifter - Master Clad**

Master Clad vacuum cladding lifters are suitable for the lifting and installation of a range of wall and roof cladding panels with varying length and shape. It can handle flat, micro rib or trapezoidal panels using adjustable vacuum pads to suit your requirements.

With a capacity of up to 400kg and extended lengths of 8.5m, longer panels can be handled with ease. The Master Clad features a tilt mechanism and rotating system to safely move panels from horizontal to the vertical position.

	Specs	
Max lifting capacity	400kg	<ul> <li>Suitable for wall and roof pane</li> </ul>
Suction Pads	6 no.	🖌 🖌 Radio remote control as standa
Weight - wall configuration	134kg	🖌 Dual vacuum circuit
Weight - 4.1m configuration	172kg	
Weight - 6.5m configuration	213kg	
Weight - 8.5m configuration	254kg	
Maximum Panel length (Roof)	21m	
Maximum Panel length (Wall)	14m	
Rotation	90° (manual)	
Tilt	90° (manual)	
Independent Vacuum Circuits	2 no.	
Low Vacuum warning	Audible & visual	
Product Code:	40230	









# **Cladding Vacuum Rotator - Roto Master**

The Roto Master is specifically designed for the lifting, rotation and installation of composite sheeting panels. Panels can be turned 180° with ease, avoiding damage or flex. This unique lifter greatly improves efficiency along with health and safety while overcoming the difficulty of handling long panels.

- ✓ 180° powered rotation system
- Radio remote control as standard
- 🖌 Dual vacuum circuit
- Battery operating system



# Cladding Bale Lifter - Bale Master

The Bale clad is a simple solution to the lifting and handling of bales of cladding on site. Using a modular spreader beam combined with 2 self-levelling crane forks, bales of cladding can be unloaded and lifted into position quickly and efficiently while avoiding panel damage. The spreader beam can be supplied to suit any panel length.

- Safe and efficient way to lift bales of cladding
- Suitable for all panel lengths
- 🖌 Avoids panel damage

#### Kit includes:

- 2 x self-levelling crane forks
- 2 x 3t web slings
- 2 x short chain slings
- Spreader beam to desired length

		Specs	
SWL		4000kg	
Maximu	m panel length	20m	
Weight	640kg - 960kg (beam	length dependant)	

1





# **Scaffold Hoist**

Quiet running Hoist for working off scaffolding. Ideal for fast and safe movement of mortar, bricks, tools and materials.

Mortar buckets or barrow available



# LIFTING EQUIPMENT HIRE

Specs SWL 200kg HOL 50m Weight 46kg Voltage 110V Product Code: 40240

#### PLEASE CALL FOR QUOTATION $\rightarrow$

# **Gantry Hoist**

NEW

This 300kg builder's gantry hoist with a 30m lift height can be used in scaffolding or on a roof. The 3.3m sliding beam allows goods to be easily manoeuvred onto a platform safely and without effort.

	TTOP			
<ul> <li>✓ 300kg lift capaci</li> <li>✓ 30m max lift heig</li> <li>✓ 3.3m sliding gan</li> </ul>	ght 🔒	N	V	T
🖌 Safe & easy to us	e		1	and the second second
	Specs			
SWL	300kg		-	
HOL	30m			
Weight	50kg	5-7		
Voltage	110V			
Counterbalance	2 x 150kg	•	10h	
Product Code:	40240			
PLEASE C	ALL FOR	QUOT	ATION	



# Kerb & Flag Lifters

Versatile Flag / Slab Lifters for laying concrete or natural stone slabs.

Adjustable for a range of sizes

# 

# Standard Heavy Duty Elar Lifter

	Standard	Heavy Duty	Flag Lifter
S W L	40kg	100kg	60kg
Weight	8kg	12kg	1.5kg
Range	0.9m	0.48m - 1.05m	0.22 x 0.505m
Product Code:			40250

#### → PLEASE CALL FOR QUOTATION

# Vacuum Slab Lifters

This battery powered Vacuum Lifter enables you to lift and position slabs and other products in a safe and efficient manner.

Prevents damage to flags and slabs

Rechargeable battery powered



# Kerb Lifter, Mechanical

This fully mechanical Kerb Lifter handles kerbs with ease using a mini excavator or small loader. Handles allow accurate positioning.

 $\checkmark$  Handles kerbs with ease using a mini excavator or small loader

Specs

300ka

21ka

PLEASE CALL FOR QUOTATION

0.9 - 1.065m

✓ Full automatic release

# 

SWL


Weight

Range

Product Code:

# Vacuum Slab Laying Dolly

This innovative dolly takes the back ache out of laying paving, slabs or flags. Fitted with a battery powered manual vacuum slab lifter to allow one man to operate with ease. NEW



- Takes the strain out of laying flags
- Rechargeable battery powered

	Specs	
S W L	150kg	
Weight	9kg	
Product Code:	40260	Coll
	CALL FOR	ΟΠΟΤΑΤΙΟΝΙ

PLEASE CALL FOR QUOTATION

# Stone Vacuum / Magnet

This Stone Vacuum Magnet is ideal for lifting heavy stone or concrete products up to 400kg. Used with an excavator, handler or other lifting machine.



# Vertical Stone Vacuum / Magnet



Ideal for installing granite or marble slabs onto vertical surfaces or handling vertically stored materials. The twin pumped vacuum ensures safe handling up to 200kg capacity.



Twin pump vacuum system

SWL

Weight

Power

Width / Size

Product Code:



#### PLEASE CALL FOR QUOTATION

40260

#### Porous Stone Vacuum / Magnet

Fitted with an additional vacuum pump to handle porous material this stone magnet can lift up to 600kg products with a rougher or slightly porous surface.





	Specs
S W L	600kg
Weight	35kg
Power	Battery
Width / Size	950 x 340mm
Product Code:	40260

ec	S		

- Additional pump for increased vacuum
- Can handle rougher or slightly porous material

#### PLEASE CALL FOR QUOTATION

# Stone Vacuum Accessories

Numerous vacuum plates are available to fit our stone magnets, suitable for different sized materials, weight capacities or shapes such as kerbs.

- Vacuum plates for a range of weights & sizes
- 🖌 Kerb lifting vacuum plates



	100 Kerb Plate	400 Plate	600 Plate
Size	900 x 90mm	750 x 270mm	950 x 340mm
Weig	ht 7kg	10kg	15kg
	t Code: 40265		
$\rightarrow$	CALL FO	R QUOTATI	ON 🚬

#### **Block Grabs**



Single or double scissor Block Grabs are the solution for positioning bales of blocks and other concrete products on site. Used with an excavator, handler or other lifting machine.





	Single	Double
SWL	1500kg	2200kg
Weight	197kg	285kg
Range	0 - 995mm	1 - 1100mm
Product Code:	40280	40290
🔶 CALL	FOR QUOTA	TION

# **Pipe Laying Hooks**

Designed to improve safety when transporting or laying pipes. The strong profiled beam will fit all pipes up to 3000mm length. Safety chains are fitted as standard.

	1000kg	3000kg
S W L	1000kg	3000kg
Jaw Width	300mm	460mm
Pipe Length	3000mm	3000mm
Weight	180kg	310kg
Product Code:		40305

#### Kerb Grab



This universal Grab can be adjusted for use with kerbs, steps and many other materials. Used with an excavator, handler or other lifting machine.



Specs 500kg 29kg 50 - 600mm Product Code: 40270

SWL

Weight

Range

#### PLEASE CALL FOR QUOTATION

#### **Hydraulic Manhole Lifter**




Universal hydraulic lifter to remove stubborn manhole covers

NEW

Easy to use this device will lift and move all common sizes of covers.

#### Eichinger 1511 S W L 1500ka Weiaht 29ka Max. Cover size 900 x 900mm 40315 Product Code:



#### PLEASE CALL FOR QUOTATION



# **SITE LIFTING & HANDLING**

#### **Portable Site Conveyors**


Moving rubble or material to or from your work space couldn't be easier using 4.4m conveyors. The ideal solution when moving large amounts of sand, stone, rubble, soil in the most awkward spaces. All you require is a 110V power connection for a single operator to move up to 60 tonnes per hour at an incline of up to 50°. These machines can also be linked for moving materials over larger distances and around corners. Lightweight due to its aluminum frame these robust machines are also highly portable. Emergency stop buttons are installed at each end for safety.

#### Manhole Ring Chain Clamp & Lifting Pins

For the safe lifting & laying of manhole rings of varying diameters (not suitable for green concrete). Used in sets of 3, the lifting pins are the quick and easy way to lift manhole rings.



Manhole Ring Chain Clamp		Lifting Pins	
S W L	3000kg	2000kg	
Weight	46kg	-	
Size	Max pipe - 3m	-	
Product Code:	40315	40315	(



Lightweight and highly portable

Not for use with wet concrete!



Specs
110V/550W
4.4m
300mm
60 tonnes per hour
40370

#### → PLEASE CALL FOR QUOTATION



#### **Brick & Block Carts**

This cart comes with a clamping mechanism to ensure safe transport of bricks or blocks around the building site.

|--|

	Specs	
SWL	400kg	
Weight	70kg	
Width	4.8 - 1.05m Clamp	
Product Code:	40310	
		Ļ

Capacity Weight

Capacity

Weight

Product Code:

# SITE LIFTING & HANDLING

#### **Coneflow Concrete Skips**

These general purpose skips offer accurate placing of concrete and excellent concrete flow.

These skips have a lay-down facility to assist in loading.

#### Column Concrete Skips

These heavy duty skips are ideal for pouring concrete into columns or narrow framework where access is difficult. Fitted with pull-rope for opening the discharge gate.

NIRE



	500l	1000l	20001	
Capacity	500l	10001	2000	
Weight	290kg	380kg	650kg	
Product Code:	40320	40330	40335	

#### → PLEASE CALL FOR QUOTATION

Specs 500l

260ka

1000

460kg

#### **Forklift Concrete Skips**

Designed for pouring large volumes of concrete into formwork or slab areas.

 Available in lay-down or forkliftable versions

500l

500l

200kg

Capacity

Weight

Product Code:

or		Q	Ŷ	
8001	AF.	-	-	
800l				
35kg			-	
40350				
EAR	OU OT	TION	U	

#### PLEASE CALL FOR QUOTATION

33

Self	Discharge	e Boat Skips
	Disting.	c boat brapb



# **CABLE HANDLING**



# Cable Drum Jacks

Screw or hydraulic cable drum jacks are available for raising and supporting large cable drums. Choose which type depending on your drum size and weight required, with capacities up to 10t.



	6t Manual	10t Hydraulic
Capacity / S W L	6t (per pair)	10t (per pair)
Min Drum diameter	1360mm	1080mm
Max Drum diamter	1900mm	3500mm
Weight per pair	22kg each	90kg each
Product Code:	40390	40390

# **CABLE HANDLING**

### **Cable Rollers & Skids**

When pulling or positioning heavy cables, these rollers and skids are suitable for straight runs, corners or manholes. They will ease the load and protect your cables.

Protects your cables



# Cable Drum Rotators - Pair

These Rotators offer an easy and safe way to roll off cable from heavy cable drums.

Easy way to roll out cable



	Specs
Maximum Drum Weight	1500kg
Drum Diameter	2400mm Max / 300mm Min
Weight	54kg per pair
Product Code:	40390
PLEASE CALL FOR QUOTATION	



< NFW

#### **Cable Pull Winch (Capstan) Petrol** Easily controllable pulling and holding Petrol powered winch for pulling cables through ducts or for other winching operations. 5.5hp Petrol engine 🖌 1000kg pull capacity 300kg lift capacity Specs Pulling capacity 1000kg up to 25m/min Rope Speed Power Petrol Size 650 x 390 x 420mm Weight 50kg 40410 **Product Code:** PLEASE CALL FOR QUOTATION

**Cable Pull Winch (Capstan)** 

A lightweight portable winch for assistance in pulling cables up ducting or other applications.

Pulls cables up ducting with ease

	Specs
Pulling capac	ity 1500kg - 2500kg
Rope Speed	2.5m / min - 4m / min
Power	16A 110V
Size	655 x 550 x 440mm
Weight	80kg
Product Code:	40410

# **CRANE & FORKLIFT ACCESSORIES**



#### Self Levelling Crane Forks

These self-levelling Forks allow you to use your crane for transporting pallet loads. A spillage net is recommended.

	Specs	
S W L	2000kg	
Weight	200kg	
Width	0.36 - 0.88m	-
Product Code:	40430	

## → PLEASE CALL FOR QUOTATION

# Gas Bottle Cages

For the safe lifting of gas bottles using a crane to reach those difficult areas.

	Specs
SWL	340kg
Neight	95kg
Nidth/Size	1.13 x 0.75 m
Product Code:	40430

→ PLEASE CALL FOR QUOTATION

ς

# **CRANE & FORKLIFT ACCESSORIES**

#### Access Cage

Our platform is designed for use with both cranes and forklifts enabling personnel to work safely at height.



#### PLEASE CALL FOR QUOTATION

#### **Toilet Lifter**

Designed to provide safe lifting and positioning of portable toilets anywhere on-site. These Toilet Lifters secure the toilet in a sumped base which catches any spillage when being moved.

Placement anywhere on-site including multi-story buildings

Specs

750kg

2300mm

1500mm

1500mm 85kg

PLEASE CALL FOR

40430

🖌 Sumped base for any spillage



SWL

Height

Width

Length

Weight

**Product Code:** 

Ĺ	F	Ì
4	M	
QUOTAT	ION	N

# Forklift Extension Forks

These extensions fit over the existing forks to offer extended reach for bulkier loads. Various sizes are available. Always comply with manufacturers' recommendations.



PLEASE CALL FOR QUOTATION

# Forklift Gantry Jibs

With 2.5 & 3 tonne capacities these jibs extend the lifting capabilities of your forklift for reaching over and under applications.



	Adjustable	Fixed
Capacity	2500kg	2500 - 3000kg
Extension Range	700mm - 3700mm	700mm - 3700mm
Height	635mm	500mm
Width	640mm	685mm
Weight	210kg	260kg
Adjustable Jib Angles	0°, 15°, 30°, 45°	N/A
Product Code:		40460

# **CRANE & FORKLIFT ACCESSORIES**

#### **Forklift Tipping Skips**

These Tipping Skips are ideal for handling and removal of rubbish or waste. These skips can also be used for handling soil or other materials on a building site.



#### PLEASE CALL FOR QUOTATION

#### **Fork Mounted Hooks**

This simple attachment offers a central lifting point on your forklift for lifting hooked loads.

5	2t	3t	5t
SWL	2000kg	3000kg	5000kg
Width	650mm	730mm	730mm
Max Fork Size	160 x 60mm	190 x 70mm	190 x 70mm
Weight	45kg	60kg	72kg
<ul> <li>Provides a simple hook for your fork</li> <li>Image: Optimized and the second s</li></ul>		OTATION	40480

# **Big Bag Lifter**

Designed to lift and transport large material bags safely and securely. The 4 point spreader beam has safety hooks for fast loading and can be used for other lifting tasks.

- Handles large material bags with ease
- Can be used as a spreader beam for numerous applications



	Specs
S W L	2000kg
Weight	84kg
Length	900mm
Width	900mm
Height	80mm
Product Code:	40490



# PLEASE CALL FOR QUOTATION

#### Fork Mounted Drum Rotator Lift, transport and tilt drums from the comfort of the forklift seat using this forklift drum

of the forklift seat using this forklift drum rotator. A 3m pull chain allows the operator to control the functions without leaving their seat.

 Drum capacity up to 365kg

	Specs	
S W L	365kg	
Weight	70kg	
Drum Size	210ltrs	
Product Code:	40490	

PLEASE CALL FOR QUOTATION

NEW

NEW



#### Pallet Trucks

Standard or wide pallet trucks are suited for the movement of various sized pallets in all industries.



→ PLEASE CALL FOR QUOTATION

#### **Rough Terrain Pallet Trucks**

Ideal for the movement of palletised goods over rough and uneven ground. Large rubber wheels make it easy to manoeuvre. Not suitable for steep gradients.

- Easy to manoeuvre
- Ideal for building sites and agricultural environments





#### Scissor Pallet Truck

Safely lift and load 1000kg pallets up to heights of 715mm at ease with these highly maneuverable and compact manual pallet trucks.



#### PLEASE CALL FOR QUOTATION

#### Stacker Trucks, Manual & Electric

These compact, powerful and robust stackers can lift 1000kg pallets up to heights of 1510mm. Easy to manoeuvre, they are ideal for working in confined spaces or narrow aisles.

- 🖌 1000kg capacity
- 🖌 1510mm lifting height
- Manual or electric lift operation options



#### Manual Batterv

	manual	Battery	
Load capacity	1000kg	1000kg	
Lift height	1510mm	1510mm	1
Length	1690mm	1750mm	
Width	740mm	750mm	
Turning radius	1400mm	1440mm	
Product Code:	40520	40520	

#### PLEASE CALL FOR QUOTATION



Electric or foot operated scissor lifting table with capacities up to 800kg. Ideal for lifting and loading tasks or for use as a work station/bench.

- Easy to manoeuver Use for lifting / loading tasks or as a work bench
- 🖌 Up to 800kg capacity





	Electric	Hydraulic	
Max lifting capacit	<b>y</b> 800kg	500kg	
Max table height	1000mm	1500mm	
Min table height	415mm	450mm	
Table dimensions	1016 x 510mm	1010 x 520mm	
Weight	112kg	164kg	
Product Code:	40540	40540	

PLEASE CALL FOR QUOTATION

#### **Pipe Rack**

This mobile rack is ideal for storage of pipes or conduit on site, providing the efficiency of having your materials to hand where you need them.

0mm 40545



1t capacity

Easily manoeuvred into position

	Specs
Load capacity	1000kg
Lift Height	1570mm
Length	1560mm
Width	1010mm
Draduct Code	40545

Product Code



#### **Stair Climbers - Powered**

These Stair Climbers are ideal for handling those heavy and awkward loads up or down stairs. The powered version is easy to operate by a single person.



#### PLEASE CALL FOR QUOTATION

#### **Board Trolly**

Make life easy when handling plasterboard, plywood, metal, and other awkward panels on site. Easy to manoeuvrer fully loaded through doorways and round corners.

 Handle sheet materials with ease Increased safety and efficiency Specs Length 1230mm Height 2030mm Width 600mm 70kg Weight Load Capacity 750kg Product Code: 40550 PLEASE CALL FOR QUOTATION

#### **Furniture Mover**

This mover is ideal for moving furniture, safes, cabinets and other heavy loads. Very manoeuvrable and safe.



	Specs	
S W L	1800kg	
Product Code:	40530	
PLEASI	E CALL FOR QUO	TATION

#### **Board Trolly / Bench**



This unique flat sheet material trolly not only transports plasterboard or other sheets but acts as a work table also. Can travel vertically to access narrow doorways and then be rotated horizontally to become a bench.

- 🖌 Can be used horizontallv as a work table
- Rotate vertically to access narrow areas
- Effective transport of bulk sheets

1

	Specs
Length	2025mm
Width	720mm
Weight	100kg
S W L	500kg
Product Code:	40550



#### **Glass Trolly**

Move sheets of glass through worksites guickly and safely with these easy to manoeuvre and stable A Frame Glass Lifting Trollys.

Move glass and window panes guickly and safely on-site

- Fully certified
- 1000kg capacity



	Small	Large	
Length	1600mm	2000mm	
Height	1600mm	2000mm	
Width	1100mm	1401mm	
Shelf	300mm	500mm	
Max Capacity	1000kg	1000kg	
Product Code:		40560	



# **Glass Panel Trolly**



Adjustable length trolly for the safe movement of glass panels around site. Narrow enough to work in tight spaces but with large wheels to provide smooth and secure handling.



PLEASE CALL FOR QUOTATION

#### Sack Trucks

For shifting goods and loads that are just too heavy to carry manually.



	Standard	Heavy Duty
S W L	75kg	350kg
Product Code: 40540		
-> CALL FC	OR QUOTATI	ON 👱

#### **Moving Dollys**

Moving dollys will handle long length materials or bulky goods safely and with added ease around site.



CALL OUR HIRE DESK TODAY 0845 338 1388

# **Pipe Trolly**

The easy way to handle pipes and ducting around the site.

Product Code:



40545

CALL FOR QUOTATION

#### **Tracked Carrier**





This state of the art tracked mover removes the need for manual handling, reduces labour costs and increases productivity when handling or transporting larger components into tighter spaces. Battery powered with radio remote control, the tracked carrier will handle difficult sites and gradients with ease while keeping the operator a safe distance away. Swivel platform and dolly accessory options are available to make long load handling safe and simple.



- Fully proportional remote control
- 🖌 45° gradeability (100%)
- Fifth wheel attachment available
- Dolly attachment available



**5th Wheel** attachment (not in view)

#### GOGREEN Eco Version

	-pu-
Width overall	750mm
Width of bed	740mm
Length of bed/overall	1120mm
Length extended	1700mm
Height	360mm
Track width	150mm
Track length on ground	800mm
Ground clearance (centre)	60mm
Max capacity on level ground	1200kg
Max capacity at max gradient	300kg
Max gradient	45°
Max side slope	30°
Max speed	3km/h
Unladen weight	340kg
Power (max)	2.4kW
Voltage	24V
Battery capacity	115Ah
Charger input	110V - 230V
Product Code:	40570

Specs

→ PLEASE CALL FOR QUOTATION

CALL OUR HIRE DESK TODAY 0845 338 1388

Dolly

attachment

#### TROLLIES & TRUCKS Liftable Flatbed Transport Trolly



Capacity up to 1500kg

Powerful electric motors


4-wheel steering

~

~

This liftable mover is a battery powered transport trolly with a hydraulic liftable flatbed table designed to replace manual plasterboard carriers. Easy to operate, the trolly is fitted with an all-terrain electric drive motor and 4-wheel steer for excellent manoeuvrability on-site. The trolly will transport building materials such as timber, plasterboard, glass or stone to areas that other equipment such as forklifts cannot.





#### **Manual Chain Hoists**

Chain Hoists are the ideal solution for lifting and lowering heavy loads in a range of applications, including the engineering and construction industries. We carry an extensive range to meet your requirements.

✓ Various sizes and chain lengths available

# Longer chain lengths available on request (price on application)



			specs	
Description	S W L	HOL	Weight	Product Code:
Chain Hoist 0.5t	500kg	3 - 6m	13.0kg	40580
Chain Hoist 1t	1000kg	3 - 6m	16.5kg	40590
Chain Hoist 1t	1000kg	7 - 12m	18.0kg	40590
Chain Hoist 2t	2000kg	3 - 6m	27.0kg	40600
Chain Hoist 2t	2000kg	7 - 12m	29.0kg	40600
Chain Hoist 3t, 2 fall	3000kg	3 - 12m	32.5kg	40610
Chain Hoist 5t, 2 fall	5000kg	3 - 12m	60.0kg	40620

PLEASE CALL FOR QUOTATION



LIFTING EQUIPMENT HIRE

#### **Electric Chain Hoists**

Our Lightweight Hoists are ideal for light duty applications or when you have to access awkward areas.

Lightweight, ideal for awkward areas

Our robust range of Electric Hoists take the manual work out of lifting or lowering your loads. Available with lift heights up to 25m.





			Specs	
Description	S W L	HOL	Weight	Product Code:
250kg 110V	250kg	9m	24kg	40630
1t 110V	1000kg	15m	53kg	40640
1t 110V	1000kg	25m	64kg	40640
2t 110V	2000kg	15m	59kg	40650

# Wire Rope Hoist (Minifor)

This unique hoist is compact, light-weight and easy to handle. 40m wire rope length allows lifting in the highest of applications. This hoist is not only suitable for lifting loads, but also for pulling loads in any direction.

- Operated by a Radio Remote Control
- Quick and easy installation and includes a swivel eye hook
- 🖌 S W L up to 300kg

#### 20, 40 & 60m Ropes available

	Specs
SWL	300kg
Speed	7m/min
Weight	31kg
Min Height	642mm
Width	492mm
Rope Lengths	20 / 40 / 60m
Product Code:	40660

#### PLEASE CALL FOR QUOTATION

#### **Ratchet Lever Hoists**

Ideal Hoists for lifting or pulling in confined spaces at any angle. Easily used by one person.

✓ Ideal for pulling in confined spaces

			Specs 🛉	
Description	S W L	HOL	Weight	Product Code:
Lever Hoist 0.75t	750kg	3.5m	7.8kg	40670
Lever Hoist 1.5t	1500kg	3.5m	12kg	40670
Lever Hoist 3t	3000kg	3.5m	22kg	40680
Lever Hoist 6t	6000kg	3.5m	33kg	40680

PLEASE CALL FOR QUOTATION



#### Manual Pull Winches (Tirfor)

Manual Pull Winches are ideal for pulling and tensioning uses in forestry, agricultural or civil engineering applications. These winches are lightweight and reliable.

#### Lightweight

Cables provide up to 30m in length

#### $\Theta @ \Theta$



Product Code:

#### PLEASE CALL FOR QUOTATION

#### **Beam Clamps & Trollys**

These versatile Beam Clamps can turn a suitable beam into a lifting anchor point. Adjustable Beam Trollys provide a mobile suspension point for easy movement along tested beams.

**\_** 0 0 17



Beam Clamp		Beam Trolly	
SWL	Weight	SWL	Weight
2000kg	4.6kg	2000kg	20kg
5000kg	12.3kg	3000kg	27kg
Product Code:	40700	Product Code:	40700

#### PLEASE CALL FOR QUOTATION

# **Chain Slings**

A range of 8 Chain Slings in various lengths including single, 2 and 4 leg configurations. Shortening clutches are fitted as standard and a variety of hooks can be provided.

Chain sizes not shown can be made to order for long term hire or purchase



#### Working Load Limits for Grade 8 Chains Uniform Load Method of Rating

ļ	$\searrow$	2
ngle Leg	Two Leg	Three & Four Leg

Chain Size (mm)	Single Leg	Two Leg 0°-45° 45°-60°	Three & Four Leg 0°-45° 45°-60°
7	1.5t	2.1t 1.5t	3.1t 2.2t
8	2.0t	2.8t 2.0t	4.2t 3.0t
10	3.15t	4.25t 3.15t	6.7t 4.75t
13	5.3t	7.5t 5.3t	11.2t 8.0t
16	8.0t	11.2t 8.0t	17.0t 11.8t
20	12.5t	17.0t 12.5t	26.5t 19.0t

		Specs	
Length	S W L	Chain Size	Product Code:
1m	3,000kg	10mm	40710
3m	3,000kg	10mm	40710
3m	4250kg@45o	10mm	40720
5m	4250kg@45o	10mm	40720
3m	6700kg@45o	10mm	40730
6m	11200kg@45o	13mm	40730
	1m 3m 3m 5m 3m	1m         3,000kg           3m         3,000kg           3m         4250kg@45o           5m         4250kg@45o           3m         6700kg@45o	Length         S W L         Chain Size           1m         3,000kg         10mm           3m         3,000kg         10mm           3m         4250kg@45o         10mm           5m         4250kg@45o         10mm           3m         6700kg@45o         10mm



# **CIFTING EQUIPMENT HIRE**

# HOISTS, WINCHES AND LIFTING GEAR



#### **Vertical Plate Clamps**

For safe vertical lifting of steel plates, available in a range of sizes.

✓ Up to 7500kg capacity

 Plate Clamp - 2t

 S W L
 2000kg

 Range
 0 - 35mm plate

 S W L
 7500kg

 Range
 0 - 55m plate

 Product Code:
 40220



PLEASE CALL FOR QUOTATION

# **Magnetic Lifters**

For handling ferrous metals in numerous industrial applications. Lightweight and easy to use.



PLEASE CALL FOR QUOTATION

#### **Fixed Spreader Beams**

Ideal for lifting loads from a single suspension point and where the lifting points are a distance apart. Beams are an alternative to two leg chain slings, eliminating chain slippage and bending forces.

- Suitable for containers, boats, machinery removal or precast concrete sections
- Ideal where headroom is restricted

500



#### **Modular Sectional Spreader Beam**




SectionLift Modular / Sectional Spreader Beams are a versatile system of interchangeable components which are assembled to provide a wide array of lifting solutions of up to 12m. They can be assembled to form virtually any span or configuration allowing for a cost-effective lifting solution for a wide range of lifting and handling applications. From a simple 2 point spreader beam to a complex multi-beam lifting rig, these beams can be constructed to lift the most complicated structures.

- ✓ Modular / sectional lifting solutions of up to 12m
- ✓ Max. load capacity: 24 tonnes @ 5m

Component Weights	SectionLift 6	SectionLift 20
End Fitment c/w Load Link	7.6kg	20.6kg
0.5m Strut	6.5kg	21.0kg
1.0m Strut	9.2kg	31.0kg
2m Strut	15.0kg	52.0kg
4m Strut	N/A	93.0kg
Top Shackle	1.5kg	5.6kg
Bottom Shackle	1.0kg	4.3kg

	NEW SectionLift 6	SectionLift 20	S W L in Tonnes
Minimum Beam Length	500mm	500mm	S W I
Maximum Beam Length	4m	12m	
Maximum Load Capacity	6.5t @ 2m / 2t @ 4m	24t @ 5m / 6t @ 12m	
Product Code:	40755	40750	



# JACKS & SKATES



### **Hydraulic Cylinders**

A range of hydraulic cylinders are available to be used for lifting and positioning of heavy items or structures into place. Ideal for confined spaces or low-level applications where conventional jacks are not suitable. A range of sizes are available to suit even the most awkward situations.



✓ Ideal for confined spaces

S W L	HOL	Weight	Size
••••••			Hydraulic Jack Pads
10t	12mm	1.4kg	43mm Closed Height
20t	11mm	3.1kg	51mm Closed Height
45t	16mm	6.8kg	66mm Closed Height
••••••			Hydraulic Cylinders
25t	102mm	8.2kg	216mm Closed Height
50t	159mm	23.1kg	283mm Closed Height
75t	156mm	29.5kg	286mm Closed Height
Product Codo:			40770 40790

Product Code:

40770 - 40780

#### **Pumps and Accessories**

Manual & electric pumps are available for use with hydraulic cylinders depending on their size and application. Various pipes and manifolds can be provided to allow simultaneous lifting of multiple cylinders at once.

	Specs	
Max Pressure	700bar	
Dimensions	L 244 x D 244 x H 363mm	1
Power	Electric	
Motor	0.5hp/115V	C
Weight	13.2kg	
Product Code:	40780	

# **JACKS & SKATES**

#### **Machine Shifting Skates**

These caterpillar steel skates are ideal for moving heavy machines or equipment on hard floors where the surface is not always smooth.



r				4
				🖌 🖌 🖌 🖌
hine	Steel Machine	Nylon Shifting	Nylon Shifting	
ates	Skates	Skates	Skates	

Ska 15 Tonne kit SWL 30 Tonne kit 18 Tonne Kit 30 Tonne Kit Weight 44kg 58kg 76kg 136kg Size 108mm high 125mm high 102mm high 110mm high 40790

Product Code:

LIFTING EQUIPMENT HIRE

#### **Toe Jacks**

Lightweight Toe Jacks are compact and easily handled around the site while also offering large lifting capacities of up to 60t.

- 25-73mm toe heights available
- Can also be used for conventional jacking applications

5t head, 5t toe

178mm

18kg

41mm

Alu. Toe Jack 20/8
20t head, 8t toe
152mm
14.5kg

72mm

Product Code:

Size/Toe Height

SWL

HOL

Weight

#### PLEASE CALL FOR QUOTATION



These steerable nylon wheeled skates are ideal for shifting heavy or awkward loads when you are working on a smooth clean surface.



on Wheeled for smooth surfaces

#### PLEASE CALL FOR QUOTATION $\rightarrow$

#### **Roller Crowbar**

An Ideal tool for lifting and positioning of heavy objects. Fitted with nylon rollers to prevent marking floor surfaces.



	C.C.		
	Specs		
S W L	1500kg		
HOL	145mm		
Weight	16.2kg		
Product Code:	40810	1	

CALL FOR QUOTATION



Alu. Toe Jack 60/24 60t head, 24t toe

152mm

43.1kg

73mm

40800

# FALL ARREST, SAFETY & TESTING



#### **Mobile Man Anchors**

Designed for use where handrails are not available on flat or pitched roofs up to  $15^{\circ}$ . To be used with fall arrest blocks or restraint lanyard. Supplied in an easy to handle crate.





#### **Sliding Beam Anchors**

This Sliding Beam provides a versatile anchor point when attached to a steel beam for safe working at height.



# FALL ARREST, SAFETY & TESTING

#### **Temporary Lifeline**

This webbing Lifeline offers a safe horizontal anchorage for up to two people. Easy to tension between two fixed points up to 20m apart.

LIFTING EQUIPMENT HIRE



Product Code: 40840

# **CALL FOR QUOTATION**

#### **Fall Arrest Blocks**

the event of a fall Auto-descent versions available

Description

Fall Arrest Block

Fall Arrest Block

Fall Arrest Block Auto Descent

Fully automatic and self retractable, these fall arrest devices offer minimal stress to the body in the event of a fall. Recovery auto-decent versions are available.

Specs

HOL

5m 40850

15m

18m

Code:

40850

40860

Offer minimal stress to the body in



#### **Tripod Access System**

Lower good or personnel below ground safely using this sturdy versatile tripod. A fitted winch can be used for either lowering or raising personnel or materials while an auto decent fall arrest block is used to assure the safety of the person being lowered.

- Lower or raise goods or personnel ~ below ground
- Fall arrest safety devise fitted as standard

	Specs
S W L Goods	250kg
S W L Personnel	150kg
S W L Safety Fall Arre	<b>st</b> 150kg
HOL	20m
Height min.	1.78m / max. 2.73m
Width min.	1.30m / max. 1.87m
Weight (Tripod only)	17kg
Product Code:	40870



#### PLEASE CALL FOR QUOTATION

#### **Digital Load Indicators**

An accurate instrument for taking the guess work out of load measurement with an easy-to-read digital display.



SWL

Product Code:



PLEASE CALL FOR QUOTATION

Specs

10t

40890

## FALL ARREST, SAFETY & TESTING





#### **Slab Test Weights**

These 250kg Weights lock together for larger testing applications and are easily handled by forklift or crane.



# PLEASE CALL FOR QUOTATION

#### Hand Test Weights

These 20kg Weights are ideal for smaller testing applications or for providing ballast. Trollies are available for easy movement. Each fully-loaded Test Trolly is 100kg.





# **MATERIAL HANDLING HIRE**



A WIDE VARIETY OF FORKLIFTS AND MATERIAL HANDLING EQUIPMENT IS AVAILABLE TO HIRE ON A LONG, SHORT OR FIXED-TERM BASIS, SUITABLE FOR MOST APPLICATIONS. WITH LIFTING CAPACITIES OF UP TO 12T AND LIFT HEIGHTS UP TO 30M, WE CAN OFFER YOU THE SOLUTION TO YOUR HANDLING REQUIREMENTS.

Forklift Trucks	276-282
Telescopic Forklifts	283-286
Forklift Auxiliaries	287-289
Heavy Lift & Rotating Telehandlers	290-293
Site Loaders	294-297





#### **Tracked Stacker Truck**



Handle pallets or materials on rough sites or uneven terrain where other forklifts cannot access.

Tracked stacker trucks provide the ideal solution for shifting materials up to 1600kg with little disruption to ground conditions. Capable of lifting up to 1.775m and at only 1240mm wide retracted these trucks are ideal for construction, landscaping or farm applications.

- Tracks widen to allow added stability
- 1,600kg lifting capacity
- 🖌 1,775mm maximum lift height
- 🖌 Can handle up to 20% incline
- Stand on platform for ease of operation

Max Lift Capacity 1600kg Max Lift Height 1775mm Max Incline/Decline Width Retracted 1240mm Max Width 1800mm Weight 1330kg **Power Source** Petrol 11.7hp Product Code:

1.5t 20% 50100



		2	
1.1			
6	T	T	H
			-



# FORKLIFT TRUCKS Electric Forklift Trucks



				NEW
	1.6t	1.8t	2.5t	5t
Max Lift Capacity	1600kg	1800kg	2500kg	5000kg
Max Lift Height	3.26m	3.0m	5.5m	5.15m
Turning Radius	1.81m	1.92m	1.99m	2.785m
Width	1.07m	1.08m	1.17m	1.47m
Min Lowered Height	2.09m	2.0m	2.39m	2.335m
Weight	3180kg	3030kg	4300kg	7760kg
Power Source	Electric	Electric	Electric	Electric
Product Code:	50110	50110	50115	50115

#### → PLEASE CALL FOR QUOTATION

Quiet and emission free, these Electric Forklifts are ideal for internal lifting applications such as handling food stuffs or perishable goods. Easy to charge battery packs enable hassle free use of the trucks during work periods and recharge overnight.

Larger capacity fork trucks are available for heavy lift applications in confined spaces or environmentally sensitive areas.

- ✓ Quiet & fume free
- Excellent turning radius
- ✓ 1.5t model allows turning radius of only 1.45m (3 wheeler)
- ✓ Heavy lift versions available

#### Non marking tyres option available





# **FORKLIFT TRUCKS** Gas Forklift Trucks



Producing less emissions than conventional diesel forklifts, these Gas Trucks are ideal for use in ventilated warehouses or factories where personnel are working.

- ✓ Only 1.15m wide (2.5t)
- Puncture proof tyres fitted as standard
- Reduced emissions

J) (\*)

# for all Material Handling

#### Various mast heights available

	2t Compact	2.5t	3.5t
Max Lift Capacity	2000kg	2500kg	3500kg
Max Lift Height	4.59m	4.35m	4.6m
Turning Radius	2.05m	2.28m	2.42m
Width	1.16m	1.15m	1.25m
Min Lowered Height	2.17m	1.99m	2.18m
Weight	3414kg	3560kg	4957kg
Power Source	Gas	Gas	Gas
Product Code:	50120	50120	50130

#### → PLEASE CALL FOR QUOTATION

#### **Rough Terrain Forklift**



For general site use where you require rough terrain capability, these Straight Masted Forklifts are robust and reliable. Ideal for agriculture, forestry, construction or recycling applications.





3.7m 2600kg 4.27m 1.92m	4.5m 3000kg 4.49m			
4.27m	4.49m			
1.92m	2.20			
	2.20m			
2.73m	2.95m			
5211kg	6340kg			
Diesel	Diesel			
50310	50310			
Product Code: 50310 50310 PLEASE CALL FOR QUOTATION				

# **MATERIAL HANDLING HIRE**

# FORKLIFT TRUCKS

#### 1.8t - 3t Diesel Forklift Trucks



These efficient Diesel Forklifts offer the most reliable option when shifting goods and materials around industrial yards or factory units. Most trucks are fitted with side shift for extra productivity and puncture proof tyres for reduced down time. Numerous mast configurations and cab options are available.

- Puncture proof tyres fitted as standard
- 1.8t model only 1.1m wide

#### Various mast heights available

	1.8t	2.5t	3.0t
Max Lift Capacity	1750kg	2500kg	3000kg
Max Lift Height	4.4m	4.9m	4.8m
Turning Radius	2.01m	2.22m	2.28m
Width	1.10m	1.16m	1.19m
Min Lowered Height	2.07m	2.10m	2.19m
Weight	2780kg	4026kg	4505kg
Power Source	Diesel	Diesel	Diesel
Product Code:	50140	50150	50160

#### → PLEASE CALL FOR QUOTATION

#### 4 - 5t Diesel Forklift Trucks

Highly practical and easy to manoeuver, 4 - 5t Diesel Forklifts are the ideal solution for continuous operation on concrete or industrial yards.

Larger 5t Forklifts are also available for larger lifting applications providing lifting heights of up to 14'6''.

- ✓ Heated cab
- ✓ Punchure proof tires
- 🖌 Side shift

#### Various mast heights available

	4.0t	5.0t
Max Lift Capacity	4000kg	5000kg
Max Lift Height	5.0m	4.45m
Width	1.40m	1.44m
Turning Radius	2.55m	2,90m
Min Lowered Height	2.71m	3.07m
Weight	5830kg	7523kg
Power Source	Diesel	Diesel
Product Code:		50170





#### 7 - 16t Diesel Forklift Trucks

Larger 7 - 16t Forklifts are available for heavier lifting applications providing lifting heights of up to 5.85m, over 2m fork spread and 2.4m fork length, the perfect solution for a variety of applications including lifting containers or machinery.

Fork positioners & side shift fitted as standard ~

Fully heated cab

Over 2m fork spread & 2.3m length

MATERIAL HANDLING HIRE

	7t	9t	13t	16t
Max Lift Capacity	7000kg	9000kg	13000kg	16000kg
Max Lift Height	3.0m	5.85m	4.4m	4.4m
Width	1.99m	2.23m	2.35m	2.49m
Turning Radius	3.36m	3.68m	4.04m	4.4m
Min Lowered Height	2.5m	2.77m	2.85m	2.85m
Weight	9380kg	14290kg	18300kg	19300kg
Fork Length	1.8m	2.4m	2.4m	2.4m
Power Source	Diesel	Diesel	Diesel	Diesel
Product Code:				50180

# DOOSA NOTE MART

#### PLEASE CALL FOR QUOTATION $\rightarrow$

#### **Compact Multi Directional Forklift**



This innovative compact forklift provides the versatility to operate as a narrow aisle forklift, handle long lengths such as steel beams and timber plus still offering the manoeuvrability of a conventional forklift. The low profile and compact design also improves safety and increases productivity. Suitable for indoor and outdoor applications the compact multi directional forklift has the ability to handle a diverse range of goods in most industries.

	CB3000	CBE3000	
Max Lift Height	4.9m	4.9m	
Lift Capacity	3000kg	3000kg	
Max Forward Reach	N/A	N/A	
Turning Radius	1.5m	1.5m	
Width	1.5m	1.5m	
Lowered Height	2.24m	2.24m	
Weight	5900kg	6800kg	
Power Source	Diesel	Electric	
Product Code:	50190	50190	

PLEASE CALL FOR QUOTATION

GOGREEN Eco Version Multi directional capabilities Operates in narrow isles ong load handling Very manoeuvrable mproves safety & productivity

#### **Multi Directional Side Loaders**



The Combilift encompasses three machines in one - a Counterbalance Forklift, Aisle Truck and Side Loader.

With capacities of 3000kg, 4000kg and 5000kg and multi-directional capabilities as standard, these machines are ideally suited for handling long loads while offering increased productivity and safer operation. Combilifts are also suitable for indoor and outdoor use providing space saving opportunities.

- ✓ Multi Directional Capabilities
- 🖌 Long Load Handling
- ✓ Safer Product Handling
- 🖌 Space Savings
- Increased Productivity
- 🖌 Reliable Robust Simple Design
- ✓ Indoor And Outdoor Use

# 

# Available for Long Term, Short Term or Contract Hire





#### Warehouse Forklift, Articulating



With the ability to operate in very narrow aisles (as narrow as 1.6m) this articulating forklift maximises storage space and eliminates time consuming double handling of materials. Capable of working indoors or out this electric truck is the ideal solution for large warehouse racking operations.

- Can operate in aisles as narrow as 1.6m ~
- Articulation provides excellent vision
- For indoor and outdoor use



	Specs
Max Lift Height	7.2m
Closed Height	2.9m
Aisle Width	2.9m
Lift Speed	0.4m/s
Max Lift Capacity	2t
Weight	6800kg
Power Source	Battery
Product Code:	50198



NEW





# TELESCOPIC FORKLIFTS 4m Lightweight Telehandler



The Weidemann lightweight Telehandler combines lifting capabilities of up to 1.2t and an extremely low operational weight of only 2750kg. Suitable for applications where ground loading or disruption is a concern. These multi-purpose machines are both compact and highly practical when it comes to construction and agricultural applications both indoor and outdoor. At only 1.56m wide and 1.96m high and with a turning radius of 3m and a 4.2m lifting height, these versatile machines are ideal for those sites where space is at a premium.

- 🖌 Only 2750kg can be towed behind a pickup or van
- ✓ Lifting capabilities of up to 1.2t
- 🖌 4.2m lift height

#### Bucket & Forks included

	Specs
Max Lift Height	4.2m
Lift Capacity at Full Height	1200kg
Maximum Forward Reach	2.25m
Lift Capacity at Full Reach	1000kg
Turning Radius	3.0m
Width	1.56m
Lowered Height	1.96m
Weight	2700kg
Power Source	Diesel
Product Code:	50200

#### PLEASE CALL FOR QUOTATION

#### 4m Mini Telescopic Telehandler



This ultra compact Telehandler is easy to manoeuvre due to its small dimensions. Extremely versatile, it lends itself to a variety of applications such as construction, renovation, landscaping, industrial maintenance and events.

- ✓ Only 1.4m wide & 1.9m high
- 2000kg lift capacity
- Ultra compact and easy to manoeuvre
- Perfect for indoor and urban work
- ✓ 4WD/4WS
- Turning radius only 2.98m



	Specs
Maximum Lift Height	4.3m
Lift Capacity at Full Height	2000kg
Maximum Forward Reach	2.65m
Lift Capacity at Full Reach	900kg
Turning Radius	2.98m
Width	1.49m
Lowered Height	1.9m
Weight	4260kg
Power Source	Diesel
Product Code:	50200



#### **5m Telescopic Forklift, Electric**



Eliminate polluting emissions and fumes, reduced noise levels, and drastically reducing operating costs, are only some of the compelling reasons to switch to using an electric telehandler. With increased manoeuvrability in confined spaces this is the ideal tool for applications in closed environments such as stables, warehouses, industry or underground environments.

With batteries capable of a full shift, four-wheel drive and all the features of a conventional machine, this compact telehandler has all the eco credentials without compromise.

MATERIAL HANDLING HIRE

#### **Bucket & Forks included**

	eWorker
Maximum Lift Height	4.75m
Lift Capacity at Full Height	1500kg
Maximum Forward Reach	2.56m
Lift Capacity at Full Reach	900kg
Turning Radius	3.23m
Width	1.53m
Lowered Height	1.955m
Weight	4950kg
Power Source	Electric
Product Code:	50205



#### PLEASE CALL FOR QUOTATION

#### **6m Telescopic Forklift**



As your work conditions become increasingly demanding, this highly manoeuvrable compact machine is ideal for your site where space is at a premium, providing a loading capacity of 2500kg and a maximum lift height of 5.85m. The cab has been designed to offer excellent all round visibility and driver comfort plus easy access is provided by the low level door.

- Capable of lifting 2.5t to 6m
- Only 1.92m high
- Only 1.82m wide



#### **Bucket & Forks included**

	MT625
Maximum Lift Height	5.85m
Lift Capacity at Full Height	2000kg
Maximum Forward Reach	3.40m
Lift Capacity at Full Reach	800kg
Turning Radius	3.31m
Width	1.81m
Lowered Height	1.92m
Weight	4485kg
Power Source	Diesel
Product Code:	50210

PLEASE CALL FOR QUOTATION



#### CALL OUR HIRE DESK TODAY 0845 338 1388

# TELESCOPIC FORKLIFTS

### 7m Telescopic Forklift



For bulk material shovel work or lifts up to 7m, this machine offers the performance of larger Telescopic Forklifts with added manoeuvrability.

- 🖌 3100kg lifting capacity
- ✓ 4WD/4WS
- ✓ Low pressure grass tyres available

#### **Bucket & Forks included**



Low pressure Grass Tyres available

Specs
7.0m
3100kg
2400kg
1250kg
3.7m
3.7m
2.23m
2.49m
7060kg
Diesel
50220

#### → PLEASE CALL FOR QUOTATION





This highly agile Telehandler offers unrivalled manoeuvrability and is designed to meet the unique demands of any site head on. Compact and offering great visibility, this Telehandler is ideal for restrictive sites but still capable of lifting to nearly 10m.

- Compact & extremely manoeuvrable
- 3500kg lifting capacity



	Specs
Maximum Lift Height	9.5m
Maximum Lift Capacity	3500kg
Lift Capacity, Full Height	1600kg
Lift Capacity, Full Reach	500kg
Maximum Forward Reach	6.52m
Turning Radius	3.7m
Width	2.29m
Lowered Height	2.49m
Weight	8020kg
Power Source	Diesel
Product Code:	50220



### **TELESCOPIC FORKLIFTS** 13 - 14m Telescopic Forklift



For extra horizontal or vertical reach these 13 & 14m machines provide the stability and safety required for lifting to these heights. Excellent visibility combined with a turning circle of less than 4m provides excellent manoeuvrability on even the most congested sites.

Low boom design offers excellent visibility

#### **Bucket & Forks included**



Low pressure Grass Tyres available

	MT1335	540-140
Maximum Lift Height	13.0m	13.8m
Maximum Lift Capacity	3500kg	3500kg
Lift Capacity at Full Height	3500kg	3000kg
Lift Capacity at Full Reach	1000kg	1250kg
Maximum Forward Reach	8.75m	9.7m
Turning Radius	3.85m	3.75m
Width	2.28m	2.35m
Lowered Height	2.42m	2.59m
Weight	9100kg	10880kg
Power Source	Diesel	Diesel
Product Code:		50230

#### → PLEASE CALL FOR QUOTATION

#### 17 - 18m Telescopic Forklift



With lift capacities up to 4t and forward reach of up to 13.08m, these 17 & 18m handlers are the ultimate performers around the site. These well balanced machines ensure precision placement of loads. Side shift and frame levelling are available on most models.

4000kg lifting capacity



#### **Bucket & Forks included**

	540-170	MT1840
Maximum Lift Height	16.7m	17.55m
Maximum Lift Capacity	4000kg	4000kg
Lift Capacity at Full Height	2500kg	2500kg
Lift Capacity at Full Reach	600kg	850kg
Maximum Forward Reach	12.5m	13.08m
Turning Radius	4.10m	4.01m
Width	2.44m	2.42m
Lowered Height	2.69m	2.50m
Weight	12470kg	11700kg
Power Source	Diesel	Diesel
Product Code:		50240

# **FORKLIFT AUXILIARIES**



### **Container Loading Ramps**

Take the hassle out of loading or unloading containers and trailers with an efficient forklift loading ramp. With capacities of up to 10,000kg, these ramps are suitable for most forklift loading applications and will handle the toughest conditions. All ramps come with a high traction all weather surface, an easy action hydraulic pump for height adjustment and a forklift clamp for ease of manoeuvrability.

	Specs
Capacity	7000 - 10000kg
Weight	3,800kg
Length Inclined Section	8.44m
Overall Length	11.26m
Overall Width	2.26m
Useable Width	2.06m
Variation in Working Level	800 - 1650mm
Lip into the Container	2060 x 300mm
Product Code:	50260

# 

### → PLEASE CALL FOR QUOTATION

### **Container Ramp, Low Level**

For loading containers at ground level, this heavy duty folding ramp is easily positioned and ready for use in seconds.



pecs
0kg
25m
)3m
5kg
0250

→ PLEASE CALL FOR QUOTATION



# **FORKLIFT AUXILIARIES**

# **Yard Sweeper**

This effective Yard Sweeper has no rotary action thus avoiding excessive dust and making it ideal for most applications. Easily and quickly attached to the forks of most standard forklifts or telehandlers you can be brushing up in seconds.

# Forklift Mounted Sweeper / Collector

These forklift mounted sweeper/collectors are quick and easy to attach to telehandlers and forklifts providing a 2 metre sweeping width. Known for their sweeping performance and versatility, these machines are ideal for both small and large heavy-duty applications. When fitted on a telehandler the extending boom is perfect for getting into those awkward to reach areas.

- Superb sweeping performance
- Quick and easy to attach
- Sweeps and collects
- Water tank and dribble bar for dust suppression
- Close wall / kerb sweeping



	Specs	-
Power Supply	Hydraulic	
Width	2.0m	
Debris Container Capacity	425ltrs	
Water Tank Capacity	200ltrs	
Product Code:	20360	

PLEASE CALL FOR QUOTATION

	Specs
Width	1.82m
Weight	140kg
Forklift Pocket	130mm x 65mm
Forklift Pocket Spread	800mm centres
Product Code:	20360

→ PLEASE CALL FOR QUOTATION





# FORKLIFT AUXILIARIES

### **Forklift Extension Forks**

These extensions fit over the existing forks to offer extended reach for bulkier loads. Various sizes are available. Always comply with manufacturers' recommendations.

		1.00	
	1		
		1000	
	N		
2	-		
	2t	4t	7t
Capacity Per Set	2000kg	4000kg	7000kg
Length	1800mm	1800mm	3300mm
Fork Size	190 x 75mm	190 x 75mm	200 x 95mm
Weight	70kg	110kg	172kg
Product Code:			40450
	CALL FOR Q	UDIATION	

## **Forklift Tipping Skips**

These Tipping Skips are ideal for handling and removal of rubbish or waste. These skips can also be used for handling soil or other materials on a building site.



# **Forklift Gantry Jibs**

With 2.5 & 3 tonne capacities these jibs extend the lifting capabilities of your forklift for reaching over and under applications.

### Extendable jib 700mm - 3700mm Adjustable Fixed 2500kg 2500 - 3000kg Capacity Extension Range 700mm - 3700mm 700mm - 3700mm Height 635mm 500mm Width 640mm 685mm Weight 210kg 260kg Adjustable Jib Angles 0°, 15°, 30° & 45° N/A 40460

Product Code:

### PLEASE CALL FOR QUOTATION

40480

## **Fork Mounted Hooks**

This simple attachment offers a central lifting point on your forklift for lifting hooked loads.

	2t	3t	5t
S W L	2000kg	3000kg	5000kg
Width	650mm	730mm	730mm
Max Fork Size	160 x 60mm	190 x 70mm	190 x 70mm
Weight	45kg	60kg	72kg

Product Code:



PLEASE CALL FOR QUOTATION



### Heavy Lift Telehandler 5.5 - 7.2t



These Heavy Lift Telehandlers are the ultimate site workhorse providing up to 7200kg lifting capacity - 4000kg at full height (9.55m). Ideally suited for safely handling larger heavy loads or large volume shovelling applications.

- ✓ Massive lift capacities up to 7.2t
- ✓ Up to 18.8m lift heights
- ✓ High ground clearance for rough terrain
- ✓ 4WD & 4WS with 3 steering modes
- ✓ Frame Levelling ensures truly vertical lift



	5.5t	6.0t	7.2t
Maximum Lift Height	18.8m	9.6m	9.55m
Maximum Lift Capacity	5500kg	6000kg	7200kg
Lift Capacity - Full Height	3000kg	4000kg	4000kg
Lift Capacity - Full Reach	1000kg	1500kg	2100kg
Max Forward Reach	14.1m	5.5m	5.2m
Turning Radius	5.61m	3.95m	3.97m
Width	2.48m	2.33m	2.24m
Lowered Height	2.61m	2.44m	2.50m
Weight	14100kg	9800kg	11300kg
Power Source	Diesel	Diesel	Diesel
Product Code: 50270			

→ PLEASE CALL FOR QUOTATION

### Heavy Lift Telehandler 12t



### Heavy Lift Telehandler Attachments Wide Carriage Forks

For improved stability when lifting larger awkward loads, this wide carriage fork is perfect for providing adjustable working widths of up to 1.8m and 10t capacity.

	Specs
Width	1.8m (inside)
S W L	10000kg
Product Code:	50280



- 🖌 Massive 12000kg lift capacity
- 🖌 9.8m lift height
- ✓ High ground clearance for rough terrain
- ✓ Powerful 145hp engine
- ✓ 4WD and 4WS with 3 steering modes
  - Frame Levelling ensures truly vertical lift

	Specs
Maximum Lift Height	9.8m
Maximum Lift Capacity	12000kg
Lift Capacity - Full Height	5000kg
Lift Capacity - Full Reach	2700kg
Max Forward Reach	5.7m
Turning Radius	4.3m
Width	2.4m
Lowered Height	2.85m
Weight	16000kg
Power Source	Diesel
Product Code:	50270

With massive lifting capacities of up to 12000kg and lifting heights of up to 10m, these heavy-duty forklifts are suitable for a variety of heavy lifting applications such as civil engineering and heavy industrial tasks.

### PLEASE CALL FOR QUOTATION

# Crane Hook Ideal for lifting heavy equipment for materials of up to 12t, this Crane Hook can turn a Heavy Lift telehandler into a versatile crane. 12t Crane Hook ftachment available SWL 6000kg Product Code:

PLEASE CALL FOR QUOTATION

Spec 2

50280

12000kg

### **Rotating Telescopic Forklift**



Full 360° rotation
 Lift heights up to 26m
 Remote radio control operation
 Ideal for confined sites
 Tiltable cab (26m only)
 3 steering modes & 4WD
 Range of attachments available
 Full range of sizes available

These all terrain Rotating Telehandlers are ideally suited to construction and industrial applications. An absolute asset where high lifting capacity and outreach is required, these 3-in-1 units are simultaneously a telehandler, crane and work platform.

Full 360° rotation enables fast and precise positioning in tight or confined areas providing added efficiency and versatility.

Three steering modes and four-wheel drive ensures manoeuvrability on rough sites and the remote control option allows operation outside the cab, giving added visibility and safety.

Product Code: 50290



AMERICA

COM HiRE



			for al	Material H	AINING AILABLE Iandling
	MRT2150	Merlo 45.21	Merlo 50.26	Merlo 50.30	RTH 6.30
Maximum Lift Height	20.6m	20.8m	26.0m	29.2m	29.8m
Maximum Lift Capacity	4999kg	4500kg	4950kg	4950kg	6000kg
Lift Capacity, Full Height	2500kg	2500kg	1500kg	2000kg	2500kg
Lift Capacity, Full Reach	600kg	750kg	150kg	400kg	500kg
Maximum Forward Reac	<b>h</b> 18.1m	18.0m	23.0m	25.4m	26.0m
Turning Radius	4.5m	3.85m	3.85m	4.5m	4.63m
Width	2.42m	2.4m	2.43m	2.49m	2.54m
Lowered Height	3.025m	2.99m	3.12m	3.16m	3.12m
Weight (Unladen)	16095kg	15050kg	17300kg	19900kg	21800kg

Product Code: 50290

### PLEASE CALL FOR QUOTATION

Diesel

# **MATERIAL HANDLING HIRE**

# 21800kg Diesel

DPERATOR

Diesel

### **Rotating Telehandler Attachments**

### **Block Winch**

Safely lifting suspended loads of up to 6.0t into place anywhere on-site couldn't be easier than with this block winch attachment which provides up to 35m maximum hook travel.

		Specs
Width	1230mm	N/A
Max Hook Travel	35m	27m
Max Capacity	4500kg	6000kg
Winch Speed	28m/min	19m/min
Product Code:	-0	50300



### Fly Jib Winch

For precision positioning of loads of up to 2t on-site, this Fly Jib Winch essentially turns a telehandler into a small crane. commonly used for the installation of roof trusses or steel beams.

	Specs
Length	1550mm
Max Hook Travel	35m
Max Capacity	2000kg
Product Code:	50300



### Access Platform

Diesel

This Access Platform offers an exceptional deck space extending up to 4m wide, the ideal solution for cladding and roofing applications. A platform capacity of 1000kg allows materials to be lifted along with personnel.

Diesel

	Specs
Deck Width	2.25m
Deck Width (Extended)	4.6m
Platform Capacity	1000kg
•••••••••••••••••••••••••••••••••••••••	

Product Code:

PLEASE CALL FOR QUOTATION



50302

Access platform provides 1000kg ~ capacity & 90° rotation (Manitou)

Product Code: 50300



# **SITE LOADERS**

### **Compact Articulated Loader**



Small enough to work in tight situations yet capable of handling loads up to 1,000kg, these Telescopic Loaders are a real multi-purpose machine. Their unique articulated design and very low ground pressure allows these machines to work in confined areas with the minimum ground damage. Ideal for the building site, farm or landscaping tasks.

**Bucket supplied** 

as standard

- ✓ Highly manoeuvrable
- Telescopic boom fitted as standard
- 🖌 Lightweight easily transportable
- High tipping heights
- ✓ 750kg & 1,000kg sizes available

	528	635
Capacity	750kg	1,000kg
Max Lift Height	2.79m	2.835m
Turing Radius in/out	0.995/2.05m	0.90/2.19m
Length	2.55m	2.55m
Width	1.095m	1.29m
Height	1.98m	2.035m
Control Type	Hand & Foot	Hand & Foot
Operating Weight	1,360kg	1,530kg
Power Source	Diesel	Diesel
Product Code:		50320

### → PLEASE CALL FOR QUOTATION

### **Articulated Loader Attachments**

Product Code: 50330

### Flail Mower

A flail mower is ideal for rougher cutting applications or for cutting longer grass, scrub or gorse. Great for orchards, road sides, meadows or yard areas.

Specs
1,200mm
1,580mm
25 -100mm



### Lawn Mower

The out-front mower attachment is a robust and efficient mower deck. The floating system provides optimal touch with the ground over uneven lawns.

	Specs
Cutting Width	1,200mm
Blades	2
Cutting Height	25 -100mm



### **Bucket Broom**

For grounds maintenance tasks this broom sweeps and collects effortlessly. Collecting the waste in a large bucket the broom gives the best results when reversing.

	Specs
Broom Width	1,100mm
Total Width	1,356mm
Box Capacity	3701



### Land Leveller

Ideal for levelling lawn beds, lanes or gravel areas. Optional ripper blades help loosen up hard packed materials.

	Specs
Working Width	1,200mm
Length	980mm
Weight	144kg

### Light Material Bucket

Light material buckets are intended for handling of e.g sand, saw dust, manure, wood chips and other light materials.



# MATERIAL HANDLING HIRE

### **Articulated Loader Attachments**

Product Code: 50330

### Weed Brush



The weed brush is an efficient tool for removal of weeds or moss from paved areas, yards or tarmac driveways. Three positions make it ideal for cleaning along edges, kerbs or fences.

	Specs
Brush Diameter	600mm
Height	530mm
Length/width (ret.)	1,100mm

### **Breaker**



The hydraulic breaker is an effective tool for demolition or refurbishment applications. Ideal for concrete, Tarmac or masonry walls.

	Specs
Impact Rate 600 -	3,200bpm
Weight	105kg

### Land Roller



These towable 5-foot land levellers are the ideal solution for flattening, levelling or compressing your garden, paddock or small field.

Specs
5ft
560kg
310l



### Farm Fork

Suitable for muck or silage this fork makes light work of clearing out stables or livestock pens. Also suitable for handling branches or bushes.

	Specs
Width	900mm
Weight	120kg



### **Rotary Hoe**

The rotary hoe is the right attachment for cultivating the soil, finishing seedbeds and rotovating.

	Specs
Working Width	1,200mm
Total Width	1,530mm
Working Depth	0 -150mm



### Pallet Forks

The perfect attachment for handling pallets on the farm, construction site or yard. Easily adjusted width.

	Specs
Max Load	1,400kg
Fork Length	1,100mm
Weight	115kg
••••••••••	



### Hydraulic Auger

The powerful auger is suitable for a variety of tasks including post hole boring or tree transplanting. A range of auger diameters are available.

	Specs
Auger Dimensions	75 - 150mm
Max Hoe Depth	950mm

### PLEASE CALL FOR QUOTATION



# **SITE LOADERS**



### **Skid Steer Loaders**



These powerful Loaders can perform multiple tasks, including lifting, bucket work and sweeping. Highly manoeuvrable, robust and efficient, these machines are some of the most versatile loaders around.

- Side door entry for added safety
- ✓ Fully enclosed cab
- ✓ Single boom provides greater visibility

	JCB 155
Maximum Lift Capacity	703kg
Maximum Dump Height	2.26m
Length	3.48m
Width incl Bucket	1.83m
Width less Bucket	1.6m
Operational Height (Fully Raised)	3.0m
Height to ROPS	1.98m
Control Type	Joystick
Operating Weight	2,883kg
Power Source	Diesel
Product Code:	50340

→ PLEASE CALL FOR QUOTATION





# **SITE LOADERS High Flow Skid Steer Loaders**



These High Flow machines offer greater power and stability for use with road planers and other hydraulic attachments. Advanced hand controls, full cabs and heavy duty tyres are other standard features of these Skid Steers.

Advanced hand controls




	S160 High Flow	S550 High Flow
Maximum Lift Capacity	726kg	894kg
Maximum Dump Height	2.20m	2.31m
Length	3.1m	3.31m
Width incl. Bucket	1.73m	1.73m
Width less Bucket	1.68m	1.68m
<b>Operational Height (Fully Raised)</b>	3.76m	3.86m
Height to ROPS	1.94m	1.94m
Control Type	Advanced/Hand	Advanced/Hand
Operating Weight	2,774kg	2,821kg
Power Source	Diesel	Diesel
Product Code:		50350

PLEASE CALL FOR QUOTATION

# **Hydraulic Road Planer**

Designed for asphalt and concrete repair jobs such as milling out potholes or lowering applications, these Surface Planers

are ideal for car parks and road works. Suitable for high flow machines only.



	Specs
Drum Width	450mm
Max Cut Depth	150mm
Weight	570kg
Product Code:	50360



### Sweeper Collector (Bucket Brush)

Clear roads, yards or driveways with this Sweeper Collector. Fits in seconds to any Skid Steer.

	Specs
Overall Width	1,674mm
Brush Width	152cm/60''
Weight	371kg
Product Code:	50370



### Fork & Grapple

For farm work or landscape tasks, this Fork & Grapple will handle waste materials with ease.

	Specs
Overall Width	1,180mm
Fork Length	500mm
Weight	167kg
Product Code:	50390



## **Pallet Forks & Light Material Buckets**

Fit Pallet Forks to your Skid Steer for handling any palletised loads.

	Specs
Overall Width	1,170mm
Fork Length	950mm
Weight	172kg
Product Code:	50390







# **PORTABLE CABIN & WELFARE HIRE**



K CABIN SPECIALISES IN THE HIRE OF TEMPORARY BUILDINGS, PROVIDING A SOLUTION TO YOUR ON OR OFF-SITE ACCOMMODATION REQUIREMENTS. BUILDINGS AVAILABLE INCLUDE ACCOMMODATION, WELFARE, SANITATION AND STORAGE UNITS AND ARE SUITABLE FOR MOST APPLICATIONS OR INDUSTRIES, FROM A SCHOOL TO A BUILDING SITE OR A SPORTING VENUE.

Anti-Vandal Cabin Range	300-305
Linkable Cabin Range	306-307
Jackleg Cabin Range	308-309
Executive Cabin Range	310-311
Modular Cabin Range	312-319
Storage	320-324
Sleeper Cabin Range	325-327
Welfare Cabin Range	328-333
Toilet & Shower Cabins	334-345
Toilet & Cabin Services	346
CCTV Surveillance Units	347
Auxiliaries & Furniture	348-358



### ACCOMMODATION

**PORTABLE CABIN & WELFARE HIRE** 

Secure-Space

Secure Space is a high security accommodation option which can be used for a variety of applications in any location.

The fully welded steel construction provides a quality working environment when in use, combined with peace of mind against the risk of vandalism or theft when left unattended. Anti-vandal Units can also be supplied for a range of applications including offices, canteens and dry rooms.

HE MODULAR & PORTABLE BUILDING ASSOCIATION The voice of the modular industry



300



-


# **ANTI-VANDAL CABINS**

### Anti-vandal Offices / Canteens / Dry Rooms



- Fully HSA & CDM compliant
   All steel construction 10 point locking doors
   Multi point locking shutters
- Easy clean surfaces and vinyl flooring
- Full electrics including heat & lighting
- External connection sockets
- 🖌 Bright airy interior
- 🖌 8' or 10' wide options available

### **APPLICATIONS & USES**



- Secure retail shops
- **1** Event cabins
- Staff facilities
- Security rooms













) CALL OUR HIRE DESK TODAY 0845 338 1388




# **ANTI-VANDAL CABINS**

### Anti-vandal Offices / Canteens / Dry Rooms



### Call today for advice on selecting the correct Cabins for your accommodation needs

### LAYOUT EXAMPLES:







Sizes available	Product Code:
10' x 8' / 3.0m x 2.5m	60100
20' x 8' / 6.0m x 2.5m	60120
12' x 10' / 3.0m x 3.0m	60110
16' x 10' / 5.0m x 3.0m	60125
20' x 10' / 6.0m x 3.0m	60130 All Units are
24' x 10' / 7.31m x 3.0m	60140 delivered
28' x 10' / 9.0m x 3.0m	60150 ready for
30' x 10' / 9.1m x 3.0m	60160 immediate
32' x 10' / 9.6m x 3.0m	60170 <b>USE</b>

✓ Units can be linked or double stacked for added flexibility

✔ Units can be fitted out internally to suit your requirements for long term hire

Various layouts available

PLEASE CALL FOR QUOTATION





.∂

## ANTI-VANDAL CABINS Combo Store / Office



**Viewing Gallery** 



Cabins with enlarged windows can be supplied to provide a panoramic viewing gallery, ideal for events or large site management and security.

20' x 8' / 6.0m x 2.5m 50:50 split

30' x 10' / 9.1m x 3.0m 75:25 split

Combination units can be supplied to

facilities within one unit.

Sizes available

provide both secure storage and office

2437r

Product Code:

60190

60200

Office

- Ideal for security and monitoring timekeeping
- Perfect for overseeing sporting and community events

**Sizes available** 20' x 8' / 6.0m x 2.5m



Secure-Space Anti-vandal Cabin Range

6045mm

20' x 8' Combo

CALL FOR QUOTATION

Store

### **Exhibition Unit**

These bespoke containers are the perfect solution for your exhibition stand at trade shows or exhibitions. With full glass frontage, awning and external decking, these units will help you stand out from the crowd. Suitable for indoor or outdoor use, all units come highly specified and with a range of options.



- ✓ Full glass frontage
- External deck area (6m x 2.44m)
- ✓ Full length awning
- ✓ LED spotlight lighting
- Counter and storage area
- Bright airy interior
- 🖌 Poster frames

**Sizes available** 20' x 8' / 6.0m x 2.5m

CALL OUR HIRE DESK TODAY 0845 338 1388



303

### ANTI-VANDAL CABINS Ticket Offices & Security Huts





For car parks or sporting venues, we can cater for your needs with various sizes of Ticket Kiosks. Additional features also allow these units to be used for site security huts.

- 🖌 Various window layouts available
- Security shutters or grills
- Sliding security windows



Secure-Space Anti-vandal Cabin Range




### **Turnstile Security Cabins**

Turnstile Cabins offer the ultimate in access control for your site or event and can be delivered ready for immediate use. Different access options are available including push button, keypad or biometric readers. Units include a comfortable office for your security operative.

- Secure access control for busy construction sites, factories or large events
- Various access control options
- ✓ Integral security office

### LAYOUT EXAMPLE:



NEW





CALL FOR QUOTATION





) CALL OUR HIRE DESK TODAY 0845 338 1388

# **ANTI-VANDAL CABINS**

Large Ticket Kiosk


Secure-Space .∂ Anti-vandal Cabin Range





This Ticket Kiosk is designed for larger events where a high volume of people is anticipated and speedy admission is required.

- 5 ticket windows with shutters
- Ticket desk & high level seating



### Sizes available 20' x 8' / 6.0m x 2.5m Product Code: 60230 PLEASE CALL FOR QUOTATION $\rightarrow$

**Smoking Shelter** 



The K Cabin temporary Smoking Shelter conforms to no smoking legislation and provides a controlled area where non smokers will not be affected. Smokers will be protected from the weather while the design allows for quick dispersal of smoke.

- 🖌 Full length seating rail
- Cigarette bins provided
- Anti vandal steel construction removes risk of fire
- Design allows quick dispersal of smoke

Sizes available 10' x 8' / 3.0m x 2.4m

**Product Code:** 

PLEASE CALL FOR QUOTATION

60240





# LINKABLE ANTI-VANDAL CABINS

Link-Space offers a range of 32' x 10' and 24' x 10' anti-vandal units which can be linked to form large accommodation areas all under one roof. Once linked they provide a 1.2m central corridor with the option to have open plan or separate rooms depending on your requirements.

All units provide standard anti-vandal features including 10 point locking doors and steel shutters.





Link-Space

Link-Space units can be stacked side by side up to 3 storeys high with external staircases used to access the link corridor. These units offer the most cost-effective way to provide large accommodation space in a quick time frame so you can start work on-site immediately. Linked units can be configured to suit your layout requirements including offices, canteens, drying rooms and meeting rooms, along with toilets and showers.

- Linkable to form large accommodation areas
- 1.2m central corridor
- Various layout options
- Any number can be linked or double stacked
- 🖌 24' & 32' versions available

### **APPLICATIONS & USES**

- 1 Office blocks
- Meeting rooms
- Canteens & toilets
- Classrooms or training rooms
- Emergency accommodation
- Showrooms or retail units
- Nurseries & playgroups

Sizes available	
32' x 10' / 9.6m x 3.0m	(
24' x 10' / 7.2m x 3.0m	6
32' x 10 Toilet / Shower	6

Product Code: 60170 60145 60180





**PORTABLE CABIN & WELFARE HIRE** 





# LINKABLE ANTI-VANDAL CABINS

# Anti-vandal Offices / Canteens / Dry Rooms



LAYOUT EXAMPLES:







,∂

CALL OUR HIRE DESK TODAY 0845 338 1388  $(\mathcal{I})$ 



### **JACKLEG CABINS**

Comfort-Space Jackleg Cabins offer an enhanced appearance when you require temporary buildings that blend into their surroundings.

Our range of timber Jackleg Cabins provide the ultimate in temporary accommodation for a range of applications. Whether it's for classrooms, offices or hospitality units, you can be assured of the highest quality finish and comfort levels. Various sizes and configurations are available and can be linked or double stacked to suit your requirements.





Comfort-Space Jackleg Cabin Range

All jackleg units are 3m wide offering a quality spacious interior.



### Features

- Levelling jacklegs
- PVC double glazed windows
- Easy clean surfaces
- Full electrics including heat & lighting
- External electrical connection sockets
- Vinyl flooring
- 🖌 Aesthetically pleasing, all 3m wide
- ✓ High quality finishes

### Call today for advice on selecting the correct Cabins for your accommodation needs

### All Units are delivered ready for immediate use





# **JACKLEG CABINS**

### Jackleg Offices / Canteens / Dry Rooms






Various layouts are available including open plan or partitioned options depending on your needs. Cabins can be fitted out internally with a range of accessories tailored to your requirements including window blinds, carpet flooring, kitchen units or electrical trunking.


- Open plan or partitioned options
- Link or double stack for added flexibility
- Tailor your cabin to meet your needs
- ✓ Fit-out with a range of accessories & extras

### LAYOUT EXAMPLES:



PLEASE CALL FOR QUOTATION

### **APPLICATIONS & USES**



1 Hairdresser, beauty	Sizes available	Product Code:
salon	Sizes available	Product Code.
G Canteen	12' x 10' / 3.7m x 3.0m	60250
<b>Y</b>	16' x 10' / 5.0m x 3.0m	60270
1 Classrooms	20' x 10' / 6.0m x 3.0m	60290
1 Nursery & childcare	24' x 10' / 7.31m x 3.0m	60310
Drying rooms	30' x 10' / 9.0m x 3.0m	60330
<ol> <li>Temporary shop</li> </ol>	36' x 10' / 11.0m x 3.0m	60345

CALL OUR HIRE DESK TODAY 0845 338 1388 ()

 $\rightarrow$ 



### **EXECUTIVE CABINS**

**PORTABLE CABIN & WELFARE HIRE** 

**Premier-Space** Executive Cabin Range

Our Premier-Space range offers the highest levels of specification and energy efficiency along with an enhanced modern style and finish for the most prestigious applications and uses. Premier-Space units can be designed and custom-built to suit your requirements for long term rental periods.

Premier-Space cabins have been designed with semi-permanent applications in mind but providing a much more flexible alternative to permanent structures, allowing you to feel totally at home. **APPLICATIONS & USES** Home office

spacious environments.

Additional office space		
Class rooms or training rooms		
Beauty salons or hairdressers		
Laboratories or		
technicians' rooms	Sizes available	Product Code:
Security / car parking	8′ x 6′ / 2.5 x 1.5m	60350
cabins	12' x 10' / 3.7m x 3.0m	60360
Car rental offices	20' x 10' / 6.0m x 3.0m	60370
Showrooms or retail	28' x 10' / 9.0m x 3.0m	60380
snaces	36' x 10' / 11 0m x 3 0m	60390

With standard features such as low energy lighting, higher insulation

levels, additional windows for more natural light, data trunking and window blinds, you can be sure of the utmost levels of comfort and







310



# **EXECUTIVE CABINS Executive Cabin Range**





### **Customise your Cabin**

Executive cabins can be customised to meet your corporate requirement's, custom design options include various window configurations, colours, bespoke fascia along with stacking or linking alternatives.

- 🖌 Bespoke fascia
- Customised colours
- Various configurations
- 🖌 Custom built design

# Call today for advice on selecting the correct Cabins for your accommodation needs



CARHIRE

### High quality fittings Enhanced thermal insulation - lower U values Anti-glare LED lighting Low energy light sensors Outside lighting

🖌 High quality floor finishes

Standard Features

- Data trunking with multiple sockets
- USB charging points
- Quality heating systems
- Additional windows for more natural light
- Double glazed tilt & turn windows
- 🖌 External Door vision panel
- Window blinds







Our Modular Buildings provide the ultimate solution for your accommodation needs from office expansion to a temporary school or classroom, laboratory or showroom.

These high quality buildings provide the performance you would expect from a permanent building while offering the flexibility that only modular systems can deliver.

### **CS** = Container Span | **XS** = Xtra Span | **PS** = Plus Span





The CS modular building range is a highly flexible building system that allows an infinite number of possibilities and configurations including large site offices, class rooms, laboratory's or show rooms. Standard modules are 6m x 2.4m with a fully flexible wall system that allows windows and doors to be positioned to suit your requirements.

Buildings can be tailored to suit your requirements and assembled rapidly on site ready for occupancy within a few days or weeks.

All buildings are built with high quality materials, finishes and insulation providing high levels of comfort and security with the possibility to create modular accommodation in different sizes and configurations up to 3 storeys high.

CS units can be linked to form corridors with the option of internal or external stair cases.

### **Standard Features**

- Tilt and turn double glazed windows
- Integrated roller shutters
- Category 2 light fittings
- Fire rated components
- High levels of heat and sound insulation
- Quality security doors
- High quality finishes
- 🖌 Easy clean wall boards & vinyl flooring

All complex Site installations are undertaken by our experienced Build Teams...






### **CS Modular Sectional Buildings**





### LAYOUT EXAMPLE:





# APPLICATIONS & USES Schools and classrooms Offices and meeting rooms Canteens or training rooms Laboratories or Health Centres Emergency accommodation Showrooms or retail units Nurseries

### **Sizes available** 20' x 8' / 6.0m x 2.5m

20' x 8' / 6.0m x 2.5m 20' x 8' Toilet / Shower Product Code: 60400 60420

→ PLEASE CALL FOR QUOTATION





HEITT

### **CS Modular Sectional Buildings**





- Tailored to suit your requirements
- Ready for occupancy within days or weeks
- Vast range of layouts and configurations
- ✓ Buildings up to 3 storeys high
- Easily constructed on site minimal build time
- Experienced build team ensures safe and efficient set up
- 🖌 Coloured Fascias available
- 🖌 Single Unit option available



Call today for advice on selecting the correct Cabins for your accommodation needs

### **Flexible Layouts**

Single or multiple units can be tailored to suit your needs. Adaptable wall panels, windows and doors can be configured to a layout that meets your requirements.

- A vast range of layouts and configurations are available
- Individual room layouts
- 🖌 Adaptable & expandable at any time
- Available for immediate delivery



THE MODULAR & PORTABLE BUILDING ASSOCIATION The voice of the modular industry





314

### **PS Modular Sectional Buildings**





The Plus Span building range is ideal as a long-term or temporary space solution when you require the highest quality specifications with a modern and attractive appearance. With aluminium windows, full glazing options, higher suspended ceilings with integrated lighting as standard, the Plus Span is unquestionably a step above all our other products. Excellent thermal insulation values and fire ratings are another standard feature of this range.

Many design options are available to suit different applications and budgets including internal staircases and partitions, different floor coverings, aluminium roller shutters and air conditioning to name but a few.

The Plus Span range provides you with a comfortable space to feel good in any location.

Sizes available	Product Code
20' x 8' / 6.0m x 2.5m	60440
24' x 8' / 7.3m x 2.5m	60441

✓ 6.0m + 7.3 x 2.5m modules

- 3.1m ceiling heights
- ✓ U values up to 0.17W/m²K
- 🖌 E130 Fire rating as standard
- Acoustically optimised interior

### **APPLICATIONS & USES**

- 1 Nurseries and Classrooms
- Retail Showrooms or Shops
- 🚹 Trade & Commerce
- Education Authority
- 🚹 Hospital & Nursing
- Luxury Offices & Meeting Rooms

### PLEASE CALL FOR QUOTATION

) CALL OUR HIRE DESK TODAY 0845 338 1388



# **PORTABLE CABIN & WELFARE HIRE**

# MODULAR SECTIONAL BUILDINGS

### **PS Modular Sectional Buildings**



✓ Optional External Entrance or Staircase adds to the visual appeal & also enhances available interior space







Call today for advice on selecting the correct Cabins for your accommodation needs

→ PLEASE CALL FOR QUOTATION





### XS Anti-vandal Modular Sectional Buildings

Our XS or Xtra Span building range is a high-quality modular system comprising of an all steel design with eco-friendly features. These buildings offer larger spans than our CS range providing larger open spaces along with high levels of security and excellent flexibility. These buildings are perfectly suited to a range of uses and industries including the education sector, pharmaceuticals, retail or major construction projects.

Designed with efficient installation in mind and equipped with innovative features to allow quick set up and flexible layouts. Internal layouts can be tailored to meet your requirements with configurations available such as open plan offices, canteens & kitchens, drying rooms, meeting rooms, storage areas, toilets and showers.

Buildings come in 9m x 2.9m modules and can be extended to 3 storeys high. Security features include high security doors and heavy-duty window shutters are available.

Building regulation EPC ratings are achievable depending on the layout with key energy saving features such as high insulation levels, T5 lighting, double glazed windows and efficient timed heaters throughout.



9m x 2.9m modules

**Plus-Space** 

Modular Cabin Range

G

NEW

- Larger open spaces
- Eco friendly features
- ✓ All steel secure construction
- ✓ Flexible layouts
- Rapid assembly & installation

### **APPLICATIONS & USES**

- **1** Office, Staff & Common Rooms
- Classrooms & Training Rooms
- 🚹 Club Houses & Changing Rooms
- Sales & Showrooms
- Canteen & Welfare Facilities

 Sizes available
 Product Code:

 29' x 9' / 9.0m x 2.9m
 60435

 29' x 9' / 9.0m x 2.9m Toilet / Shower
 60435

PLEASE CALL FOR QUOTATION





### **Modular Staircases**





CALL OUR HIRE DESK TODAY 0845 338 1388

These purpose built staircase modules provide quick and easy access to stackable modular building configurations either 2 or 3 floors high. Internal and external stairway options are available and have been deigned and manufactured to allow quick erection on-site, ideal for a wide range of applications on small or large construction or industrial sites.

Due to the roof on the external version and the enclosed design of the internal both stairways provide protection against the weather.

 $\mathcal{I}$ 

- Protection against the weather
- 2 3 floors high
- Tailored to your requirements

### Sizes available

16' x 8' / 5.0m x 2.5m 20' x 8' / 6.0m x 2.5m

Product Code:

### PLEASE CALL FOR QUOTATION

60430





### **Open Terrace**



An open terrace can be created to provide an observation platform for construction sites or event security. Also ideal as an open roof deck for exhibitions and fairs.

**Plus-Space** 

Modular Cabin Range

Sizes available	
20' x 8' / 6.0m x 2.5m	
20' x 16' / 6.0m x 5.0m	

		Specs
Handrail He	ight	1.1m
Floor Load	3-5kN/m <sup>2</sup> (Depending or	n Base)
Product Code:		60430

### PLEASE CALL FOR QUOTATION

К Л И У

G

### Fascia & Canopy Options

Create a professional presence with a fascia in a colour of your choice. Combine with an entrance canopy to give your building that finishing touch. Fascias and canopies can be supplied in a colour that matches your corporate branding.

- Customise the colour of your buildings fascia to suit your company branding
- Finish with an entrance canopy. See page 349

### Hire a modular building tailored to your company branding. Ready for occupancy in days!









PLEASE CALL FOR QUOTATION





# **STORAGE**





### **Mini Store**



### **High Store**



PLEASE CALL FOR QUOTATION

Product Code 20' x 8' 6": 60520 Product Code 30' x 8': 60530 Product Code 40' x 8' 6": 60550

High Stores can be provided to lock up larger plant and equipment.

- Suitable for dumpers and mini diggers
- Highly secure for valuable plant

ACCESSORIES AVAILABLE

- **Racking & Shelving** 8
- 🚹 Lighting

a Heaters

Loading Ramps

### Sizes available

20' x 8' / 6.0m x 2.5m 30' x 8' / 8.0m x 2.5m 40' x 8' / 12.0m x 2.5m





# **STORAGE**

### **Secure Stores**



Available in a range of sizes, standard or insulated, these Stores offer the ultimate storage solution. Whether it is valuable construction equipment or temporary storage of furniture, these fully welded steel units with an integral 5 lever deadlocking door system offer you dry and secure storage, wherever the location.



### **Insulated Stores**

Insulated stores can be provided for goods such as furniture or paper archiving that require a dry environment without the potential of condensation.

Fully insulated & ply lined

Overcomes condensation in cold weather

Sizes available	Product Code:
10' Insulated	60560
20' Insulated	60570
30' Insulated	60580
40' Insulated	60590



### PLEASE CALL FOR QUOTATION



()) CALL OUR HIRE DESK TODAY 0845 338 1388



# **STORAGE**

### **Side Opening Store**

Side opening units allow storage of longer materials, providing easy access while retaining high security levels.

Fully lockable bi folding doors



# Flat Pack Store

Ideal for assembly and use in areas where space and access is restricted, underground carparks or narrow entry's.



### **Mobile Store**

The easy and cost-effective way to provide storage for your goods or materials on inner city sites or temporary locations. Simply tow into position, lower to the ground for ease of loading and added security. The mobile store overcomes the need for a Hiab in congested areas while offering a secure place for valuable goods.

- Lowers to the ground for added security
- Secure all steel construction
- Simply tow to and from site

	Specs
Length	3.6m
Length (inc. draw bar)	4.65m
Width	2.3m
Unladen weight / making GVH	1560kg
Height up / down	2.92 / 2.53m
Product Code:	60622





#### **STORAGE**

# **COSHH / Chemical Store**

The COSHH/Chemical Store has been specifically designed to safely store and control hazardous substances such as oils, paints and other site use chemicals. Strong, secure with extra large louvred vents and an integral bunded floor.



# Fully bunded base Non slip removable 🖌 Fully ventilated AAD Security doors Forklift pockets

Sizes available	Product Code:
8' x 5' / 2.4 x 1.5m	60630
10' x 8' / 3.0 x 2.4m	60640
20' x 8' / 6.0 x 2.4m	60645

mesh floor

PLEASE CALL FOR QUOTATION



#### PLEASE CALL FOR QUOTATION

# **Flammable Vaults**

Keep your flammable goods safely secured from harm in one of these heavy-duty vaults. Providing fire resistance for up to 30 minutes, these vaults fully comply with all regulations having fully welded sumps to prevent leakage and ventilation to avoid fume build up.

- Up to 30 minutes fire resistance
- Comply with all regulations on site
- Easy open access lid and forklift pockets

PORTABLE CABIN & WELFARE HIRE



🖌 5 lever deadlock system with high security locks

-	Specs
Internal Dimensions	1500mm x 605mm x 1185mm
External Dimensions	1585mm x 675mm x 1275mm
Weight	174kg
Product Code:	12670

PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388



# STORAGE

~

#### **Portable Gas Store**

For compliant storage of gas cylinders on-site or factories, this sturdy ventilated store provides the perfect solution. Suitable for most cylinder sizes, the unit is lockable against unauthorised access.



For outdoor installation Sturdy movable design Fully ventilated for compliance For outdoor installation Width Height S20kg Product Code: For outdoor installation Sturdy movable design Width S20kg Product Code: For outdoor installation Sturdy movable design Fully ventilated for S20kg





#### **Tool Charging Cabin**

Charging cordless tool batteries is safer and more



convenient using this innovative cabin. Eliminate lost or stolen batteries in the knowledge that batteries are being charged in a controlled environment. Individual lockers with individual RCD protection and an automatic fire suppression system provides the best possible protection to your site.



	Specs
Length	1220mm / 4ft
Width	1220mm / 4ft
Height	2377mm
Unladen Weight	620kg
Power Requirement	32Amp Appliance Inlet
Product Code:	60647

PLEASE CALL FOR QUOTATION



#### **SLEEPER CABINS**

Sleep-Space

**PORTABLE CABIN & WELFARE HIRE** 

Our stylish Sleep-Space cabins provide a portable, comfortable and cost-effective solution for circumstances where users need to stay on location during the dark hours or simply when you require quick and flexible night time accommodation for personnel.

#### Sleeper Cabin, Double - Diner Deluxe



Our Double Diner Deluxe Sleeper Cabin provides a practical and cost-effective solution to on-site sleeping when you require accommodation for workers, security staff or students. Finished to high standards with two full sized beds, storage space, en-suite bathroom, shower and kitchen dining area, you will be able to relax and be assured of a good night's sleep.



**Double Delux Sleep-Space** 



325

Product Code: 60236

# SLEEPER CABINS

#### Sleeper Cabin, Single Deluxe





The Single Deluxe Sleeper Cabin is the ideal solution for seasonal workers, students, security personnel or site staff that require sleeping accommodation when working away from home, on-site or in remote locations.

These uniquely designed units are ideal for single use applications or can be used in multiple situations where numerous personnel need quality sleep facilities, temporary or long-term.

Separate dining cabins can be supplied to compliment sleeper cabins, providing a quality cooking, eating and meeting space.

Each single Deluxe has a full-size bed, work desk / dining table, ample storage space and a fully equipped en-suite bathroom with shower.



All sleepers are fitted out to an exceptional standard with high levels

and thermostatically controlled heaters to keep out the winter cold.

High security doors and window

blinds are also a standard feature. Each unit comes with an en-suite

bathroom and shower with an ample

and storage space. You can be sure of a good night's sleep in a Sleep-Space

Unit, Comfortable, Warm and Secure!

warm water supply, towel warmers

of insulation, double-glazed windows








#### Standard features

- ✓ Full size beds
- Thermostatically controlled heating
- Fully fitted bathroom
- Shower
- 🖌 Heated towel rail
- ✓ USB charging
- Storage space
- Security doors & windows

PLEASE CALL FOR QUOTATION



Single Sleep-Space




**PORTABLE CABIN & WELFARE HIRE** 



#### **SLEEPER CABINS**

#### **Diner Cabin**





Eat-Space

The Eat-Space diner cabin was designed to complement our sleeper cabin range, providing a practical communal kitchen and dining area, away from the sleeping areas. Diner cabins provide quality cooking facilities along with a comfortable space to eat and relax.

Eat-Space Canteen Cabin Range

Each unit is equipped to the highest level with induction hob, oven, microwave and fridge alongside ample worktop and cupboard space. Comfortable seating is provided for up to 6 people with phone charging points conveniently located.







Product Code: 60237

**Size available** 12' x 10' / 3.6m x 3.0m





PLEASE CALL FOR QUOTATION





(J) CALL OUR HIRE DESK TODAY 0845 338 1388



Wel-Space Welfare Cabin Range

K Cabin offers the most comprehensive range of welfare cabins available in the marketplace, offering an instant solution to welfare compliance in any location. With mobile, static and van options available, we can cater for your needs regardless of the application.

With eco friendly alternatives and the choice of chemical or full flushing toilets, you can be guaranteed of comfortable and efficient facilities no matter where the location.



Road towable mobile welfare units are ideal if your work site is constantly on the move, providing comfortable facilities in minutes. Once towed into position, simply lower to the ground for increased security and convenience. Fully compliant, these units provide a fully self-contained welfare option with seating for up to 10 people.

Powered by a 6kVA silenced generator, all units include cooking facilities, hot and cold running water, flush toilet, canteen seating and an area for drying wet clothes.

The all-steel construction is designed with security in mind, keeping out unwelcome visitors.

# Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost

LAYOUT EXAMPLE:







Wel-Space Welfare Cabin Range

#### Standard Features

- ✓ Fully HSA & CDM compliant
- ✓ Fully equipped canteen with seating for 6 12 people
- Separate dry / changing room
- WC with full flushing chemical toilet
- ✓ Hot wash facilities with full forearm sink
- ✓ High security all-steel construction design
- $\checkmark$  Super-silenced diesel generator with remote start from the canteen
- Fully insulated interior & heavy duty floor covering
- ✓ Fresh water dispenser
- Electric kettle, microwave oven
- ✓ Fire extinguisher, First Aid kit
- ✓ Hydraulic ground lowering system c/w anti-theft operation

#### APPLICATIONS & USES

- 1 Initial Site Set-up
- Remote Locations
- 🚺 Site Security
- Roadworks
- Moving location regularly

- Instant site set-up ready for work
- 6 12 Person options available



#### **Onboard Facilities**



# Mobile Unit secured and fully operational in less than 5 minutes









#### **2 GOGREEN** ECO HYBRID OPTIONS available in all sizes

All welfare cabins are fitted with energy saving and noise reduction features as standard. Eco friendly hybrid versions are available to help reduce emissions and run costs. Efficient warm air heaters are fitted to some units, providing a comfortable environment without the need to run the generator to heat the cabin. Solar powered units are also available which allow battery power to run the cabin at off peak times and further reduce generator run times.



) CALL OUR HIRE DESK TODAY 0845 338 1388



6 - 8 Person Mobile Welfare Cabin




8 - 10 Person Mobile Welfare Cabin



10 - 12 Person Mobile Welfare & Office Cabin



**GOGREEN** ECO HYBRID OPTIONS available across the range





#### **Static Welfare Cabins**

The instant welfare solution, our range of static welfare cabins and Combo packages offer the ultimate in site facilities at short notice. No amenities or connections are required, simply arrive on site and you are ready to go. Various sizes are available with additional add on packages suitable for any number of personnel.

All units are powered by the latest economical generators with long run fuel tanks while eco / hybrid versions are available for environmentally sensitive areas or to help improve your carbon footprint.

- Instant site set-up ready for work
- 8 14 Person options available

#### **Onboard Facilities**



#### 8 Person Static Welfare Cabin

Well-space units offers a compact welfare solution and are instantly available whenever or wherever you need them. Ideal for initial site set-up or remote locations where no amenities are available. With canteen, dry room and toilets suitable for up to 8 workers, these units cover all the relevant HSA requirements.





- Compact yet comfortable for 8 people
- 🖌 Generous canteen
- Generator capable of powering other cabins or equipment

	8 Person
Cabin Dimensions	6 x 2.5m
Seating Capacity	8 person
Office Size	-
Generator	8kVA / diesel
Fuel Capacity	951
Generator Run Time	40 hrs
Drinking Water Capacity	201
Toilet Type	F / F Chemical
Product Code:	60670

#### 8 Person

# Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost

#### Standard Features

- Fully HSA & CDM compliant
- Fully equipped canteen with seating for 6 15 people


Wel-Space

Welfare Cabin Range

**A** 

- Office with desk & chair (24 & 32ft versions)
- ✓ Separate dry/changing room
- WC with full flushing chemical toilet (20 & 24ft units)
- WC with full flushing mains toilet (32ft unit)
- 🖌 Hot wash facilities with full forearm sink
- High security all steel construction
- Super-silenced diesel generator with remote start from canteen
- Fully insulated interior & heavy duty floor covering
- ✓ Fresh water dispenser
- ✓ Microwave oven & kettle
- 🖌 Fire extinguisher, first aid kit







#### 11 Person Static Welfare Cabin

Achieve your statutory welfare requirements for up to 11 people in comfort with our Wel-Space 24 cabin. This units comes with an office along with generous dry room and toilet areas. Power is provided by a 10kVA silenced generator capable of running 60 hours continually before refuelling.

10-point locking doors and all-steel construction offers peace of mind against theft or vandalism.

- ✓ Spacious Office
- ✓ All-steel vandal-proof design
- ✓ Generator capable of powering other cabins or equipment





Wel-Space Welfare Cabin Range

	11 Person
Cabin Dimensions	7.31 x 3m
Seating Capacity	11 Person
Office Size	1.8 x 3m
Generator	10kVA / diesel
Fuel Capacity	1301
Generator Run Time	60 hrs
Drinking Water Capacity	201
Toilet Type	F / F Chemical
Product Code:	60680

#### Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost











# **PORTABLE CABIN & WELFARE HIRE**

#### WELFARE CABINS

GOGREEN

Fco Version

Cabin dimensions

Seating capacity

Fuel tank capacity

Water tank capacity

Waste tank capacity

Office size

Generator

Toilet type

Product Code:

#### 14 Person Static Welfare Cabin - Solar Hybrid

With an efficient hybrid generator, solar panels and diesel heating system, this large welfare unit provides the ultimate in cost-effective and instant site accommodation solutions. Fully flushing mains toilets and large capacity water and waste tanks offer longer service intervals while the spacious office, canteen and dry room ensure comfort on site.

14 Person

9m x 2.9m

14 person

1.8 x 2.9m

F / F Mains

150

600l

760

60685

Diesel Hybrid 12.5Kwe

290.0ml 🖌 Solar hybrid power system Reduced fuel consumption Reduced emissions Reduced noise Full flushing mains toilets Hot and cold running water Spacious office

9000mr

Wel-Space Welfare Cabin Range

#### Waste removal & replenishment service can be provided

#### $\rightarrow$ PLEASE CALL FOR QUOTATION



Add further space to any hired static welfare cabin with one of our Combo packages. Options of additional dry room, canteen or office space are available to enhance your welfare set-up, powered by the initial unit.

Combo packages are simply connected on-site by our delivery crew and ready to use within minutes.



Add Office, Dry Room or Canteen space to your Static Welfare



CALL OUR HIRE DESK TODAY 0845 338 1388





334

Cabin & Welfare Hir



#### **Shower Blocks**

Our range of Shower Blocks come with anti-slip flooring, easy clean surfaces and individual power shower per cubicle, as standard. Various sizes are available for a range of applications.



	12′ x 10′	20' x 8'
Size (Metric)	3.5m x 3m	6m x 2.5m
Shower Cubicles	4	5
Wash Hand Basin	2	3
Product Code: 60700		
→ PLEASE CALL	FOR QUOTATION	

() CALL OUR HIRE DESK TODAY 0845 338 1388

# **PORTABLE CABIN & WELFARE HIRE**

# **TOILET & SHOWER CABINS**

#### **Deluxe Shower Units**



Designed in-house, these deluxe units offer the highest standard in temporary showers for event or site use. Individual cubicles provide privacy and convenience while maintaining an economic solution.

Multi shower units are powered by highly efficient boilers in a separate plant room, reducing power consumption while guaranteeing an ample supply of hot water.

- Energy efficient hot water system
- ✓ Warm air heating system
- Private cubicles
- Fold down bench seating
- Coat/towel hooks ~
- Bright easy clean surfaces ~
- Anti-slip flooring ~



Plant room in Shower Block



#### All Showers are fully HSA & CDM compliant

3000mm

x 3m 2.4	4m x 1.5m	
4		
4	1	
4		3' x 5' Sing
60700	60695	Shower Ur
	4 60700	

PLEASE CALL FOR QUOTATION



LAYOUT EXAMPLES:

Plant room Hot Water Boilers x2

14' x 10' 4 Person Deluxe Shower Unit

Showers x2

Bench Seating & Sink x2

1500mm

Bench Seating

Sink

2400mm

Showers x2

Bench Seating & Sink x2

CALL OUR HIRE DESK TODAY 0845 338 1388 )



#### **VIP Twin Shower**




2

hower



For sporting events, concerts or social occasions demanding a slightly more up market shower facility, this unit is ideal. Boasting 2 full privacy shower cubicles with high quality fixtures and fittings, your VIP's will appreciate the difference.



	11′ x 8′	🖌 Luxury finish
Length	2.44m	2 fully private cubicles
Width	3.25m	Sinks & seating
Height	2.66m	-
Shower cubical size	1.15m x 3.15m	
Power connection	32Amp 3 phase	
Product Code:	60697	

#### → PLEASE CALL FOR QUOTATION

#### **Decontamination Unit**



Decontamination Units provide separate changing areas for clean or contaminated clothing and central shower facilities.

- Separate dirty/clean changing areas
- Double shower/wash room
- Easy clean surfaces
- Personnel lockers





🖌 Water filter available

✓ Air cleaner/filter (400m³/hr) available

	20' x 8'
Size (Metric)	6m x 2.5m
Shower Cubicles	2
Wash Hand Basin	2
Product Code:	60710

→ PLEASE CALL FOR QUOTATION



() CALL OUR HIRE DESK TODAY 0845 338 1388


#### Site Amenities Cabin (Power / Toilets / Water)

This all-in-one cabin provides the perfect solution when amenities are required to supply power, water and toilet facilities for offices, canteens, or other accommodation on-site. Quickly deployed with easy connection points for power and water, this unit is ideal for events, remote locations, or emergencies where a prompt set up is required.

With high quality full flushing mains toilets, this unit is ideal for locations where recirculating or chemical toilets are not desired. Fresh water is provided from an 800I tank and a built in low level tank takes care of the waste.

A full waste removal and replenishment service is available to ensure your amenities always meet your standards.

- ✓ All-in-one Power / Toilets / Water
- Quick site deployment
- Power for numerous cabins or other requirements
- Quality full flushing mains toilets
- Large fuel tank for extended run times
- 🖌 Hot & cold running water
- Large capacity water & waste tanks



#### 14'6" x 10'





Additional charges apply for waste removal and water replenishment services with this unit

#### PLEASE CALL FOR QUOTATION

#### Self-contained Solar Toilet



GREEN

Eco Version

This unique toilet offers a practical and eco-friendly solution when sanitary facilities are required but no access to mains water, electric or sewage connection are available. Solar panels on the roof along with batteries provide enough energy for the lights and to power an efficient diesel heating system.

- Eco-friendly toilet solution
- Solar & battery energy system
- Efficient diesel heating & hot water system
- Very low fuel consumption & CO<sub>2</sub> emissions
- Fully flushing mains toilet
- Long run tank capacities



#### 8' x 8'6"

•••••••••••••••••••••••••••••••••••••••		
Length		2.4m/2.57m
Width		1.6m / 1.67m
Height		2.63m
Water tank capacity		4001
Waste tank capacity		5001
Fuel tank capacity		531
Toilet type		full flush mains
Solar power		480W
Hot water & heat fuel co	onsumption	50ml per hour
Run time on full charge		25 uses per day - 24 days (no solar)
Run time on solar	25 uses per	day - 240 days (March - September)

Product Code:

PLEASE CALL FOR QUOTATION

CALL OUR HIRE DESK TODAY 0845 338 1388



#### Standard 4 x 4



these fully flushing recirculating Toilets are operated by means of a hand pump and have a foot operated full forearm wash hand basin fitted as standard.			
	Specs		
Size	1.2 x 1.16m		
Height 2.32m			
Dry Weight	Weight 85kg		
Fully Flushing Standard			
Full Forearm Sink Standard			
Hot Wash Facilities	Optional		
Translucent Roof Standard			

Optional

225l 65l

60840

0850

Designed to meet the highest

hygiene and comfort demands

Includes Weekly Service

#### PLEASE CALL FOR QUOTATION

#### Disabled Toilet 5 x 5

Suitable for persons with reduced mobility, this toilet has also been designed to accommodate parents with their children.

Lighting

Waste Tank Capacity

Hand Basin Capacity

Product Code Standard 4 X 4:

Product Code Hot Water:

10 10		1	Size
			Heigh Dry W Fully Full Fe
		1	Hot W Trans Lighti
			Waste Hand Product

	Specs
	1.58m x 1.58m
ht	2.11m
Weight	112kg
/ Flushing	Standard
Forearm Sink	Standard
Wash Facilities	Optional
slucent Roof	Standard
ting	Optional
te Tank Capacit	t <b>y</b> 1101
d Basin Capacit	t <b>y</b> 651
ct Code:	60860

#### PLEASE CALL FOR QUOTATION



This unit offers similar features to a standard toilet but is designed for use in areas where vandalism is a concern but no mains connection is available.

	Specs
Size	1.2 x 1.2m
Height	2.20m
Dry Weight	245kg
Fully Flushing	Standard
Full Forearm Sink	Standard
Hot Wash Facilities	Optional
Translucent Roof	N/A
Lighting	Optional
Waste Tank Capacity	2251
Hand Basin Capacity	651
Product Code:	60870

PLEASE CALL FOR QUOTATION

#### **Outdoor Urinal**

Water Heater option

Mains version available

Anti-Vandal 4 x 4

This portable urinal can accommodate three users at once and can be connected directly to the mains or used independently. Combine it with your portable toilets during events or use to prevent urine damage in public areas where large crowds are gathered.

	Specs
Size	1.35 x 1.35m
Height	2.1m
Weight	110kg
Capacity	374
Product Code:	60880

PLEASE CALL FOR QUOTATION





# **PORTABLE CABIN & WELFARE HIRE**

# **TOILET & SHOWER CABINS**

#### **Service Information**



K Loo provides portable self-contained toilets for building sites and outdoor events where no mains facilities are available.

No mains water supply, drainage or power connection is required and all units are fully flushing with full forearm sinks fitted as standard. You can hire a single toilet or a large quantity, depending on your requirements.

#### Quality Service as Standard

Available for long or short term hire, all toilets are cleaned and serviced on a weekly basis to ensure the highest levels of hygiene and cleanliness.

- Serviced regularly to an agreed timescale
- Restocked with consumables when serviced
- ✓ Modern toilets rigorously steam cleaned and quality checked before delivery
- Delivered and serviced throughout Northern Ireland











#### Single Anti-vandal Mains Toilet



4' x 4' / 1.2m x 1.2m

For small building sites or remote industrial areas where vandalproof toilet facilities are required, these 4ft x 4ft units will fit into almost any corner.

- ✓ All steel construction
- 🖌 Full forearm sink
- ✓ Hot water & lighting option

# Product Code: 60720 PLEASE CALL FOR QUOTATION

#### **Double Mains Toilet**



#### Waste Tanks Integrated

For sites or areas where no sewage connection is available, a waste tank can be provided that locates neatly under the toilet cabin for connection to the waste pipes. Tanks are available with or without integrated steps. The integrated steps make it a practical all-in-one unit with easy access to the toilets.

Tanks are available in 3500 and 10000 litre sizes to suit the relevant toilet.

- Locates neatly under the toilet cabin
- Integrated steps included

# Waste removal & replenishment service can be provided

	8 x 4 Toilets	VIP / Executive Toilets
Length	3.3m	6.6m
Width	2.44m	2.85m
Height	0.51m	0.53m
Capacity	34471	99601
Product Code:	60956	60957





#### **Anti-vandal Mains Toilet Cabins**





Anti-vandal toilet blocks come in a range of sizes to suit most applications and can be provided in various male / female configurations to suit your requirements. Durable stainless steel fixtures and high quality finishes make these units easily cleaned providing a bright and hygienic area. Ideal for temporary use during renovations, larger building sites or events.

- ✓ Stainless steel sinks & urinals
- Heavy duty vinyl flooring
- 🖌 Easy clean surfaces
- ✓ Hot & cold water


- ✓ Full electric heating & lighting
- All steel construction
  - ✓ External connection sockets

	10 / 12' x 8'	16′ x 8′	20' x 8'	20' x 8'
Size (Metric)	3 / 3.5m x 2.5m	5m x 2.5m	6m x 2.5m	6m x 2.5m
<b>Toilet Cubicles</b>	2	3	5	3
Urinals	2	2	2	2
Wash Hand Ba	sin 2	3	4	4
Product Code:	60780	60790	60800	60820


#### LAYOUT EXAMPLES:

All Toilets are fully HSA & CDM compliant


For Waste Tanks see pages 137 & 340



12' x 8' 4 Man Toilet Block (4 + 2)



16' x 8' Male / Female Toilet Block (4 + 1)



20' x 8' Male / Female Toilet Block (5 + 1 or 5 + 2)



PLEASE CALL FOR QUOTATION

 $\rightarrow$ 

CALL OUR HIRE DESK TODAY 0845 338 1388

abin


**PORTABLE CABIN & WELFARE HIRE** 

#### **Anti-vandal Mains Toilet Cabins**

#### LAYOUT EXAMPLES:



	20' x 8'	28' x 10'
Size (Metric)	6m x 2.5m	8.4m x 3m
Toilet Cubicles	5	7
Urinals	0	6
Wash Hand Basin	5	7
Product Code:	60805	60810



#### **Disabled + Deluxe Mains Toilet**



For events or temporary applications, this Disabled Toilet Unit offers all the features of a permanent facility.

- ✓ Fully compliant fixtures
- Access ramp
- Grab rails & supports
- 🖌 Alarm light
- 🖌 Easy clean surfaces
- ✓ Hot & cold water
- Full electric heating & lighting

Size available

8' x 6' / 2.4m x 1.9m Product Code Disabled Toilet:

Product Code Deluxe Toilet:

#### All Toilets are fully HSA & CDM compliant



PLEASE CALL FOR QUOTATION





#### **Deluxe Mains Sanitary Toilet Cabins**









Available in 7m formats, these deluxe units are ideal for social events or for semi-permanent applications where you demand the highest standards and finishes. Spacious and with quality features, these units are suitable for providing temporary facilities at schools, hospitals or office blocks while still ideal for short-term events.

- Quality porcelain fixtures
- ✓ Heavy duty vinyl flooring
- Child friendly external doors
- ✓ Easy clean surfaces
- Hot and cold water
- ✓ Full electric heating & lighting
- External connection sockets

$\leftarrow$	7315mm >
<	Sinks 24' x 10' 8 Person Male or Female Toilet Block






PLEASE CALL FOR QUOTATION

	All Male 24' x 10'	Male / Female 24' x 10'	Male / Female 24' x 10'	Male / Female 12' x 10'
Size (Metric)	6.6m x 3.0m	6.6m x 3.0m	6.6m x 3.0m	3.5m x 3.0m
Cubicles	2	2/M4/D	2/M4/F	4 Unisex
Urinals	10	3	7	N/A
Wash Hand Ba	asins 6	3/M4/F	3/M4/F	4
Product Code:	60830	60830	60830	60825



For Waste Tanks see pages 137 & 340



) CALL OUR HIRE DESK TODAY 0845 338 1388

 $\rightarrow$ 

#### **TOILET & SHOWER CABINS VIP Toilet Cabins**







Our top of the range toilet cabins are fitted with plush fittings and a luxury level of finish suitable for the most prestigious events or special occasions. Designed with functionality in mind, the separate male and female areas are fitted with stylish and modern vanity sinks, porcelain sanitary-ware and hidden cisterns providing the look of a permanent luxury bathroom.

We're sure our modern luxury toilet will impress your guests and nobody will go home disappointed!

# Waste Removal & Replenishment service can be provided



	22' x 9'
Size (Metric)	6.6m x 2.9m
Cubicles	2/M4/D
Urinals	3
Wash Hand Basins	3/M4/F
Product Code:	60835

Plush fittings and luxury level of finish

Suitable for prestigious events and special occasions

#### Waste tanks - Integrated

For events, occasions or areas where no sewage connection is available, a waste tank can be provided that locates neatly under the toilet cabin for connection to the waste pipes. Platform steps can be provided to ensure easy access to the unit.

Tanks are available in 3500 and 10000 litre sizes to suit the relevant toilet.

Locates neatly under the toilet cabin



344





CALL OUR HIRE DESK TODAY 0845 338 1388

#### **Plus-Space Modular Sanitary Units**

A variety of modular toilet units are available to fit our Plus-Space building range.

Male, female or unisex sanitary configurations plus showers and disabled facilities can be included with any modular sectional building. These units further enhance the building, adding to the already high levels of comfort and quality.

- Sanitary units to add to your modular building
- A range of configurations are available
- High quality fittings and hygiene

#### LAYOUT EXAMPLE:





**Plus-Space** 

Modular Cabin Range

#### Portable Event Toilet Trailers

These unique portable toilet trailers provide an excellent solution for the prompt requirement of quality toilet facilities at events, social occasions, camp and caravan sites or emergency situations. The units boast luxury fresh flush toilets with full fold down access steps and lighting. The spacious and hygienic toilets offer the ultimate toilet experience that VIP users expect.

- Towable behind car or van
- Prompt set-up
- Luxury fresh flush toilets
- Spacious & hygienic



	Toilet Spec		2 Loo	3 Loo
Interior size	1160mm x 1090mm	GVW	2000kg	2000kg
Interior height	2110mm	Overall length	4.35m	5.0m
Weight	88kg	Width	2.1m	2.1m
Holding Tank ca	apacity 227	No. toilets	2	3
Sink capacity	761	Features	Full Steps	Full Steps
Product Code:	60890			••••••

#### PLEASE CALL FOR QUOTATION



#### 345

CALL OUR HIRE DESK TODAY 0845 338 1388



#### **TOILET & CABIN SERVICES**

#### Waste Removal & Replenishment Service

We are able to offer a liquid waste removal service, fresh water and diesel fuel delivery service to your site or facilities. Using one of our waste & water tankers, we can empty waste effluent or septic tanks, service welfare units and replenish fuel and fresh water if required.

This service can be provided on a regular pre-arranged, irregular or one-off basis and we will be happy to quote for servicing your own equipment, not just hired units.

- 🖌 Waste liquid removal
- Fresh water delivery (non-potable / non-drinking)
- 🖌 Fuel delivery
- 🖌 Chemical toilet waste removal
- 🖌 Toilet paper and soap replenishment



PLEASE CALL FOR QUOTATION













#### **CCTV SURVEILLANCE UNITS**



#### **Rapid Deployment CCTV Tower**

Our rapid deployment CCTV towers are designed to provide a monitored security system to any site or location at short notice. The 7m mast tower also provides an obvious deterrent to any potential intruder.

Fitted with high specification cameras and infrared motion detection technology, any intruders are detected and challenged via audio speakers signalled from the remote monitoring station. Customers will be alerted immediately of any compromise and advised of any action required.

Specs

12271111

Ideal for construction sites, events, festivals, isolated locations or anywhere that temporary monitoring is required, you can rest easy in the knowledge that your property and assets are protected.

- ✓ Full 24/7 monitoring service
- Direct link (non-monitored) option available
- Audio speaker or sound alarm options
- Installed and operational in minutes
- Recording capability
- Secure tamper proof tower
- Battery back-up power supply
- Up to 80% reduction in security costs

Length	1.1m
Width	1.1m
Closed Height	2.3m
Mast Height	2.5m -7m
Product Code:	60450

- Mains electric powered with battery back-up
- High definition Fixed IP camera or PTZ 360° options
- 4G or Wi-fi connectivity
- Invisible perimeter detectors
- Low battery alert
- IR night vision cameras with range of 50 200m

#### PLEASE CALL FOR QUOTATION







#### **Furniture & Auxiliary Hire**

A full range of high-quality furniture, accessories and optional extras are available to complement your hired cabins, providing you with the ultimate turn-key solution for your site set up.









#### **Adjustable Stairway**

Providing easy access to double stacked cabins, these durable stairways can be adjusted to suit your ground conditions and are simply attached to the cabin, forming a secure platform.



#### **Adjustable Steps**

For safe lower level access into cabins or platforms, these adjustable steps provide the ideal solution.

- 620 900mm platform heights
- 🖌 1000 x 1000mm platform
- 1000mm internal step width
- Fully galvanised



# Walkway Balcony

Access the upper level of stacked cabins safely. With anti-slip flooring, 1.1m high handrails and 1.2m wide platforms enter your cabins with ease.





CALL OUR HIRE DESK TODAY 0845 338 1388

ideal solution.

🖌 Low gradient



#### **Container Ramp, Low Level**

For loading containers at ground level, this heavy duty folding ramp is easily positioned and ready for use in seconds.



	Specs	
Capacity	8500kg	
Width	2.25m	
Length	2.03m	
Weight	275kg	_
Product Code:	50250	

#### PLEASE CALL FOR QUOIATION

#### **Lighting Columns & Brackets**

Simple and effective lighting columns and brackets are available which can be attached to your cabin in minutes.

- Double light bracket 0.5m ~
- 🖌 Wind up light column 7m
- Single or double 200W LED flood lights
- Attach to your cabin in minutes





Product Code: 60935

#### PLEASE CALL FOR QUOTATION

#### Waste Holding Tanks

5" inlet ports

Waste holding tanks can be supplied for your toilet, shower or canteen facilities providing a safe storage solution you can rely on. The flat design allows Tanks to be placed behind or underneath units allowing easy connection.



2100l li	3500l ntegrated	4200l	10000l Integrated
0.44m	0.51m	0.60m	0.53m
2.4m	2.44m	2.4m	2.85m
2.1m	3.3m	3.0m	6.6m
270kg	N/A	428kg	N/A
60950	60956	60953	60957
	0.44m 2.4m 2.1m 270kg	Integrated           0.44m         0.51m           2.4m         2.44m           2.1m         3.3m           270kg         N/A	Integrated           0.44m         0.51m         0.60m           2.4m         2.44m         2.4m           2.1m         3.3m         3.0m           270kg         N/A         428kg

Linking kit option available to double tank capacity

#### Waste Container Tank

For large volume waste requirements such as events or large scale sites, waste containers provide the ultimate solution. Waste can be pumped from sanitary cabins and later removed in bulk. Sners

		Spees	
Size	3m x w	2.5m x h 2.8m	
Weight	Empty	1560kg	
Capacity	y	100001	

Easy pumping and removal connection





# **PORTABLE CABIN & WELFARE HIRE**

# **AUXILIARIES & FURNITURE**

#### Waste Pumps

#### Portable Grey Water Pump

This fully automatic and efficient pump is ideal for handling sink, shower, washing machine or dish water waste water.



		Specs
Inlet size		1 ½″
Discharge size	1 1/4" /	32mm
Power	750W	/240V
Max head		8m
Max horizontal d	ischarge	80m
Max flow	12m³ pe	er hour
Size (mm) 660W	/ x 350W >	< 620H
Product Code:		60960

✓ Hosing & set-up available

#### **Portable Foul Waste Pump**

This fully automatic macerating system has 2 pumps to handle sewage in the event of inflow overload or failure of one of the pumps.



	Specs
Maximum WC's	8
Max flow	15m <sup>3</sup> per hour
Inlet size	1 x 4" / 100mm
Discharge size	2" / 50mm
Power	1500W/240V
Max head	10m
Max horizontal o	<b>lischarge</b> 105m
Size (mm) 790V	V x 590W x 970H
Product Code:	60960

- Discharge for up to 8 WC's
- Hosing & set-up available

#### Portable Foul Waste Pump (High Volume)

Ideal for major events or festivals and with double heavy duty cutting pumps and non-return system you are assured of maximum reliability.

D	
	0
	A A
	Contraction of the second seco

Discharge for up to 20 WC's
 Hosing & set-up available

	specs
Maximum V	<b>/C's</b> 20
Max flow	21.2m <sup>3</sup> per hour
Inlet size	1 x 4" / 100mm
Discharge si	<b>ze</b> 2" / 50mm
Power	5000W/3PH
Max head	33m
Max horizor	ital discharge 145m
Size	800W x 600L x 800H
Product Code:	60960

Snore

#### PLEASE CALL FOR QUOTATION

Water	Supp	ly Tanks
-------	------	----------

For locations where no mains water supply is available, water supply tanks provide a practical solution that can be refilled or taken to a suitable location for replenishment. Available with or without pumps.

Available with or without pumps.



	950l	2,000l
Weight Empty	290kg	650kg
Weight Full	1145kg	2650kg
Length	1.21m	2.92m
Width	1.21m	1.58m
Height	1.41m	1.34m
Product Code:	60980	60980

PLEASE CALL FOR QUOTATION

#### **On-demand Pumps**

On-demand pumps can be supplied with a water supply tank to provide a constant water pressure to your facility. Alternatively, on-demand pumps can be supplied separately for use with your own water supply.



()) CALL OUR HIRE DESK TODAY 0845 338 1388



#### Water Bowser

Use this Bowser to easily transport water to locations where no mains supply is available.



		Specs
Capacity	1100l	2000
Weight Empty	350kg	525kg
Weight Full	1500kg	2524kg
Length	3.5m	4.25m
Width	1.56m	2.20m
Axles	Single	Double
Product Code:	20470	20480

#### → PLEASE CALL FOR QUOTATION

#### **Boot Wash Station**

Keep your clean zones free from dirty work boots with these stand-alone Boot Wash Stations. Quick and easy to install, simply connect a water supply to allow up to 3 site operatives to use at once.



#### **Portable Hand Wash Stations**

These portable Hand Wash Stations are the ideal solution for sanitizing in the workplace, civic occasions or gatherings. Suitable for both indoor and outdoor use including construction sites, factories and offices.

- Hands-free infrared operation
- 🖌 Hot water
- Can also be self-contained to suit sites where no services are available



#### Product Code: 12620



#### **Temporary Levelling System**

This Temporary Levelling System is designed to support modular buildings where the site is not level and overcomes the requirement for traditional concrete foundations. The system also allows quicker and safer set up and avoids the need for remedial work.

- ✓ Quicker set up times
- 🖌 No ground works required
- Fully adjustable to overcome uneven sites

#### APPLICATIONS AND USES





#### **Ground Protection & Pedestrian Mats**



Ground Protection & Pedestrian Mats provide temporary access and ground protection for pedestrian or vehicle movement. These mats are easy to handle with pedestrian mats coloured to demarcate pathways etc. Ground mats can distribute loads of up to 60t and used as roadways or to form parking and turning areas.

- No ground preparation required
- Pedestrian mats coloured for demarcation
- Ground mats can distribute loads up to 60t

Easy to handle

G	round Protection Mats	Pedestrian Mats
Dimensions (W x H)	2.4m x 1.2m	1.2m x 0.8m (0.02m thick)
Weight	33kg	20g
Material	100% recycled PVC	100% recycled PVC
Product Code:	20290	20290

#### IDEAL FOR:

- Temporary Roadways & Pedestrian Walkways
- 🚺 Car Parks & Caravan Sites
- Event Access
- Civil Engineering & Construction Sites
- Golf Course & Sports Field Maintenance



PLEASE CALL FOR QUOTATION

#### **Temporary Fencing**



Large Fence Panels provide ideal security for any site, event or demarcation of a large public area. Panels are lightweight and easily handled allowing for quick set-up. Supplied with heavy duty rubber bases & couplers and wind bracing poles, if required.

- Can be supplied in labour saving stillages reduces damages & speeds up loading and unloading times
- Pedestrian and vehicle gates available

#### Large Fence Panels

3.5m x 2m	
24kg	
20kg	
25 = 746kg	_
20 = 896kg	
20220	
	24kg 20kg 25 = 746kg 20 = 896kg

#### **Pedestrian Fencing**

Ideally used for demarcation of large areas, providing guidance to pedestrians or to prevent access to work areas. these panels are free-standing, lightweight for easy handling and interlink, offering continuous fencing.

 Free-standing and easy to handle

Pedestrian Fence Pane	
Dimensions (W x H)	2.2m x 1.1m
Weight	15kg
Stillage	25 = 435g
Product Code:	20220

PLEASE CALL FOR QUOTATION





#### **Plastic Stacking Chair**

🖌 Durable PVC Chair Easy wipe surfaces Product Code: 61000

Desk

Product Code: 61020

# 🖌 Modern, stylish office desks Durable and easy to clean

#### **Desk Pedestal**

3 drawer lockable pedestal ✓ W420 x D600 x H630mm Product Code: 61070

#### **Canteen Table**

 Foldable, durable easy clean plastic table 🖌 W1800 x D750 x H750mm

Product Code: 61050

# Soft Stacking Chair

 Comfortable everyday chair For meeting and reception areas Product Code: 61000

🖌 1900mm x 1050mm

**Filing Cabinet** 

3 drawer lockable

filing cabinet

x H1010mm

Product Code: 61090 / 61100

**Kitchen Units** 

Convenient canteen

sink and cupboard

Over sink water

heater L 1200 x D 600 x H 900mm

Product Code: 61120

✓ W460 x D620

Product Code: 61030



#### **Operators Chair**

- Quality swivel operators chair
- Adjustable height, back and armrests

Product Code: 61010



#### **Office Table**

- Durable table for multiple applications
- Push together to provide larger working areas
- 🖌 1500mm x 750mm

Product Code: 61040

#### **Book Case**

5 shelf book case for files and documents ✓ W800 x D350 x H2000 Product Code: 61060



#### **Air Conditioning Units**

- Cool your office, room or shop in an instant
- Easy to operate in any environment

Product Code: 12070



#### PLEASE CALL FOR QUOTATION





# Bench Seat with Hooks

 Free standing cloakroom bench with coat hooks
 L 2000 x D 350 x H 450mm
 Product Code: 61160



Locker

Steel or mesh lockers

**Microwave Oven** 

800W quality microwave

Power Load 1270W

1.71 cordless kettle

2.4kW power

requirement

Product Code: 61140

**Kettle** 

in various sizes

W305 x D300

x H1850mm

Product Code: 61170



#### Wifi/Data Connection

 High speed satellite internet
 Continuous connectivity

✓ 4G router option

Product Code: 61195









#### **Racking & Shelving**

Multi-purpose storage racking, 3 shelves
 L2000 x D350 x H2000

Product Code: 61180



# Fridge






#### Extras




PLEASE CALL FOR QUOTATION





#### Furniture & Auxilaries for Sale

As an alternative to hiring your cabin furniture, we can offer a range of high-quality products for sale at competitive prices. Simply order your requirements and they can be delivered along with your hired cabins.



CALL OUR HIRE DESK TODAY

0845 338 1388



# PORTABLE CABIN & WELFARE HIRE

# **AUXILIARIES & FURNITURE**


#### 1200mm Bookcase **Desk Pedestal** 1600mm Bookcase 3 Drawer Lockable **Filing Cabinet** ILLER R. F. F. 0 COLUMN 1 W800 x D300 x H1600mm W800 x D300 x H1200mm W460 x D620 x H1010/1320mm • 600 or 800mm high · Adjustable shelves · Adjustable shelves Anti tilt mechanism Anti tilt mechanism · Steel shelf pins · Steel shelf pins • 30kg weight limit per drawer 30kg weight limit per drawer • Lockable, supplied with 2 keys • Lockable, supplied with 2 keys Prices on Application **Prices on Application Prices on Application Half Height Cupboard Full Height Cupboard** 1500mm Table • W800 x D600 x H727mm W800 x D415 x H1800mm • W1500 x D750 x H727mm • 18mm oak MFC E1 w 2mm edge • 25mm oak MFC E1 w 2mm edge • Bolt on Legs · Adjustable shelf, lockable doors Adjustable shelves, lockable doors • 18mm MFC · Steel shelf pins • Steel shelf pins Scratch resistant Prices on Application **Prices on Application Prices on Application Folding Plastic Table** Single Cloakroom Bench **Single Cloakroom Bench** 1200mm 1500m • W1520 x D410 x H1760mm • Durable easy clean plastic table W1220 x D410 x H1760mm 10 coat hooks 13 coat hooks · Foldable and easy to transport • W1800 x D750 x H750mm • Black lacquered wooden slats • Black lacquered wooden slats **Prices on Application Prices on Application Prices on Application**

CALL OUR HIRE DESK TODAY

0845 338 1388



**Prices on Application** 





# SERVICE

All Ireland agents for **Maeda Mini Cranes** 

# reating

CabinTec

# Agents for the CabinTec range

Please contact us for further details



359

CALL OUR HIRE DESK TODAY 0845 338 1388 )



# **POWER GENERATION HIRE**



OUR K POWER DIVISION SPECIALISES IN THE HIRE OF GENERATORS AND AUXILIARY EQUIPMENT FOR APPLICATIONS WHERE A RELIABLE SOURCE OF TEMPORARY POWER IS REQUIRED. WE OFFER A COMPREHENSIVE RANGE OF SILENCED GENERATORS FROM 10KVA TO 1250KVA ALONG WITH A RANGE OF ASSOCIATED PRODUCTS AND EQUIPMENT.

Silenced Generators	362-368
Specialist Generators	369-372
Generator Auxiliaries	373-377

# SILENCED GENERATORS 12-160KVA



# 6 - 10kVA Silenced Generators

These Diesel powered Silenced Generators are suitable when noise is a consideration. Ideal for working at night or in built up areas when you need a mobile power supply.

✓ Trolly mounted for easy handling



	6kVA	10kVA	
Generator Size	6kVA/5kW	10kVA/8kW	
Voltage	110/240V	110/240V	
Amps	16A & 32A	16A & 32A	
Engine	Diesel/Electric Start	Diesel/Electric Start	
Run Time/Approx	14.1 hours	15 hours	
Weight	196kg	388kg	
Product Code:	12820	12830	
PLEASE CALL FOR QUOTATION			

# 12 - 16kVA Multi-phase Generators

These single-phase units are ideal for powering site accommodation or for residential houses needing a temporary power supply.

- Multi socket outlets
- Road tow or static versions available
- All machines are silenced and fully bunded against spillage



Fuel Tank Capacity	1201	120
Fuel Cons. @ 50% Loa	ad 1.8l/hr	2.2l/hr
Fuel Cons. @ Full Load	<b>d</b> 3.7l/hr	4.4l/hr
Weight	684kg	906kg
Amps Output	32A	32A
<b>Volts</b> 415	V/240V/110V	415V/240V/110V
Average Noise Level	63dB(A) 7m	57dB(A) 7m
Product Code:	70100	70110
* NB: only one voltage can be u	sed at a time	

→ PLEASE CALL FOR QUOTATION




# **GOGREEN** ECO-FRIENDLY RENTAL PRODUCTS

KDM Hire are committed to protecting the environment and have developed the go green initiative to help customers choose the most Eco-friendly rental products for their tasks, thus helping to reduce CO<sub>2</sub> emissions and improve sustainability. Considerable technological advances have been made in battery and electrical power sources, providing greener alternatives but with similar performance to many traditional engine powered products. We have highlighted these products using the **GO GREEN** symbol throughout the catalogue to help you make the greener choice.


# Some of the many advantages of choosing GO GREEN products



Reduced CO<sub>2</sub> emissions



Safer & quieter to use



Less noise pollution

Reduced spillage or contamination



Look out for our **GO GREEN** products, options and benefits throughout the catalogue or contact us directly for further details.



OT 1



# **SILENCED GENERATORS 12-160KVA**

#### 20kVA Multi-phase Generators

Multi-phase units are suitable for running power tools or light machinery where no permanent power supply is available.

- Multi socket outlets are standard on all machines
- Switchable alternator to allow single or three phase supply available on some models
- Road tow or static versions available



	20kVA
Fuel Tank Capacity	70
Fuel Cons. @ 50% Load	2.9l/hr
Fuel Cons. @ Full Load	5.7l/hr
Weight	650kg
Amps Output	32A
Volts	415V/240V/110V
Average Noise Level	57dB(A) 7m
Product Code:	70120

PLEASE CALL FOR QUOTATION

# 30 - 40kVA Generators

Towable Generators in a range of sizes can provide instant power for emergency requirements or standby uses. Ideal for remote, hard-toaccess locations.

- Multi socket outlets and busbar connections are standard on all models
- All machines are silenced and fully bunded against spillage
- Road tow or static versions available



	30kVA	40kVA
Fuel Tank Capacity	601	661
Fuel Cons. @ 50% Load	3.8l/hr	4.2l/hr
Fuel Cons. @ Full Load	7.5l/hr	8.3l/hr
Weight	964kg	1146kg
Amps Output	50A	63A
Volts	415V/240V	415V/240V
Average Noise Level	56dB(A) 7m	56dB(A) 7m
Product Code:	70130	70140







# **POWER GENERATION HIRE**

# SILENCED GENERATORS 12-160KVA

# **60kVA Generators**

Ideal for light industry, agricultural or building sites where compact, quiet power is required. Integrated long-run fuel tanks avoid the need to refuel daily.

- Multi socket outlets and busbar connections are standard on most models
- $\checkmark$  All machines are silenced and fully bunded against spillage
- Skid mounted or road tow versions available

# 

	60kVA
Fuel Tank Capacity	5691
Fuel Cons. @ 50% Load	8.0l/hr
Fuel Cons. @ Full Load	14.8l/hr
Weight	2694kg
Amps Output	80A
Volts	415V/240V
Average Noise Level	59dB(A) 7m
Product Code:	70150

# 100 - 160kVA Generators

Our range of 100 to 160kVA silenced Generators provide reliable power for tasks such as events, supermarket standby applications and construction site work. Long run fuel tanks available on some models.

- Multi socket outlets and busbar connections are standard on all machines
- ✓ Bulk fuel tank valve & quick release connectors are standard
- All machines are silenced and fully bunded against spillage



	100kVA	150kVA	160kVA
Fuel Tank Capacity	631l	822	400
Fuel Cons. @ 50% Load	8.0l/hr	16.9l/hr	18.0l/hr
Fuel Cons. @ Full Load	21.0l/hr	28.8l/hr	28.3l/hr
Weight	2400kg	2601kg	2760kg
Amps Output	130A	200A	215A
Volts	415V/240V	415V	415V/240V
Average Noise Level	68dB(A) 7m	68dB(A) 7m	68dB(A) 7m
Product Code:	70160	70180	70180






PLEASE CALL FOR QUOTATION

) CALL OUR HIRE DESK TODAY 0845 338 1388



# SILENCED GENERATORS 200 - 1250KVA



### 200 - 275kVA Generators

These highly efficient Generator Sets offer outstanding performance for peak power demands or for larger industrial use. Ultra quiet versions are available for noise sensitive areas while other options include synchronisation and AMF control panels.

- Synchronised models available (Uninterruptible Supply) see page 369
- ✓ Various options available including 24 hour run tanks and multi socket outlets

	200kVA	250kVA
Fuel Tank Capacity	1004	1004
Fuel Cons @ 50% Load	27l/hr	26.1l/hr
Fuel Cons @ Full Load	44l/hr	52.2l/hr
Weight	3044kg	4900kg
Amps Outlook	275A	325A
Volts	415V	415V
Average Noise Level	67 dB(A) 7m	69 dB(A) 7m
Product Code:		70190





# SILENCED GENERATORS 200 - 1250KVA

#### 300kVA - 400kVA Generators

Powered by the latest low emission engines, our range of larger generators are specially designed for demanding commercial projects and industrial applications. Standard features include bunded fuel tanks, forklift pockets and variable earth leakage protection.

- Synchronised models available
- 🖌 Super silenced
- Easily connected to long run tanks
- 🖌 Fully bunded against spillage

	300kVA	350kVA	400kVA
Fuel Tank Capacity	631l	8801	1800
Fuel Cons. @ 50% Load	32.3l/hr	38.8l/hr	50.2l/hr
Fuel Cons. @ Full Load	64.9l/hr	74.9l/hr	100l/hr
Weight	4230kg	4960kg	7800kg
Amps Output	350A	505A	690A
Volts	415V	415V	415V
Average Noise Level	69dB(A) 7m	71dB(A) 7m	69dB(A) 7m
Product Code:			70250



# 500kVA Generators

Designed to achieve maximum noise reduction and enhanced cooling, our 500kVA super silent generators are suitable for a range of applications where noise pollution is a concern such as events or inner-city environments. All units are fitted with quick release fittings for easy connection to bulk fuel tanks while specialist fuel filters allow replacement while running.

All 500kVA set are fitted with Deepsea 8610 synchronisation panels to allow connection to similar sets. All units are full bunded against spillage and come with forklift pockets for easy placement on site.

	500kVA
Fuel Tank Capacity	1800
Fuel Cons. @ 50% Load	50.2l/hr
Fuel Cons. @ Full Load	100l/hr
Weight	7800kg
Amps Output	690A
Volts	415V
Average Noise Level	69dB(A) 7m
Product Code:	70350

- Synchronised models available
- Super silenced

- Easily connected to long run tanks
- ✓ Fully bunded against spillage



CALL OUR HIRE DESK TODAY 0845 338 1388

MACGEN

# SILENCED GENERATORS 200 - 1250KVA

#### 600 - 1250kVA Generators

Suitable for applications within heavy industry or marine operations, these Perkins or Cummins Powered Generators provide a reliable power source for the most arduous of tasks. These robust containerised sets offer easy access for service or inspection with bunded floors for spill containment. Internally mounted synchronisation and AMF control panels are standard features on these machines.

Synchronised models available

✓ 800 - 1250kVA units are ISO containerised

	700kVA	1250kVA	
Fuel Tank Capacity	12001	1000	
Fuel Cons. @ 50% Load	79.6l/hr	112.0l/hr	
Fuel Cons. @ Full Load	150l/hr	250l/hr	
Weight	13400kg	17990kg	
Amps Output	1050A	1600A	
Volts	415V	415V	
Average Noise Level	72dB(A) 7m	72dB(A) 7m	- 23 (
Product Code:		70400	





Generator Rental



#### Synchronised Generators for Uninterruptible Supply



For critical applications where it is essential you have a continuous power supply, we can offer a range of synchronised units to ensure you won't be let down. Provided in pairs, Generators are linked so that in event of failure your power supply continues seamlessly. Applications include music concerts or vital construction. Fully qualified engineers can be provided to install and supervise the equipment during peak periods.

#### APPLICATIONS AND USES:

0845 33

Vital services & hospitals
 Emergency relief
 Music concerts
 Industrial shutdowns

Critical applications

#### Synchronising & Load Sharing Control System

The latest technology in generator Synchronising is fitted to a range of machines to allow full synchronisation, load sharing and auto start, enhancing multi-Gen-set control.

Product Code:	Size	Module	Capability
70180	150kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70190	250kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70250	400kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70350	500kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70400	700kVA	Deepsea 8610	Synchronise / load sharing / Auto-start

PLEASE CALL FOR QUOTATION



RGN159

Power

nerator Rentals

45 338 1386



Power

845 338 1388

D250P2

 $\rightarrow$ 



# **Gen-Safes**



These secure units offer protection to the generator against theft or vandalism on remote or vulnerable sites. The unique design also provides protection to the environment from spillage and excessive noise while providing suitable ventilation for the generator. Large bunded fuel tanks extend the run time of your generator allowing refuelling intervals of up to four weeks.

- Long run fuel tanks allow up to 4 weeks between refuelling, providing a very reliable power supply
- Fully bunded providing protection against all fluid spillage
- ✓ Super silenced very quiet running with noise levels below 70dBA @1m
- High security all steel construction and high security doors guard against theft and vandalism
- Ventilated designed with louvre type air vents for adequate and compliant generator ventilation
- Accessible with side and front entry doors, the generator and fuel tank are easily accessible for generator maintenance and tank refuelling ~

Power



40kVA unit

Generator Sizes Available	Safe Size
13 - 20kVA	1.8m x 1.5m
30 - 40kVA	3.0m x 2.5m
60 - 150kVA	4.0m x 2.5m
Product Code:	70510



370

PLEASE CALL FOR QUOTATION

This multi purpose unit allows fitment of standard generators from 60 - 150kVA

#### **Battery Power Units**

Meet your green targets by simply linking the Hybrid Battery Power Unit to an on-site generator and let the hybrid technology regulate power consumption on demand. When there is a low demand for power or the battery bank is fully charged, the generator will automatically switch off allowing the batteries to supply the power. When the battery runs low or demand for power increases, the generator automatically starts to recharge. The Hybrid Power Unit efficiently stores spare energy when the generator is running to use later when the generator can be turned off. Less fuel consumed saves cost. Burning less fuel creates less emissions and your neighbours enjoy peace and quiet from a reduction in noise.

Less fuel consumption

**HIGREEN** 

- Less noise pollution Can connect to Solar Kit
- Reduced emissions
- Reduced CO<sub>2</sub>

# **MEET YOUR GREEN TARGETS**





Hybrid Power Unit











LESS POLLUTION

Saves 266 litres or 70.3 gallons per week

SAVE

FUEL



Reduces CO<sub>2</sub> emissions by up to 818kg (26.3lbs) per week



ER GENERATION HIRE

Site requirement

GOGREEN Eco Vorcion

Add Solar

less fuel

CALL OUR HIRE DESK TODAY 0845 338 1388

Kit for even

consumption

& enhanced

performance

	Specs
Output	45kVA
Battery	90 kWh
Passthrough Capaci	ity 100A per Phase
Inputs	125A/415V
Outlets	125A/415V
	32A/415V
	3 x 52A / 240V
Weight	4000kg
Dimensions	L 2010mm / W 1200mm / H 2000mm
Product Code:	70520

PLEASE CALL FOR QUOTATION



# **Solar Kits**

Reduce your fuel costs and harmful emissions while doing your bit to help save the environment. Solar kits are available for integration with a range of our cabins, battery power units and hybrid lighting towers. Kits come in 2 formats, small fold-out systems or platform mounted versions suitable for placing on the roof of a cabin or simply setting on the ground. Easy to maintain and install, the kits offer an eco-friendly assistance and back up to traditional energy sources.

# Large ISO Kit

		Specs
🖌 Quick set-up	Power output (max)	2400W 6 x 400W panels
🖌 ISO locking points	Length	6.05m
✓ Roof or ground mounted	Width	2.42m
Stackable	Height	0.5m (1.55 raised)
✓ Forklift pockets	Max solar angle	35°
✓ Lifting eyes	Solar Lifting system	Manual (mechanical)
	Weight	768kg
2 🕐	Product Code:	70525

- 1 Reduce fuel costs
- 1 Reduce noise & pollution
- 1 Plug & Play system
- **i** Cabin roof or ground kits
- 1 Small fold-out kits
- **1** Combine with other power sources
- Ideal for hybrid battery power systems

NEW

# Small Fold-out Kit

**GOGREEN** Eco Version

🖌 Quick set-up	Power
<ul> <li>Compact sliding des</li> </ul>	
🖌 Forklift pockets	Width
	Heigh
	Max s
	Solar l


Weigl

r output (max) h	900W 3 x 300W
t	1.22m (3.1m exte 0.9m (1.7m
olar angle lifting system nt	Gas
Code:	



PLEASE CALL FOR QUOTATION





# **Bulk Fuel Tanks**

For long run requirements, these fully bunded tanks can be coupled to a generator or heater providing a hassle free fuel supply. All tanks are UN approved for transport on the public highway and comply with PPG2 regulations. Extra large tanks are now available for larger generators or for feeding two or more machines from one fuel source.

✓ All tanks are fitted with a secure lockable access hatch as standard

Tank Size	450	900	2000	2500	6200	7500
Tank Size (gal)	100	200	450	560	1400	1540
Length (m)	1.45	1.27	2.55	2.3	3.0	2.4
Width (m)	0.8	1.25	1.16	1.45	2.45	2.4
Height (m)	0.9	0.95	1.26	1.45	1.85	1.3
Product Code:	20380	20390	20400	20400	20410	20410





→ PLEASE CALL FOR QUOTATION

CALL OUR HIRE DESK TODAY 0845 338 1388



#### **Mobile Fuel Bowser**



When transporting bulk fuel to site, these Tandem Axle Fuel Bowsers allow you to do so in a safe, legal manner. This Fuel Bowser is fully bunded and compliant with all road towing regulations. Can be used for refuelling or connection to static equipment.



#### AdBlue versions available



		specs
Capacity	950l / 250gal	2000l / 400gal
Weight Empty	750kg	1497kg
Weight Full	1.75t	3.5t
Product Code:	20440	20450

#### → PLEASE CALL FOR QUOTATION



#### **Noise / Acoustic Barriers**

The Echo Barrier is a temporary and portable solution that offers noise reduction and absorption for building sites, demolition works or events that need to manage noise levels. Ideal for urban site work or environmentally sensitive areas, simply fit to site fencing or scaffolding. Water, fire and temperature resistant, these lightweight and barriers are easy to install by a single operator.

Specs

5.3kg

43dB

99%

12690

2050mm x 1335mm

- Simply fit to site fencing or scaffolding
   Dimensions
- Up to 43dB noise reduction
- Easy to install by a single operator
- Ideal for events or urban construction sites

PLEASE CALL FOR QUOTATION

Weiaht

Product Code:

Max Noise Reduction

Max Noise Absorpsion



#### Cabling

A full range of Cabling is available to complement our generator sets. Larger cable assemblies are supplied on heavy duty drums to assist installation on site.

Large assemblies supplied on heavy duty drums

Cable Size	Length (m)	Phase	Output (A)	Cable type	Product Code:
6mm Cable Assembly	5, 10 or 20	Single or Three	16	Sy Flex	70610
10mm Cable Assembly	5, 10 or 20	Single or Three	32	Sy Flex	70620
16mm Cable Assembly	5, 10 or 20	Single or Three	63	Sy Flex	70630
35mm Cable Assembly	5, 10 or 20	Single or Three	125	Sy Flex	70640
50mm Single core cable, 5 No	10 or 20	Three	160	Tri-rated	70650
95mm Single core cable, 5 No	10 or 20	Three	260	Tri-rated	70660
185mm Single core cable, 5 No	10 or 20	Three	400	Tri-rated	70670
300mm Single core cable, 5 No	10 or 20	Three	630	Tri-rated	70680





# PLEASE CALL FOR QUOTATION

# **Cable Connectors**

Power Lock Connector Kits and IP67 Jointers are available for longer run applications and to help ease of set up.



#### **IP67 Lug Jointers**

Small	Cable size 35 - 120mm (set of 5)
Large	Cable size 120 - 300mm (set of 5)
400A	Tail Length 3m

Product Code:

70600

# PLEASE CALL FOR QUOTATION

#### **Cable Protectors**

Protect your Cables from traffic or other potential damage with these heavy duty clip together protectors. Ideal for public events or building sites.



CALL OUR HIRE DESK TODAY 0845 338 1388



375

#### **Distribution Boxes**

A full range of Power Distribution Boxes are available for a variety of applications including the film, event and entertainment industries. These durable rubber boxes minimise set up time on site and provide a safe and reliable power distribution system in all weather conditions. All boxes comply with UK and European regulations and are fully MCB / RCD protected.

#### 32A x 6 x 16A



Output 6 no. 16A 1PH sockets Product Code: 70530

#### 63A x 6 x 16A/32A



Input 63Amp 3 phase inlet socket Output 3 no. 32A 3PH + 3 no.16A 1PH sockets Product Code: 70550

#### 125A x 4 x 32A/63A



Input 125Amp 3 phase inlet socket Output 2 no.32A 3PH + 2 no. 63A 3PH sockets Product Code: 70560 32A x 3 x 32A



32Amp 3 phase inlet socket Output 3 no. 32A 1PH sockets Product Code: 70530

#### 63A x 15 x 16A/32A



63Amp 3 phase inlet socket Output 3 no. 32A 1PH + 12 no. 16A 1PH sockets Product Code: 70550

#### 400A x 4 x 63A/125A



Input 400Amp 3 phase powerlocks Output 2 no. 63A 3PH + 2 no. 125A 3PH sockets Product Code: 70560

CALL OUR HIRE DESK TODAY 0845 338 1388

63A x 6 x 32A



63Amp 3 phase inlet socket Output 6 no. 32A 1PH sockets Product Code: 70550

#### 125A x 21 x 16A/32A



Input 125Amp 3 phase inlet socket Output 12 no. 16A 1PH + 6 no. 32A 1PH + 1 no. 63A 3PH + 2 no. 32A 3PH sockets Product Code: 70560

A full range of Cabling is available to complement our generator sets. Larger cable assemblies are supplied on heavy duty drums to assist installation on site.



376

# **Changeover Panels**

Automatic and manual Changeover Panels are available in a variety of sizes to suit our range of generators.

#### Panel Types Available

- AMS/ATS Auto Changeover Panels
- Manual Changeover Panels
- 🖌 2 wire start Auto Changeover Panel





	AMS/ATS Auto	Manual	2 Wire Auto-Start
Sizes available	250 - 400A	250A	250 - 400A
Product Code:			70580
🔶 PLEA	SE CALL FO	R QUO	TATION

#### Site Transformers

These heavy duty step-down Transformers reduce 240V or 415V power to 110V output for safe use on site. Ratings are not continuous.



	3kVA	5kVA	10kVA/1PH	10kVA/3PH
Outlet Sockets Weight	16A & 32A 25kg	16A & 32A 41kg	16A & 32A 84kg	16A & 32A 90kg
Product Code:	12840	12840	12850	12850

#### PLEASE CALL FOR QUOTATION

# Load Bank

Load banks are used to test power supplies and can replicate working load conditions to provide a rigorous test for commissioning or proof loading. Full data reporting is available via a link to a PC or hand terminal.



→ PLEASE CALL FOR QUOTATION					
Product Code:	70570				
Average Temp Rise	920				
Air Flow	6.5m <sup>3</sup>				
Weight	950kg	available			
Nominal Capacity	500kW	✓ Full data reporting			

# **Portable EV Charger**

With more electric cars on the road this portable charger is ideal for sites or temporary applications. Easy to set up and safe to use, this 11kW charger provides a fast 3 phase charge.

🖌 Single Car Charger 11kW charge



		specs
Charge	e Rate	11kW
Input		16A 400W
Size	L365 x W275	5 x H605 mm
Product	Code:	70565

Product Code:

PLEASE CALL FOR QUOTATION



NEW



Road

-

YN69 VDP

Vehicle Rental

!

6 3350 talam

# **VEHICLE HIRE**



ALL ROAD VEHICLE HIRE OFFERS A COMPREHENSIVE RANGE OF VANS AND COMMERCIAL VEHICLES UP TO 3.5 TONNES. OFFERING FLEXIBLE HIRE OPTIONS, THE LATEST AND MOST EFFICIENT MODELS AND VEHICLE BRANDS, PLUS A PROFESSIONAL AND FRIENDLY SERVICE. WE GUARANTEE YOU A HASSLE-FREE RENTAL EXPERIENCE.

Vans	382-386
Pick-Ups & Tippers	387-388
Utility Vehicles & Buggies	389-390
Vehicle Mounted Lifts	391-393

# **HIRE OPTIONS**

Choosing the right hire option for your vehicle couldn't be easier. We offer flexible terms from 1 day to 5 years to keep you on the road throughout the year.



# Flexible -**Short Term Hire**

For immediate or periodic needs

# Flexibility with no Commitment

Short-term hire is ideal if you require vehicles for immediate or periodic needs. You can hire for 1 day or a few months depending on your requirement. You may have a vehicle off the road, need a specialist vehicle for a specific task or simply have a short-term demand for additional vehicles. Whatever the reason we can provide the solution, personal or business.


#### Short-term Rental - Days or Weeks

- For Immediate or periodic needs
- Competitive daily or weekly rates
- Sull range of vehicles offered on short term rental
- No minimum hire periods
- Onlimited mileage (up to 1 month's hire)
- O The longer you keep it, the more competitive it becomes
- Maintenance, tyres & road tax included
- Breakdown cover included as standard (T's & C's apply)





**CALL OUR HIRE DESK TODAY** 0845 338 1388





# **Contract** -Long Term Hire



For predictable needs without commitment

# Flexible Long Term or Contract hire

Our flexible long term hire option is ideal if you require vehicles to meet your medium or long-term needs. It offers an alternative solution to owning or leasing vehicles without the commitment, maintenance and disposal hassles.

Whether you require vehicles for seasonal volumes or a contract you have undertaken, our flexible terms give you all the benefits without the risk while allowing you to budget your monthly costs. Prices are fixed at the beginning of the hire depending on the duration, mileage and type of vehicle. An experienced account manager will support you throughout the duration of the hire and to ensure you always have the right vehicle to keep your business running smoothly.

- For predictable needs without commitment  $\bigcirc$
- No long-term contract or upfront payments
- Competitive fixed rate for the duration
- Vehicle can be branded in your corporate livery
- Easy to budget your monthly costs.

- Full maintenance & inspection schedule included
- Free replacement vehicle during maintenance
- Know that your vehicles are always maintained
- No early termination charges (T's & C's apply) 0
  - Generous mileage allowance









### **Small Vans**

Ideal for business and commercial use, all our small vans offer the latest features and driver comforts plus fuel efficient engines. Providing around 3.2m<sup>3</sup> of load space (depending on model) they are great for a range of applications including parcel delivery, tradesmen, professionals or retail tasks.



•••••••••••••••••••••••••••••••••••••••		••••••	••••••••••••••••••••••••••
Load Length	1.8m	Overall Height	1.8m
Load Height	1.25m	Overall Width	1.83m
Load Width	1.7m	Cubic Capacity	3.3m <sup>3</sup>
Overall Length	4.38m	May vary depending	g on model

Specs

Product Code: 80100

# PLEASE CALL FOR QUOTATION

# **Medium Vans**

Our range of medium sized vans provide a versatile solution for transporting larger items when the load capacity of a small van just isn't enough. These vans typically offer up to  $6m^3$  of load space and can handle up to 2.8m material lengths (depending on model). Efficient, practical and ergonomic, these vans are a great all-rounder.



Product Code: 80200

PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388

#### Large Vans

With larger payloads and load space our range of larger vans make them the perfect choice for your business needs. With easy loading side and rear doors, moving your goods was never simpler.

Our range of modern vans provide high levels of comfort and specification. taking the strain out of your day.



#### Product Code: 80300

Load Height

Load Width

#### PLEASE CALL FOR QUOTATION

#### Extra Large (Jumbo) Vans

Transporting long goods or bulky items? Limit your number of trips when moving your goods, ideal for multi drop deliveries.

With impressive load space in all dimensions including between the wheel arch's and interior height, you'll be amazed what you can fit in.



Load Height	2m	Overall Width	2.4m
Load Width	1.78m	Cubic Capacity	15.1m³
Overall Length	6.7m	May vary dependin	g on model

Product Code: 80400

Load Length

#### PLEASE CALL FOR QUOTATION

# **Double Cab Panel Vans**

Transport your team in comfort alongside your tools and materials. Our double cab vans offer a practical, spacious and versatile solution, providing a flexible load space behind a secure bulkhead. A light spacious cabin environment ensures everyone arrives fresh and ready for the day ahead.



Load Length	1.74m	Overall Height	1.97m
Load Height	1.38m	Overall Width	1.99m
Load Width	1.78m	Cubic Capacity	4m³
Overall Length	5.39m	May vary depending	on model

Product Code: 80500

# PLEASE CALL FOR QUOTATION

# Minibus, 9 Seater

With safety and comfort paramount, our range of Minibusses provide space for up to 9 people to travel in style. With wide opening side doors and considerable room for luggage these vehicles are great for tours, crew vans or VIP transportation.



Load Length	2.59m	Overall Height	1.97m
Load Height	1.4m	Overall Width	2.28m
Load Width	1.66m	Cubic Capacity	6m <sup>3</sup>
Overall Length	5.4m	May vary depending	g on model

Product Code: 80600

PLEASE CALL FOR QUOTATION



#### Luton (Box) Vans c/w Tail Lift

The easy to drive solution for larger loads, yet nimble and durable enough to cope with multi drop distribution. Ideal for bulky goods, house moves or office removals, these vans will handle furniture or white goods with ease. The tail lift takes the strain and increases safe loading and offloading your goods.

		Van Hur	Specs
Load Length	4m	Overall Height	3.1m
Load Height	2.2m	Overall Width	2.5m
Load Width	2m	Cubic Capacity	19.4m³
Overall Length	6.7m	May vary dependin	g on model
Dreduct Coder			00700

Product Code:

80700



# Curtain Side Vans c/w Tail Lift

Providing safety and protection for your goods the curtainsider van provides an easy solution for easy pallet handling or longer heavier goods. All vehicles are fitted with a tail lift for ease of loading and increased safety.



Load Length	4m	Overall Height	3.1m
Load Height	2.2m	Overall Width	2.5m
Load Width	2m	Cubic Capacity	19.4m³
Overall Length	6.7m	May vary depending	g on model
·····			

Product Code:

80700



384

# VANS Welfare Vans



Welfare facilities and mobility - all in one - the latest concept in site facilities. These fully compliant vehicles are the perfect solution when you require welfare facilities for highway maintenance, utilities work, green field or remote sites.


The Welfare Van provides seating with three point seat belts for up to seven people, a dedicated canteen area with microwave, sink and water boiler plus a fully flushing WC in a private toilet area. The unit also boasts a drying area, a full size sink with hot and cold running water plus adequate storage space for hand tools and equipment.

Welfare vans are based on a long wheel base, high roof 125 PS Ford Transit. To ensure your comfort and flexibility all vans are fitted with reverse alarms, full central locking and tow bars.

#### **On-board Facilities**







Product Code:

Plan and dimensions are for illustrative purposes only

Measurements are based on standard Ford Transit 350 L3 Diesel 4WD (2019) 2.0 EcoBlue 130PS H2 Litre Van





80800

0 -



Suitable for perishable goods or simple cooling duties, our refrigerated vans are ideal for a range of applications. With operating temperatures of between +3° and -18°, high performance insulation and finishes, you can be sure your merchandise will arrive in the right condition.

An electric plug-in option is available to allow cool storage when the vehicle is not operational.

Ability to heat & freeze products to  $+ 20^{\circ}$  or  $- 20^{\circ}$ ~

Overnight standby plug-in option



Product Code:



PLEASE CALL FOR QUOTATION

# Large Fridge Van



With a 1.7m walk in height and over 2.8m long this van provides ample space for your goods. Fully Temperature controlled with capability of  $+20^{\circ}$  to  $-20^{\circ}$  allows the transport of a variety of products.

- Ability to heat & freeze products to + 20° or 20°
- Split compartments available to allow different ambient temperatures
- Overnight standby plug-in option
- Refrigeration telematics & data printing option available



Internal Length	2.82m	Overall Height	2.83m
Internal Width	1.6 / 1.3m <sup>Between</sup> arches	Overall Width	2.11m
Internal Height	1.7m	Operating Temp	$+20^{\circ}$ to $-20^{\circ}$
<b>Overall Length</b>	5.53m	May vary depeno	ling on model



# **PICK-UPS & TIPPERS**



# 4 X 4 Pick-ups, Double Cab

Travel to and from site in comfort knowing that once you arrive your vehicle will handle the toughest conditions. Our modern fleet of double cab pick-up trucks offer the latest features and most fuel-efficient engines.



Load Length	1.5m	Overall Height 1.8m
Load Width	1.6m	<b>Overall Width (mirrors folded)</b> 1.85m
Overall Length	5.3m	May vary depending on model
Product Code:		81200

Product Code:



Range of Hardtop Canopies, Covers, Roof Racks & Accessories available

PLEASE CALL FOR QUOTATION  $\rightarrow$ 



)


CALL OUR HIRE DESK TODAY 0845 338 1388



# **PICK-UPS & TIPPERS**

#### **Tipper Pick-up 3.5T**

Highly versatile, these tippers provide the ideal solution for a range of Highly versatile, these tippers provide the ideal solution for a range of applications including groundworks, landscaping and construction where you need to shift bulk loose materials. High tipping angles ensure all goods are off loaded while drop side allow easy loading from the side.



Easy side loading of heavy goods, large payloads and the addition of a tail lift are some of the benefits that come with these drop side pick-ups. The ideal solution for engineering, manufacturing or plant hire companies.



# Tipper Pick-up Double Cab 3.5T



Transport your team in comfort alongside your tools and materials. Our double cab vans offer a practical, spacious and versatile solution, providing a flexible load space behind a secure bulkhead.

			specs
Load Length	2.67m	Overall Height	2.37m
Load Width	2.02m	Overall Width	2.08m
Overall Length	6.1m	Payload	989kg
Product Code: 81000		May vary depend	ling on model



PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388





388

# **UTILITY VEHICLES & BUGGIES**



A range of Utility Vehicles and Buggies are available for hire to suit most requirements. Whether you need to get tools to a remote site, personnel transportation or simply getting goods around your event, we have a vehicle to suit your needs.

Diesel, Petrol or Electric powered vehicles are available along with a range of sizes and specifications depending on your needs.

Buggies are the ideal solution for lots of different applications from moving people around large campuses to simply providing a convenient means of transport for security personnel around your event.

- Golf Courses, Parks & Playing Fields ~
- Events, Festivals & Social Occasions
- Holiday Resorts and Hotels
- Caravan & Camping Parks
- Universities, Colleges & Schools
- Concert Venues & Sport Stadiums
- Country Estates & Farms

#### 4 x 4 Work Utility Vehicle

When your work involves moving people and cargo across uneven terrain, these all terrain utility vehicles provide the perfect solution. With a powerful diesel engine and 4 wheel drive, you're guaranteed to get the job done comfortably and efficiently.



Power	854cc diesel 21hp		
Payload Capa	acity	635kg	
Cargo Capacity		454kg	
Velocity	0-52kr	nh/32mph	

**Touring Capacity** 680kg Weight 788kg Dimensions 1.57 x 3.02 x 1.9m May vary depending on model

Product Code: 20330

PLEASE CALL FOR QUOTATION



CALL OUR HIRE DESK TODAY 0845 338 1388



# **UTILITY VEHICLES & BUGGIES**

# Utility Buggy

Easy to step in and drive with capacity for handling your goods or materials. Ideal for parks, events or maintenance around large industrial sites.

- Electric or petrol options
- Step in & drive
- 🖌 360kg capacity
- 🖌 Grass Tyres



NEW

	Specs
Power	7hp / 5.1Kw petrol or electric
Capacity	360kg
Weight	640kg
Width	1.25m
Length	2.97m
Floor height	305mm
Product Code:	81250

#### > PLEASE CALL FOR QUOTATION

# **People Mover Buggy**



Capable of carrying up to 8 people with low level easy access, these buggies are a great choice for transporting guests around your venue.



Specs *based on 6 seater mode	
Power	7hp / 5.1Kw petrol or electric
Capacity	6 people
Weight	561kg
Width	1.2m
Length	4.1m
Floor height	298mm
Product Code:	81250

#### → PLEASE CALL FOR QUOTATION



# **VEHICLE MOUNTED LIFTS**



#### 4 X 4 Truck Mounted Lift 13.1m



# Outrigger Pads included

4×4 Truck Mounted Platforms offer a working height of 13.1m and 6.2m outreach ideal for utility, telecom or streetlight maintenance where the task requires quick and easy site set up. 360° rotation, 240kg platform capacity and zero tail swing allowing operators to access the most difficult working areas.

Less than 3500kg GVW and 4 A-frame stabilisers gives these rough terrain trucks the ability to be operated efficiently both on and off-road.

		13
	$\square ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~$	12
		11
		10
		9
	H.1 /2 /2	8
		7
		6
		5
		4
ć		3
		2
		1
		0
	5 4 3 2 1 0 1 2 3 4 5 6	

Quick site set up ✓ 360° non continuous rotation

✓ 240kg platform capacity

Can be driven on a standard licence

	Specs
Working Height	13.1m
Platform Height	11m
Outreach Max	6.2m
Platform Capacity	240kg
Width with outriggers extend	<b>ded</b> 3.5m
Gross Vehicle Weight	3500kg
Stowed Height	2572mm
Tail Swing	Zero
Standard Features A-Frame	outriggers
Product Code:	81300

PLEASE CALL FOR QUOTATION



# **VEHICLE MOUNTED LIFTS**

#### Truck Mounted Lift 20m, 3.5t GVH



Ideal if your work involves moving from site to site or you need to vacate the site on completion of your task. Vertical outriggers allow quicker set-up on site and less roadside disruption due to their extremely compact footprint.


At less than 3500 GVH, this vehicle can be driven on a standard licence and offers greater fuel efficiency than heavier trucks in the 20m class. Suitable for a wide variety of applications including sign maintenance, street lighting, TV and sporting events.

- ✓ Quick site set up
- 🖌 Compact footprint
- Can be driven on a standard licence

#### PLEASE CALL FOR QUOTATION

	3.5T GVW
Working Height	20m
Platform Height	18m
Outreach Max	9.2m
Platform Capacity	200kg
Width with outriggers extended	2.865m
Gross Vehicle Weight	3500kg
Stowed Height	2.5m
Basket Rotation	65° left / right
Tail Swing	Zero
Standard Features	Vertical outriggers
Product Code:	81300

-- -----



# **VEHICLE MOUNTED LIFTS**

## Van Mounted Platform 13m



These Van Mounted Platforms are ideal for applications such as street light or sign maintenance where you need additional payload capacity for tools and materials.

They provide a payload capacity of 250-300kg (depending on model) and ample space for your equipment. Working heights of up to 13m and outreach of 8.5m provided by the telescopic boom allows access to most jobs without the need for accurate positioning. A-frame stabilisers make set up quick and easy while features such as the single joystick control and zero tail swing provide ease of operation.


- 🖌 250-300kg payload capacity (depending on model)
- $\checkmark$  360° continuous turntable rotation for fast, easy positioning
- 🖌 Quick set up
- 🖌 Can be driven on a standard licence

#### **5t options available (Contract Hire only)**

#### PLEASE CALL FOR QUOTATION

	3.5t
Working Height	13.0m
Platform Height	11.0m
Outreach Max	8.5m
Platform Capacity	230kg
Width with Outriggers	2.45m
Gross Vehicle Weight	3500kg
Stowed Height	3.5m
Fly Jib	120°
Tail Swing	Zero
Payload	250 - 300kg
Product Code:	81310





) CALL OUR HIRE DESK TODAY 0845 338 1388



# **INDEX**

Α		Boom Lifts, Tracked	191-195	Combo Store / Office	303
Access Cages	256	Boom Lifts, Trailer Mounted	190-191	Compaction Plates	53-54
Access Towers	28-31	Boom Lifts, Truck Mounted	217-218	Compaction Rollers	145-148
Access Tripod System	272	Boot Wash Station	108, 352	Compactor, Mounted	155
Access Platform Accessories	175	Box Van Trailers	167	Compressors	122-124
Acoustic Noise Barriers	109, 114, 374	Breaker Trolley	38	Concrete Barriers	129
Acrow Props	36	Breakers, Air	124	Concrete Grinder	59
Adjustable Props	36	Breakers, Cordless	38	Concrete Mixers	55
Adjustable Steps & Stairway	349	Breakers, Digger	154	Concrete Planers	59-60
Adjustable Ramp	349	Breakers, Electric	38	Concrete Skips, Column	252
Advanced Guard Rail Tower	31	Brick Cutter, Manual	70	Concrete Skips, Coneflow	252
Aerator, Garden	75	Brick / Block Cart	251	Concrete Skips, Forkliftable	252
Aluminium Gantries	234	Bridge Beam	31	Concrete Test Cubes	56, 102
Air Chipping Hammer	124	Brush Cutter / Mower	73	Container Loading Ramps	287, 350
Air Cleaner	110	Brush Cutter / Strimmers	74	Cooling Fans	88
Air Conditioners	88	Bucket Brush	297	Cordless Angle Grinder	71
Air Gun	90	Builder's Trailer	164	Cordless Auto Feed Screw Gun	43
Air Hosing	124	Builder's Trestles	35	Cordless Disk Cutter	67
Air Nailers	44	Building Dryers	87	Cordless Drill / Screwdriver	42
Air Pick	124	Bulk Fuel Tanks	136, 373	Cordless Finish Nailer	44
Air Operated Lift	233	Bull / Easy Float	58	Cordless Framing Nailer	44
Airless Sprayers	90			Cordless Impact Wrench	43
Alloy Scaffolding	28-31	C	200 205	Cordless Pop Riveter	44
Angle Drill	42	Cabins, Anti-Vandal	300-305	Cordless Transfer Pump	94
Angle Grinders	71	Cabins, Executive	310-311	Core Drill, Hydraulic	41
Anti-Vandal Cabins	300-305	Cabins, Jackleg	308-309	Core Drill Dust Extraction Shroud	40
Anti-Vandal Offices	301, 302, 307	Cabins, Sleeper	325-327 103	COSHH Vault	108, 323
Anti-Vandal Toilets Articulated Loader	337-342 294	Cable Avoiding Tool Cable Connectors	375	COSHH / Chemical Store Counterbalance Beam	323 244
Articulated Loader Articulated Loader Attachments	294	Cable Drum Jacks	253	Counterbalance Beam Counterbalance Material Lifts	231-232
Articulated Loader Attachments Articulating Boom Lifts	202-210	Cable Drum Rotators	253	Crane Forks	251-252
Articulating Electric Boom Lifts	202-210	Cable Protectors	131, 375	Crawler Boom Lift	196-197
Auger, Hydraulic	154	Cable Pull Winch, Capstan	254	Cross Line & Point Laser (Green Beam)	104
Auxiliaries & Furniture	348-358	Cable Pull Winch, Petrol	254	Crow Bar, Roller	270
Advinance a runnitare	5-0 550	Cable Rollers & Skids	254	Crowd Barrier	126
B		Cabling	375	CS Modular Sectional Buildings	313-314
Backpack Blower	77	Canteens	301-302	Cultivators	76
Backpack Vacuum	51	Car Transporter	166	Curtain Side Van	384
Balloon Lighting Tower	116	Carpet & Upholstery Cleaner	51	Cutting Station, Portable	72
Barriers	128-130	Carpet Cleaner	51	5, , , , , , , , , , , , , , , , , , ,	
Barriers, Acoustic Noise	128, 374	Carpet Dryer	87	D	
Battery Floor Scrubber Dryer	49	CCTV Towers	347	Decontamination Unit	336
Beam Clamps & Trolleys	266	Cement Mixers	55	Dehumidifiers	87
Beam Lifter	232	Central Heating Flusher	95	Deluxe Mains Sanitary Toilet Cabins	343
Belt Sander	64	Centrifugal Pumps	99	Demolition Hammer, Air	124
Bench Saw, Masonry	70	Ceramic Heater	82	Demolition Hammer, Electric	38
Bench Saw, Tile	69	Chain Hoists	264-265	Diamond Blades	68
Bender, Hydraulic Pipe	93	Chain Saws	71	Diamond Core Bits, Dry	42
Benders, Hand Held	94	Chain Slings	266	Diamond Core Bits, Wet	42
Benders, Pipe & Conduit	94	Changeover Panels	377	Diamond Core Drill, Dry	40
Bi-Levelling Scissor Lift	183	Charging Cabin, Tool	109, 324	Diamond Core Drill, Wet	41
Big Bag Lifter	257	Chemical Toilets	338	Diamond Drilling Rigs	41
Biscuit Jointer	62	Chimney Scaffold	35	Diamond Drills	40-42
Block Cutter	70	Chippers, Wood	81	Diamond Tile Saw	69
Block Grabs & Nets	250	Chipping Hammer, Air	124 39	Diaphragm Pumps	100
Blower, Wheeled	77	Chipping Hammer, Electric Circular Saws	39 63	Diesel Boom Lifts Diesel Forklift Trucks	205-216 279-280
Board Trolley Board Trolley Bench	260 260	Cladding Bale Lifter	246	Diesel Forklift Trucks Diesel Generators	279-280 114 & 362
Boat Skips	260	Cladding Bale Lifter	246 244-245	Diesel Power Washer	114 & 362 46
Boom Lift, Vertical Mast	198	Cladding Vacuum Enter	244-245	Diesel Scissor Lifts	185-189
Boom Lifts, Articulating	200-210	Cobra Reels	240 96	Diesel Water Pumps	100
Boom Lifts, Electric	199-204	Column Skips	224	Diesel Welders	119
Boom Lifts, Telescopic	211-216	Combi Lift	280	Diesel Vibrating Plate	53-54
			200		55 51

() CALL OUR HIRE DESK TODAY 0845 338 1388

Digital Load Indicators	272	Б
Diner Cabin	327	F
Disabled Toilets	338, 342	F
Disc Cutter, Cordless	67	F
Disc Cutter, Dustless	67	F
Disc Cutter, Hydraulic	67	F
Disc Cutters, Petrol	66	F
Distance Meter	102	Ē
Distribution Boxes / Equipment	376-377	F
Domestic Steam Cleaner	50	F
Door Trimming Saw	63	F
Double Cabbed Van	383	F
Double - Diner Deluxe Sleeper Cabin	325	F
Drain Cleaner	96	F
Drain Jetting Kit	46, 96	F
Drill Bits	40, 50	F
Drills	40-43	F
Dropside Pick-ups	388	F
Drip Tray / Separators	110, 140	F
Drying Rooms	301-302	F
Ducting	86	F
Ducting Rod	96	F
Dump Trailers	134	F
Dumpers	141-144	F
Dumper, Electric 4x4	141	F
Dumper, Mini Tracked	142	F
Dumpers, Swivel	143	F
Dust Extractor Vacuums	52	F
Dust Suppression Cannon	132	Ē
Dustless Disc Cutter	67	F
	07	Б
F		E
Effluent Tanks	137, 350	E
Electric Airless Sprayer	90	E
Electric Chain Hoists	265	F
Electric Dumper	141	E
Electric Boom Lifts	198-204	F
Electric Floor / Scrubber Dryer	49	F
Electric Forklift	277	Ē
Electric, Telescopic Forklift	284	Ē
Electric Heaters	68	Ē
Electric Power Washer	45	Ē
Electric Scissor Lifts	176-181	Ē
Electric Spider Cranes	222-223	F
Electric Vibrating Plate	53	Ē
Engine Cranes	233	Ē
Entrance Canopy	349	F
EV Charger	377	F
Excavator Attachments	153-155	F
Excavators	150-152	F
Executive Cabins	310-311	Ē
Exhibition Unit	303	Ē
Extension Forks	256	F
Extension Hose Reel	47	F
Extension Leads	112	F
		Ē
F		
Fall Arrest Blocks	272	G
Fascia & Canopy Options	319	Ċ
Fans	87	Ģ
Fencing	126-127	Ċ
	120-127	
Fencing, Pedestrian Gate	120-127	Ģ
Fencing, Pedestrian Gate Fencing, Vehicle Gate		

Festoon Lighting Finish Nailer Finish Nailer, Air Fire Extinguisher Trolley Fire Extinguishers Fixed Spreader Beam Flag Lifters, Vacuum Frail Cutter Head Flame Guns Flammable Vault Flat Pack Store Flatbed Trailers Flatbed Traisport Trolly, Liftable Flip Over Saw	115 44 40 109 267 248-249 155 78 108, 323 322 165 263 63
Floor Cranes, Counter Balance Floor Cranes, Mini Floor Crane, Mini Rotary Floor Grinders Floor Jight Floor Planers Floor Sanders Floor Saws Floor Scrubber / Dryer, Battery Floor Scrubber / Dryer, Electric Floor Scrubber / Dryer, Ride on Floor Scrubber / Polisher Floor Strippers Floor / Engine Cranes Floding Tower	231-232 229-230 59 115 60 51 68 49 49 50 49 50 49 60 233 29
Fold-up Light Fork & Grapple Fork Mounted Drum Rotator Fork Mounted Hook Forklift Auxiliaries Forklift Extension Forks Forklift Mounted Sweeper Collector Forklift Mounted Sweeper Collector Forklift Trucks, Compact Multi Directic Forklift Trucks, Diesel Forklift Trucks, Diesel Forklift Trucks, Gas Forklift Trucks, Gas Forklift, Rough Terrain Forklift, Rough Terrain Forklift, Warehouse Articulating Framing Nailer, Cordless Fresno / Brush Float Fridge Van Front of Stage Barriers Fuel Bowsers, Mobile & Static	277 278 278 282-286, 290-293 282 44 58 386 128 135-136, 373-374
Fuel Tanks Fuel Transfer Pump Fume Extractor / Ventilator Fan Furniture & Accessories Furniture & Auxiliaries For Sale Furniture Movers <b>G</b> Gantries Gantry Hoist Gantry Jibs Garage Compressors Garden Aerator	135-136 99 87 348-358 356-359 260 234 247 256, 289 123 75

Garden Cultivators Garden Over Seeder Garden Roller Garden Sowers Garden Sprayer Garden Tiller Gas Bottle Cages Gas Cage / COSHH Store Gas Detector Gas Flame Gun Gas Forklift Trucks Gas Heaters Generators, Petrol Generators, Petrol Generators, Diesel Generators, Solar Gen-Safes Glass Lifting Vacuum, Compact Glass Lifting Vacuum, Curved Glass Lifting Vacuum, Multi Position Glass Lifting Vacuum, Multi Position Glass Positioners Glass Positioners Glass Tolley Glass Positioners Grade Laser Level Grinding Discs, Drums & Pads Ground Protection Mats GRP Trench Plates	76 75 78 78 78 76 255 133 324 101 78 278 84 362-372 113 114, 362-368 372 370 239-240 243 240 241-243 240 241-243 240 241-243 261 236-238 238 261 235 105 61 130, 353 131
H Hammer Drills Hand Test Weights Handwash Stations Handheld Electric Pipe Threader Heater Accessories Heater, Ceramic Heater, Ceramic Heaters, Direct Gas Fired Heaters, Direct Gas Fired Heaters, Direct Oil Fired Heaters, Indirect Heaters, Radiant Oil Fired Heaters, Indirect Heaters, Indirect Heaters, Indirect Heaters, Indirect Heaters, Radiant Oil Fired Heaters, Uift Telehandler Heavy Lift Telehandler Heavy L	39 273 107 92 86 82 83 84 84 85-86 84 290-291 74 297 320 85-87 43 126 264-265 124 140 91 46 159 179 96 154 70



Hydraulic Breaker Hydraulic Core Drill Hydraulic Cylinder Hydraulic Disk Cutter Hydraulic Jack Pads Hydraulic Electric Pump & Accessories Hydraulic Manhole Lifter Hydraulic Pipe Bender Hydraulic Post Hole Borer	37 41 269 67 269 269 250 93 79
I Impact Wrench, Cordless Indirect Heaters Industrial Fan Heater Industrial Forklift Trucks Industrial Steam Cleaner Industrial Steam Cleaner Industrial Vacuums Insulated Store Integrated Waste Tanks Interior Laser Level Inverter Welder	43 85-86 83 82-83 279-280 50 51 321 340 104 118
J Jack Hammer, Cordless Jack Hammer, Electric Jack Hammer, Heavy Duty Jackleg Cabins Jackleg Scissor Lifts Jacks Jigsaws Jumbo Vans Junction Boxes	38 38 308-309 187-188 269-270 62 383 113
K Kango Kerb & Flag Lifters Kerb Grab Kerb Lifter, Mechanical	38-39 248-250 250 248
L Ladders, Aluminium Ladders, Combination Ladders, Roof Ladders, Step Large Ticket Kiosk Large Vans / Extra Large Vans Laser Levels Lawn Mowers Lawn Mowers Lawn Scarifier Leaf / Debris Vacuum Leaf Sucker / Blower LED Lighting Tower LED Lighting Tower LED Lighting Tower LED Lighting Table Liftable Altabed Transport Trolly Lifting Table Lifts, Push Around Lifts, Self-Propelled Light, Cordless Fold-up LED Light, Festoon Light, LED Floor Light, Plasterer's LED	32 33 33 305 383 104-106 73 75 77 77 16-117, 156-159 263 263 259 171 172-174 115 115 115 115 115 115

Light, 360° Mast	115
Lighting Columns & Brackets	350
Lighting Towers	116-117, 156-159
Line Marker	110
Linkable Cabins	306-307
Linkable Lighting Towers	156
Load Banks	377
Log Splitter	80
Long Reach Hedge Trimmer	74
Long Reach Tile Scaler	125
Low Level Access	170-174
Low Level Container Ramp	350
Low Level Platform	33
Luton Van	384
M Machine Laser Receiver Machine Skates Magnetic Drills Magnetic Lifters Mains Toilet Blocks Manhole Lifter, Hydraulic Manhole Lifter, Hydraulic Manhole Lifting Pins Manhole Locator Manhole Ring Chain Clamp Manual Chain Hoists Manual Platform Lift Manual Pipe Threader Manual Pull Winches Manual Pull Winches Manual Sweeper Collector Manual Sweeper Collector Manual Sweeper Collector Masony Bench Saw, Electric Masony Bench Saw, Electric Masony Bench Saw, Electric Masony Drill Bits Material Lifts Mast 360° Site Light Measuring Wheel Medium Vans Mega Scissor Lifts Metal Cut-off Saw Metal Detector Micro Excavator Mini Dumper Mini Eloor Crane Mini Lighting Towers Mini Spider Cranes, Knuckle Boom Mini Stores Mini Telehandlers / Telescopic Forklift Mini Tower Mini Stores Mini Telehandlers / Telescopic Forklift Mini Tower Minibus Minifor Wire Rope Hoist Mitre Saw Mixers Mixing Drill Mobile Davit, Counter Balance Mobile Gantries Mobile Gantries Mobile Gantries Mobile Man Anchors Mobile Welfare Cabins Mobile Store	105 270 341-344 267 341-344 250 251 103 251 264 103 251 264 48 69 70 70 40 230-231 115 102 382 188-189 72 103 150 141-142 151-152 229-230 157 222-224 224 320 157 222-224 224 320 55-56 91 233 136 55-56 91 233 136 323 328 322

Modular Sectional Buildings Modular Sectional Spreader Beam Modular Staircase Moisture Meter Mortar / Paddle Mixer Moss Brush Mounted Compactor Moving Dollys Multi Directional Side Loader	312-319 268 318 102 55 48 155 261 281
N Nail Guns Narrow Access Dumper Narrow Scissor Lifts Needle Gun Noise / Acoustic Barriers	44 142 177-179 125 109, 374
O Offices Oil Fired Heaters Open Terrace On-Demand Pumps Orbital Sander Orbital Floor Sander Outdoor Urinal Outrigger Pads Over Desk Tower	301-302, 307-309 84-86 319 351 64 65 338 193 28
P Pad Foot Roller Paddle / Mortar Mixer Pallet Forks & Light Material Buckets Pallet Trucks, Rough Terrain Pallet Trucks, Scissor Palm Sander Panel Lifter Panel Vans Pedestrian Fencing Pedestrian Gate People Mover Buggy Petrol Airless Sprayer Petrol Compressor Petrol Objek Cutter Petrol Generators Petrol Powered Wheel Barrow Petrol Vibrating Plate Petrol Welder / Generator Pick-ups Pick-ups, Tipper Pipe Benders Pipe and Conduit Bender Pipe Freezing Kit Pipe Layr Level Pipe Rack Pipe Rack Pipe Threaders, Electric	148 55 297 258-259 258 259 64 232 383 126, 353 126, 353 126, 353 126, 353 126, 353 126, 353 123 66 113 45 141 53 119 226-227 387-388 388 388 93-94 94 94 106 2250 2259 140 93 92

Resin Mixer

Pipe Trolleys Pipe Vice & Stand Pipe Wrenches Planer, Concrete Plant Safe / High Stores Plant Trailers Plastrer's Light Plate Clamps, Vertical Platform Lifts Platform, Low Level Plus-Space Modular Sanitary Units Polatrom Submersible Pump Poker Vibrators Poker Vibrators Poker Driven Submersible Pump Pole Scabbler Pop up Lifts Pop Riveter Porous Stone Vacuum Magnet Portable Air Conditioner Portable Compressors Portable Cutting Station Portable Cutting Station Portable Event Toilet Trailers Portable Event Toilet Trailers Portable Gas Store	261 93 95 59-60 164-165 118 115 267 156 33 345 34 57 98 125 170 44 249 98 125 170 44 249 88 125 170 44 249 283 377 345
Portable Traffic Lights Post Joivers Power Distribution Equipment Power Float / Trowel Power Screed Power Washers Powered Barrow Pressure Test Pump PS Modular Sectional Buildings Puddle Pump Pump Auxiliaries Pump, Fuel Transfer Pump, Puddle / Residue Pump, Trash Pumps, Centrifugal Pumps, Diaphragm Pumps, Diesel Pumps, Submersible Push Around Lifts <b>R</b> Radios, Two Way Baking Burket	78-79 79 376-377 58 57 45-46 141 95 315-316 97 99, 140 99 97 84, 139 99 100, 138 86, 138 97-99 171
Raking Bucket Ramps Random Orbital Sander Rapid Deployment CCTV Towers Ratchet Lever Hoists Reciprocating Saws Remote Control Stop - Go Boards Porin Mirce	153 287, 350 64 347 265 72 161

Retractable Barrier Riddler Bucket Road Brush, Tractor Road Compressors Road Crossing Plates Road Planer, Hydraulic Road Saws Road Signs Rock Breakers Roller Crowbar Roller, Trench Roller, Trench Roller, Trench Roller, Trench Roller, Scompaction Roller, Pad Foot Roof Ladders Rotating Telescopic Forklift Rotating Telescopic Forklift Rotating Telescopic Forklift Rotating Telescopic Forklift Rotating Telescopic Forklift Rotating Telescopic Forklift Rotating Telescopic Forklift Rough Terrain Forklifts Rubbish Chutes Rubbish Chutes	129 153 134 122-123 130 297 66-67 163 154 270 145-146 149 147-148 33 39 292-293 293 185-189 278 111 111
Sack Trucks Safety Barrier Safety Platform Steps Sander, Belt Sander, Dry Lining Sander, Floor Sander, Floor Edge Sander, Crbital Floor Sander, Palm Sander, Random Orbital Saw, Chain Saw, Diamond Tile Saw, Diamond Tile Saw, Metal Cut-off Saw, Slide Compound Scablers Scaffold Hoist Scaffold Hoist Scaffold Tower, Folding Scaffold Tower, Folding Scaffold Tower, Stairway Scaffold Tower, Stairway Scaffold Tower, Stairway Scaffold Tower, Stairway Scaffold Tower, Stairway Scaffold Tower, Stairway Scaffold Towers Scissor Lifts Scissor Pallet Truck Screw Gun, Auto Fed Scrubber Heads SDS Cordless Drill SDS Drills Security Huts, Ticket Kiosks Selector Grab Self-Propelled Booms Self-Propelled Booms Self-Propelled Difts Service Information, Toilets Settlement Tank Sewer Rods	261 126-130 34 64 65 65 65 64 71 69 63 125 247 35 29 28 30-31 176-189 259 28 30-31 176-189 259 28 30-31 176-189 259 25 57 43 49 40 40 320-324 312-319 304-305 155 337 205-216 172-174 339 140 96

Shifting Skates	270
Shower Blocks	334-336
Shredder	80
Side Opening Store	322
Signal Generator	103
Signs	163
Silenced Generators	113-114
Single Deluxe Sleeper Cabin	326
Site Amenities Cabin	337
Site Conveyors	251
Site Dumpers	141-144
Site Levels	104-105
Site Transformers Site / Window Guards	112, 332, 377 153
Skates	270
Skid Steer Attachments	270
Skid Steer Loaders	296-297
Sleeper Cabins	325-327
Sleeper Cabin, Double - Diner Deluxe	325-327
Sleeper Cabin, Single Deluxe	326
Slab Test Weights	273
Slide Compound Mitre Saw	63
Sliding Beam Anchors	271
Small Vans	382
Smoking Shelter	305
Solar Generator	377
Solar Lighting Tower	159
Solar Toilet	337
Sonde	103
Sound Meter	102
Speed Level Scissor Lift	184
Spider Boom Lifts	192-195
Spider Cranes	222-225
Sprayers, Garden Knapsack	78
Sprayers, Paint	90
Spreader Beams	267-286
Stacker Truck, Manual & Electric	259
Stacker Truck, Tracked	276
Staging Boards Stair Climbers, Powered / Manual	34 260
Stairway Tower	200
Static Welfares	331-333
Steam Cleaners, Domestic	50
Steam Cleaners, Industrial	50
Stepladders	33
Steps, Podium	34
Steps, Safety Platform	34
Stone Vacuum, Accessories	249
Stone Vacuum Magnet	249
Stop / Go Boards	161, 163
Stores	320-324
Strimmers	74
Stump Grinder	75
Submersible Pumps	97-99
Suction Glass Lifters	242
Surface Cleaner	47
Surface Power Washer	46
Sweeper, Collector, Manual	48
Sweeper, Collector, Self Propelled	48
Sweeper, Tractor	134
Sweeper, Yard	288
Swivel Dumpers	143



_		T   D	52		26
T Tan dawa Dallana	145 146	Trench Rammer	53 149	Wall Support (Prop Pal Needle)	36
Tandem Rollers	145-146	Trench Roller		Wall Support (Strong Boy)	36
Tar Boiler	110	Trestles	35	Wallpaper Stripper	91
Telehandlers / Telescopic Forklifts	283-286, 290-293	Tri Axle Trailer	165 272	Warehouse Fan	89
Telescopic Boom Lifts	211-216	Tripod Gantry		Warehouse Forklift Articulating	282
Telescopic Crawler Boom	197	Tripod Access System	272	Washer Bowser	47
Telescopic Lance	47	Truck-Mounted Lifts	217-218, 391-393	Washer Lances	47
Temporary Fencing	126-127, 353	Turnstile Security Cabins	304	Waste Container	350
Temporary Hoarding	126	Turntable Trolleys	263	Waste Holding Tanks	137, 350
Temporary Levelling System	352	Twin Deck Scissor Lifts, Electric	180	Waste Holding Tank, Integrated	340
Temporary Lifeline	272	Twin Deck Scissor Lifts, Diesel	187-188	Waste Removal & Replenishment Service	346
Temporary Traffic Lights	161	Two-Way Radio	110	Waste Pumps	351
Test Cubes	56, 102			Water Bowsers	137, 352
Test Weights	273	U		Water Filled Barriers	128
Thermal Imaging Camera	101	Urinal, Outdoor	338	Water Pumps	138-139, 351
Threaders	92-93	Utility Buggy	390	Water Separators	125
Ticket Kiosk, Large	305			Water Supply Tanks & Pumps	137, 351
Ticket Offices & Security Huts	304	V		Water Supply Unit	42, 67
Tiger Barrier	130, 163	Vacuum Flag Lifters	248	Welder, Inverter	118
Tile Cutter, Manual	69	Vacuum Magnet, Stone	249	Welder / Generators	118-119
Tile Saw, Bench	69	Vacuum Slab Laying Dolly	248	Welfare Cabins, Mobile	328-330
Tile Saw, Diamond	69	Vacuums	51	Welfare Cabins, Static	331-333
Tile Scaler	125	Vans	382-386	Welfare Van	385
Tilt Bed Equipment Trailer	166	Van Mount Platform	219, 393		
Tilting Excavator Bucket	153	Variable Message Sign	162	Wet & Dry Vacuums	51
Tippers	387-388	Vehicle Gate	127	Wheel Barrow, Powered	141
Tipping Trailer	165	Ventilator Fans	87	Wheeled Blower	77
Tip-Up Mixers	55	Vertical Mast Boom Lift	172	Wheeled Boom Lift	205-216
Tirfor Manual Pull Winch	266	Vertical Plate Clamps	267	Wheeled Fuel Bowser	135
Toe Jacks, Steel	270	Vibrating Plates, Electric	53	Wheeled Water Bowser	47
Toilet Blocks	337-342	Vibrating Plates, Diesel	54	Winches	254
Toilet Cabin, VIP	344	Vibrating Plates, Petrol	53	Wind Meter	102
Toilet Lifter	256	Vibrating Pokers	57	Wire Rope Hoists	265
Toilet Plunger	96	Vibrating Rammer	53	Wood Chippers	81
Toilet, Self Contained	337	Vibrating Rollers	145-149	Work Utility Vehicle	133, 389
Toilets, Chemical	338	Vibrating Screed, Power	57	Wrenches, Pipe	95
Toilets, Luxury	343-344	Viewing Gallery	303		
Toilets, Mains	338	VIP Toilet Cabins	344	х	
Toilet & Shower Cabins	334-346			XS Anti-vandal Modular Sectional Buildings	317
Tool Vaults	108	w		5	
Tool Charging Cabin	109, 324	Walkway Balcony	349	Y	
Total Station, Robotic	106	Wall Chaser	68	Yard Sweeper	288
Towable Compressors	122-123				
Towable Wood Chippers	81				
Tower Scaffolding, Single & Double V					
Tower, Over Desk	28				
Track Mats	353				
Tracked Boom Lifts	191-195				
Tracked Carrier	262				
Tracked Dumpers	142				
Tracked Scissor Lifts	182-184				
Tracked Wood Chipper	81				
Tractor Road / Sweeper Brush	124				
Traffic Cones	124				
Traffic Linkts	103				

### © KDM Hire Ltd 2023-2025. All Rights Reserved.

160-161

190-191

164-167

100, 139

10-11

99

131

36

)

162

The text, pictures, illustrations and layout of this catalogue are subject to protection under the Copyright, Design and Patents Act 1988. No part of this catalogue may be reproduced or transmitted in any form or by any means (electronic, mechanical, including photocopying, recording or otherwise) without the prior written permission of KDM Hire Ltd. Infringement will be vigorously pursued to the fullest extent permitted by law.

E&OE. KDM Hire Ltd. reserves the right to alter specification and content without prior notice.

Traffic Lights

Traffic Signs

Transfer Pump

Trench Plates (GRP)

Trash Pumps

Trench Props

Trailers

Training

Trailer Mounted Lifts

### CALL OUR HIRE DESK TODAY 0845 338 1388

### HAF TERMS & CONDITIONS

The Customer's attention is particularly drawn to the provisions of clause 19 (Limitation of liability).

### INTERPRETATION

In these conditions the following words have the following meanings:

"Consumer" an individual acting for purposes which are wholly or mainly outside that individual's trade, business, craft or profession

"Commercial Terms Schedule" means the schedule or letter issued by the Supplier to the Customer, setting out the commercial terms agreed between the parties.

"Contract" means a contract which incorporates these conditions and the Commercial Terms Schedule and made between the Customer and the Supplier for the hire or sale of Goods:

"Customer" means the person, firm, company or other organisation hiring Hire Goods or purchasing Sale Goods; "Deposit" means any advance payment required by the Supplier in relation to the Hire Goods which is to be held as security by the Supplier;

"Force Majeure" means any event outside a party's reasonable control including but not limited to acts of God, war, flood, fire, labour disputes, strikes, sub-contractors, lock-outs, riots, civil commotion, malicious damage, explosion, terrorism, "Goods" means any machine, article, tool, digital content and/

or device together with any accessories specified in a Contract which are hired or sold to the Customer; "Hire Goods" means any Goods which are hired to the

Customer "Hire Period" means the period of hire, as set out in clause 5;

"Hire Start Date' means as defined in clause 5.1: "Liability" means liability for any and all damages, claims,

proceedings, actions, awards, expenses, costs and any other losses and/or liabilities;

"Rental" means the Supplier's charging rate for the hire of the Hire Goods which is current from time to time during the Hire Period:

"Sale Goods" means any Goods which are sold to the Customer:

"Specification" means the specification for the Goods supplied by the Supplier to the Customer in writing [referred to in the Commercial Terms Schedule].

"Supplier" means KDM Hire Ltd at the address stated at the end of these terms;

"Total Loss" means the Hire Goods are in the Supplier's reasonable opinion or the opinion of its insurer(s), damaged beyond repair, lost, stolen, seized or confiscated.

### BASIS OF CONTRACT

2.1. These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by law, trade custom, practice or course of dealing.

2.2. The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order are complete and accurate.

2.3. The Order shall only be deemed to be accepted when the Supplier issues a written acceptance of the Order, at which point the Contract shall come into existence.

2.4. Any samples, drawings, descriptive matter or advertising produced by the Supplier and any descriptions or illustrations contained in the Supplier's catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods referred to in them. They shall not form part of the Contract nor have any contractual force.

2.5. Nothing in the Contract shall exclude or limit any statutory rights of the Customer which may not be excluded or limited due to the Customer acting as a Consumer. Where any terms within the Contract do not apply to a Consumer such terms are clearly outlined below.

 In the event of any conflict and inconsistency between these terms and conditions and the Commercial Terms Schedule the Commercial Terms Schedule shall prevail.

#### THE GOODS 3.

The Goods are as described in [the Specification]. 3.1 The Supplier reserves the right to amend the 32 [Specification] if required by any applicable statutory or regulatory requirement, and the Supplier shall notify the Customer in any such event.

3.3. The Supplier may change the Goods provided to the Customer:

3.3.1. to reflect changes in relevant laws and regulatory requirements: and

3.3.2. to implement minor technical adjustments and improvements. These changes will not adversely affect the Customers' use of the Goods.

3.4. The Supplier may also make more significant changes to the Goods, but will notify the Customer if any such significant changes are made and, if the Customer is a Consumer, and the change has an adverse impact on the Consumers use of the Goods, the Consumer may then contact the Supplier to end the Contract and will receive a full refund.

3.5. Where the Goods are digital content, the Supplier may change the Goods to update digital content, provided that the digital content always matches the description of it that the Supplier provided to the Customer before the Customer bought it. The Supplier might ask the Customer to install these updates. 3.6. For the avoidance of doubt, these terms and conditions are not intended to cover the manufacture and sale of bespoke aoods.

### PART 1: TERMS APPLICABLE TO THE HIRE OF GOODS ONLY

### HIRF OF GOODS

4.1. The Supplier shall hire the Hire Goods to the Customer subject to the terms and conditions of the Contract. 4.2. The Supplier shall not, other than in the exercise of its rights under the Contractor applicable law, interfere with the Customer's quiet possession of the Hire Goods.

#### 5. HIRE PERIOD

Where hire of the Hire Goods is to a Customer who is 5.1. an individual (whether a consumer or otherwise) or relevant recipient of credit as defined under Article 60L of the Financial Services and Markets Act 2000 (Regulated Activities) Order 2001 e.g. (a). a partnership consisting of two or three persons not all of whom are bodies corporate, or (b) an unincorporated body of persons which does not consist entirely of bodies corporate and is not a partnership('Relevant Individual'), the Hire Period shall commence on the date [specified out in writing by the Supplier] ('Hire Start Date') and shall end on the earlier of (i) [the date specified in the Commercial Terms Schedule]: or (ii) the last day of the 3 month period commencing on the Hire Start Date ('Option 1 Hire End Date'). For the avoidance of doubt, as the Hire Period to Relevant Individuals is no longer than 3 months, the hire of any Hire Goods is not covered by the Consumer Credit Act 1974.

5.2. Where the Customer is not a Relevant Individual, the Hire Period shall commence on the Hire Start Date and shall end on the date specified in the Commercial Terms Schedule ('Option 2 Hire End Date').

5.3. On the Option 1 Hire End Date or the Option 2 Hire End Date (as applicable), the Customer shall: (i) physically return the Hire Goods into the Supplier's possession; or (ii) make the Hire Goods available for physical repossession or collection by the Supplier [in a location specified by the Supplier], as applicable. For the avoidance of doubt, the Hire Period shall automatically end on the Option 1 Hire End Date or the Option 2 Hire End Date, as applicable and the Customer shall not be

required to pay the Rental in respect of any period in which the Hire Goods are in the Customer's possession or control outside the Hire Period.

5.5. Notwithstanding clause 5.4, If the Customer fails to comply with its obligations in this clause 5, then it shall be liable for any financial loss which this causes the Supplier land shall indemnify the Supplier in full and on demand in respect of any costs, liabilities, losses and expenses (including legal fees) incurred as a result].

### TITLE, RISK AND INSURANCE

6.1. Ownership of the Hire Goods remains at all times with the Supplier. The Customer has no right, title or interest in the Hire Goods except the right to possession and use of the Hire Goods subject to the terms and conditions of the Contract. 6.2. The Customer must not deal with the ownership or any interest in the Hire Goods. This includes but is not limited to selling, assigning, mortgaging, pledging, charging, securing, hiring, withholding, exerting any right to withhold, disposing of and/or lending. However, the Customer may re-hire the Hire Goods to a third party provided that it has the prior written consent of the Supplier.

6.3. Risk in the Hire Goods will pass immediately to the Customer when the Hire Goods leave the physical possession or control of the Supplier. The Hire Goods shall remain at the sole risk of the Customer during the Hire Period and any further term during which the Hire Goods is in the possession, custody or control of the Customer ('Risk Period') until such a time as the Hire Goods are redelivered back into the physical possession of the Supplier.

6.4. During the Hire Period and the Risk Period, the Customer shall, at its own expense, obtain and maintain the following insurances:

6.4.1.insurance of the Hire Goods to a value not less than its full replacement value comprehensively against all usual risks of loss, damage or destruction by fire, theft or accident. and such other risks as the Supplier may from time to time nominate in writing;

6.4.2. insurance for such amounts as a prudent owner or operator of the Hire Goods would insure for, or such amount as the Supplier may from time to time reasonably require, to cover any third party or public liability risks of whatever nature and however arising in connection with the Hire Goods; and 6.4.3.insurance against such other or further risks relating to the Hire Goods as may be required by law, together with such other insurance as the Supplier may from time to time consider reasonably necessary and advise to the Customer in writing. 6.4.4.any insurance waivers and/or insurance that has not been provided by the Supplier to the Customer, irrelevant of whether the Customer is a Consumer or Business, must be clarified and agreed with the Supplier in advance of hiring.

6.5. All insurance policies procured by the Customer shall be endorsed to provide the Supplier with at least twenty Business Days' prior written notice of cancellation or material change (including any reduction in coverage or policy amount) and shall on the Supplier's request name the Supplier on the policies as a loss payee in relation to any claim relating to the Hire Period. The Customer shall be responsible for paying any deductibles due on any claims under such insurance policies. Any proceeds of any such insurance shall be paid to the Supplier on demand. The Customer must not compromise any claim in respect of the Hire Goods and/or any associated insurance without the Supplier's written consent.

6.6. The Supplier may provide reasonably priced insurance to the Customer in respect of the Hire Goods at an additional cost to the Rental at its discretion and in accordance with separate terms and conditions.

6.7. The Customer shall give immediate written notice to the Supplier in the event of any loss, accident or damage to the Hire Goods arising out of or in connection with the Customer's possession or use of the Hire Goods.

6.8. If the Customer fails to effect or maintain any of the insurances required under this agreement, the Supplier shall be entitled to effect and maintain the same, pay such premiums as may be necessary for that purpose and recover the same as a debt due from the Customer

6.9. The Customer shall, on demand, supply copies of the relevant insurance policies or other insurance confirmation acceptable to the Supplier and proof of premium payment to the Supplier to confirm the insurance arrangements.

### DELIVERY AND COLLECTION

71 Unless otherwise agreed between the Supplier and the Customer in writing, It is the responsibility of the Customer to collect the Hire Goods from the Supplier, and return them to the Supplier at the end of the Hire Period. If the Supplier agrees to deliver Hire Goods to and/or collect the Hire Goods from the Customer it will do so at its standard delivery cost, set out in the Commercial Terms Schedule.

7.2. The Supplier shall make the Hire Goods available for collection on the date agreed and at the place specified in the Commercial Terms Schedule, as may be amended from time to time by notice in writing from the Supplier.

7.3. If the Supplier agrees to collect the Hire Goods from the Customer, the Customer shall make the Hire Goods available for collection on the last day of the Hire Period and at the place agreed in writing with the Supplier. The Supplier will collect the Hire Goods within a reasonable time of the Hire Goods being made available for collection by the Customer. In accordance with clause 6 above, the risk in the Hire Goods shall remain with the Customer and the Customer shall remain responsible and liable for any loss, damage or theft to the Hire Goods until the Hire Goods are collected by the Supplier. For the avoidance of doubt, if the Supplier does not agree to collect the Hire Goods in accordance with this clause, the Customer shall deliver the Hire Goods to the Supplier at the place specified by the Supplier in the Commercial Terms Schedule, on the last day of the Hire Period.

7.4. Where the Customer is a Consumer, and the supply of Hire Goods is delayed by an event outside of the Supplier's control then the Supplier will contact the Consumer as soon as possible and the Supplier will take steps to minimise the effect of the delay. Provided the Supplier does this, the Supplier will not be liable for delays caused by the event, but if there is a risk of substantial delay, the Consumer may contact the Supplier to end the Contract and receive a refund for any Hire Goods which have been paid for but not received.

7.5. If the Customer is a business, any dates quoted for delivery or collection of the Sale Goods by the Supplier are approximate only, and the time of delivery or collection is not of the essence. The Supplier shall not be liable for any delay in delivery of the Hire Goods that is caused by a Force Majeure event or the Customer's failure to provide the Supplier with adequate delivery or collection instructions or any other instructions that are relevant to the supply or collection of the Hire Goods

7.6. The Customer will allow and/or procure sufficient access to and from the relevant site and procure sufficient unloading space, facilities, equipment and access to utilities for the Supplier's employees, sub- contractors and/or agents to allow them to deliver or collect the Hire Goods.

7.7. If any of the delivery or collection of the Hire Goods are delayed, postponed and/or are cancelled due to the Customer failing to comply with its obligations the Customer will be liable to pay the Supplier's additional standard charges from time to time for such delay, postponement and/or cancellation . 7.8. The Customer shall comply with all applicable legislation

relating to the use of red diesel and shall not use red diesel in the Hire Goods unless a HMRC approved exemption applies (as set out in latest Excise Notice 75).

7.9. On receipt of the Hire Goods from the Customer at the end of the Hire Period, the Supplier shall carry out an inspection of the Hire Goods. to ensure that the Hire Goods do not contain any red diesel.

7.10. If the Supplier determines, in its discretion, that the Hire Goods do contain red diesel including trace elements or that any further use of the Hire Goods will be in breach of applicable legislation relating to the use of red diesel the Supplier reserves the right to charge the Customer:

7.10.1. for the cost of draining and flushing the fuel system, as may be required to remove all traces of red diesel to ensure the Hire Goods are in a condition for use by other customers using only fully duty paid diesel/biofuels; and

7.10.2. a refill charge of white diesel to fill the Hire Goods to full tank capacity.

7.11. The Customer hereby indemnifies the Supplier in full and on demand against any and all liabilities, costs, expenses, damages and losses ('Liabilities') suffered or incurred by the Supplier arising out of or in connection with any failure by the Customer to comply with clause 7.8 and all relevant legislation, as updated from time to time, in relation to the use of red diesel in the Hire Goods, including but not limited to Liabilities related to the following:

7.11.1. any Hire Goods being impounded by HMRC;

7.11.2. any outstanding duty payments on the Hire Goods;

7.11.3. any other legal costs, transportation and other expenditure appertaining to the return of the Hire Goods where the Hire Goods have not been drained or flushed of red diesel to a traceability level accepted by HMRC.

7.12. The Customer will notify the Supplier immediately if the Hire Goods are seized or confiscated by any third party.

#### CARE OF HIRE GOODS

8.1. The Customer shall:

8.1.1. not remove any labels from and/or interfere with or alter the Hire Goods, their working mechanisms, components or any other parts of them and shall take reasonable care of the Hire Goods and only use them for their proper purpose in a safe and correct manner in accordance with any operating and/or safety instructions provided or supplied to the Customer by the Supplier;

8.1.2. notify the Supplier immediately after any breakdown, loss and/or damage to the Hire Goods or of any other material matters relating to the Hire Goods;

8.1.3. take adequate and proper measures to protect the Hire Goods from theft, damage and/or other risks; 8.1.4. notify the Supplier of any change of its address and upon the Supplier's request provide details of the location of the Hire Goods:

8.1.5. permit the Supplier at all reasonable times and upon reasonable notice to inspect the Hire Goods including procuring access to any property where the Hire Goods are situated; 8.1.6. keep the Hire Goods at all times in its possession and control and not remove the Hire Goods from the country where the Supplier is located without the prior written consent of the Supplier

8.1.7. keep the Hire Goods at all times in the country where the Supplier is located and shall only take the Hire Goods out of the relevant country with the prior written consent of the Supplier;

8.1.8. upon the Supplier giving reasonable notice to the Customer, permit or procure the right for the Supplier or its duly authorised representatives to enter the premises at which the Hire Goods may be located for the purpose of collecting the Hire Goods:

### HAE TERMS & CONDITIONS

8.1.9. be responsible for the conduct and cost of any testing, examinations and/or checks in relation to the Hire Goods required by any legislation, best practice and/or operating instructions;

8.1.10. not do or omit to do anything which the Customer has been notified will or may be deemed to invalidate any policy of insurance related to the Hire Goods;

8.1.11. not continue to use Hire Goods where they have been damaged and notify the Supplier immediately if the Hire Goods are involved in an accident resulting in damage to the Hire Goods, other property and/or injury to any person; and 8.1.12. where the Hire Goods require fuel, oil and/or electricity to ensure that the propertype and/or voltage is used and that, where appropriate, the Hire Goods are properly installed by a qualified and cometent person.

Quantee and competence person: 8.1.13 ensure that any employees, agents or contractors that operate the Hire Goods are, if applicable, adequately and sufficiently qualified and trained to operate the Hire Goods in accordance with all current and applicable legislation; 8.1.14 take such steps (including compliance with all safety and usage instructions provided by the Supplier) as may be necessary to ensure, so far as is reasonably practicable, that the Hire Goods are at all times safe and without risk to health when they are being set, used, cleaned or maintained by a person; 8.1.15, maintain at its own expense the Hire Goods in good and substantial regain in order to keep it in as as obd

an operating condition as it was on the Hire Start Date (fair wear and tear only excepted) including replacement of worn, damaged and lost parts, and shall make good any damage to the Hire Goods;

8.1.16. not without the prior written consent of the Supplier, attach the Hire Goods to any land or building so as to cause the Hire Goods to become a permanent or immovable fixture on such land or building. If the Hire Goods do become affixed to any land or building then the Hire Goods must be capable of being removed without material injury to such land or building and the Customer shall repair and make good any damage caused by the affication or removal of the Hire Goods from any land or building ind method would of the Hire Goods from any land or building and indemnify the Supplier against all losses, costs or expenses incurred as a result of such affication.

8.1.17. not do or permit to be done any act or thing which will or may legoratice the right, title or interest of the Supplier in the tifice Goods and, where the Hire Goods have become affixed to any land or building, the Customer must take all necessary steps to ensure that the Supplier may enter such land or building and recover the Hire Goods both during the term of the Contract and for a reasonable period thereafter, including by procuring from any person having an interest in such land or building. A waiver in writing and in favour of the Supplier of any rights such person may have or acquire in the Hire Goods and a right for the Supplier on there not not such land or building. A waiver in writing and in favour of the Supplier to do Sut and a right for Goods;

8.1.18. not suffer or permit the Hire Goods to be confiscated, seized or taken out of its possession or control under any distress, execution or other legal process, but if the Hire Goods are so confiscated, seized or taken, the Customer shall notify the Supplier and the Customer shall at its sole expense use its best endeavours to procure an immediate release of the Hire Goods and shall indemnify the Supplier on demand against all longens, changes, damages and expenses incurred as a result of such confiscation:

8.1.19. ensure that at all times the Hire Goods remains identifiable as being the Supplier's property and wherever possible shall ensure that a visible sign to that effect is attached to the Hire Goods; and

8.1.20. not do or permit to be done anything which could invalidate the insurances referred to in the Contract.

8.2. The Hire Goods must be returned by the Customer in good working order and condition (fair wear and tear excepted) and in a clean condition together with all insurance policies, licences, registration and other documents relating to the Hire Goods.

8.3. The Customer shall be responsible for all expenses, loss (including loss of Rental) and/or damage suffered by the Supplier arising from any breakdown of the Hire Goods due to the Customer's negligence, misdirection and/or misuse of the Hire Goods including any use of the Hire Goods otherwise than in accordance with the Supplier's instructions.

8.4. Subject to dause 9.1, the Supplier will at its own cost carry out all routine maintenance and repairs to the Hire Goods during the Hire Period and all repairs which are required due to fair wear and tear and/or an inherent fault in the Hire Goods. The Customer will be responsible for the cost of all repairs necessary to Hire Goods during the Hire Period which arise otherwise than as a result of fair wear and tear, an inherent fault and/or the negligence of the Supplier while carrying out routine maintenance and/or repairs.

8.5. The Customer must not repair or attempt to repair the Hire Goods or appoint any third party to repair the Hire Goods unless authorised to do so in writing by the Supplier.

### LOSS OR DAMAGE TO THE HIRE GOODS

9.1. Notwithstanding clause 9.2 if the Hire Goods are returned in damaged, unclean and/or defective state except where due to fair wear and tear anihor an inherent fault in the Hire Goods, the Customer shall be liable to pay the Supplier for the cost of any repair and/or cleaning required to return the Hire Goods to a condition fit for rehire and to any the Rental. in this Goods to a condition.

accordance with the provisions of clause 8.4, until such repairs and/or cleaning have been completed. 9.2. In respect of any Hire Goods which are lost, stolen or

damaged beyond economic repair during the Hire Period the Customer will:-9.2.1. for any Hire Goods less than twelve (12) months old from

9.2.1. for any file Goods less than twelve (12) months old from first registration pay to the Supplier the new replacement cost of the Hire Goods; and/or

9.2.2. for any Hire Goods more than twelve (12) months old from first registration, pay for the reasonable cost to replace the Hire Goods, as stipulated by the Supplier.

9.3. The Customer shall remain liable to pay the Rental for the Hire Goods up to and including the date it notifies the Supplier that the Hire Goods have been lost, stolen and/or damaged beyond economic repair.

9.4. In addition to the obligation in clause 9.3 to pay the Rental, from the date the Customer notifies the Supplier that the Hire Goods have been lost, stolen and/or damaged beyond economic repair until the date the Customer makes a payment to the Supplier for the replacement of the Hire Goods in accordance with clause 9 ("Lost Rental Period"), the Customer shall pay, as a genuine pre-estimate of lost rental profit, a sum as liquidated damages being equal to two thirds of the Rental that would have applied for such Hire Goods during the Lost Rental Period.

### 10. TERMINATION OF THE HIRE PERIOD

10.1. This clause is without prejudice to the termination rights set out elsewhere in these conditions, including in clause 15. 10.2. [Without prejudice to the Consumers right to terminate set out elsewhere in the Contract or by law (where applicable) the Hire Period has a fixed duration, then subject to the provisions of clause 15 neither the Customer nor the Supplier shall be entitled to terminate the Contract before the expiry of that fixed period unless agreed with the other party.]
10.3. If the Hire Period does not have a fixed duration either of the Contract toers applier is entitled to terminate the Contract toers applier is a period of notice in accordance with clause 10.4.

10.4. If no period of notice has been agreed or specified either party shall be entitled to terminate the hire of the Hire Goods by giving not less than 14 days' notice to the other.
10.5. The rights set out in this clause 10 are in addition to any rights the Customer may have under clause 14 (and any other

legal rights). 10.6. The Contract shall automatically terminate if a Total Loss

occurs in relation to the Hire Goods.

### PART 2: TERMS APPLICABLE TO THE SALE OF GOODS ONLY

### 11. TITLE, RISK AND INSURANCE

11.1. Ownership of any Sale Goods (except to the extent that those Sale Goods are digital content) remains with the Supplier until the earlier of:

11.1.1. all monies payable to the Supplier by the Customer for the Sale Goods have been paid in full; or

11.1.2. if the Customer is a business and the Customer resells the Sale Goods, in which case title to those Sale Goods shall pass to the Customer at the time specified in Clause 11.2.

11.2. Subject to Clause 11.3, if the Customer is a business the Customer may resell or use the Sale Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Sale Goods. However, if the Customer resells the Sale Goods before that time:

11.2.1. it does so as principal and not as the Supplier's agent; and

11.2.2. title to those Sale Goods shall pass from the Supplier to the Customer immediately before the time at which resale by the Customer occurs.

11.3. If the Customer is a business, at any time before title to the Sale Goods passes to the Customer, the Supplier may: 11.3.1. by notice in writing, terminate the Customer's right under Clause 11.2 to resell the Sale Goods or use them in the ordinary course of its business; and 11.3.2. require the Customer to deliver up all the Sale Goods in its possession that have not been resold, or irrevocably incorporated init another product and if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the relevant Sale Goods are stored in order to recover them.

11.4. Until ownership in the Sale Goods passes to the Customer, the Customer shall:-

11.4.1. hold the Sale Goods on a fiduciary basis as the Supplier's bailee;

11.4.2. maintain the Sale Goods in satisfactory condition; and 11.4.3. keep the Sale Goods insured against all risks for their full price from the time they leave the physical possession or control of the Supplier.

11.5. Risk in the Sale Goods will pass immediately to the Customer when the Sale Goods leave the physical possession or control of the Supplier.

### 2. DELIVERY AND COLLECTION

12.1. Unless otherwise agreed between the Supplier and the Customer in writing, It is the responsibility of the Customer to collect the Sale Goods from the Supplier. If the Supplier agrees to deliver it will do so at its standard delivery cost, set out in the Commercial Terms Schedule.

12.2. The Supplier shall make the Sale Goods available for collection on the date agreed and at the place specified in the Commercial Terms Schedule, as may be amended from time to time by notice in writing from the Supplier.

12.3. Where the Customer is a Consiumer, and the supplier Sale Goods is delayed by an even utotisd of the Supplier's control then the Supplier will contact the Consumer as soon as possible and the Supplier will take steps to minimise the effect of the delay. Provided the Supplier does this, the Supplier will not be liable for delays caused by the event, but if there is a risk of substantia delay, the Consumer may contact the Supplier will have been paid for but not received.

12.4. If the Customer is a business, any dates quoted for delivery or collection of the Sale Goods by the Supplier are approximate only, and the time of delivery or collection is not of the essence. The Supplier shall not be liable for any delay in delivery of the Sale Goods that is caused by a Force Majeure event or the Customer's failure to provide the Supplier with adequate delivery or collection instructions or any other instructions that are relevant to the supply or collection of the Sale Goods

12.5. The Customer will allow and/or procure sufficient access to and from the relevant site and procure sufficient unloading space, facilities, equipment and access to utilities for the Supplier's employees, sub- contractors and/or agents to allow

them to deliver or collect the Sale Goods. 12.6. If any of the delivery or collection of the Sale Goods are delayed, postponed and/or are cancelled due to the Customer failing to comply with its obligations the Customer will be liable to pay the Supplier's additional standard charges from time to time for such delay, postponement and/or cancellation.

#### PART 3: TERMS APPLICABLE TO BOTH THE SALE OF GOODS AND THE HIRE OF GOODS, AS THE CASE MAY BE 13. PAYMENT

13.1. The amount of any Deposit and/ or Rental for Hire Goods and/ or monies for Sale Goods shall be as quoted to the Customer or otherwise as shown in the Supplier's current price list from time to time. Where a Deposit is required for the Hire Goods it shall be specified in writing by the Supplier and must be paid in advance of the Customer hiring the Hire Goods. The Supplier may at its option, also require a payment on account of the Rental in advance of the Customer hiring the Hire Goods (Advance Payment). In the event that the Supplier notifies the Customer that it requires an Advance Payment, the Customer shall pay the Advance Payment in accordance with the payment terms set out in the Contract.

13.2. The Customer shall pay the Deposit and/ or Rental for Hire Goods and/ or monies for Sale Goods and/ or any Advance Payment and/or any other sums payable under the Contract to the Supplier at the time and in the manner agreed in the Commercial Terms Schedule. The Supplier's prices are, unless otherwise stated, exclusive of any applicable VAT for which the Customer shall additionally be liable.

13.3. The Supplier may, at is absolute discretion, require the Customer to pay an additional Deposit for the Hire Goods at any time during the Hire Period in the event that the amount of the Rental for the Hire Period may exceed the amount of any Deposit already received from the Customer.

13.4. The Supplier shall refund the Deposit to the Customer if, following inspection of the Hire Goods by the Supplier at the end of the Hire Period, the Supplier is satisfied that the Customer has complied with the terms of this Contract in respect of those Hire Goods.

13.5. Payment by the Customer on time under the Contract is an essential condition and is of the essence of the Contract. Payment shall not be deemed to be made until the Supplier has received either cash or cleared funds in respect of the full amount outstanding.

13.6. If the Customer is a business and the Customer fails to make any payment in full on the due date the Supplier may charge the Customer interest (both before and after judgement/ decree) on the amount unpaid at the rate implied by law under the Late Payment of Commercial Debts (Interest) Act 1998 (where applicable) or at the rate of 4% above the base rate from time to time of the Supplier's bank whichever is higher. 13.7. If the Customer is a business the Customer shall pay all sums due to the Supplier under the Contract without any set-off, deduction, counterclaim and/or any other withholding of monies.

13.8. The Supplier reserves the right to store the Customer's credit card details on its password protected customer account system and further reserves the right to use such details against future Rentals made by the Customer.

13.9. The Customer shall be solely responsible for any instruction, guidance and/or advice given by the Customer to any such person and for any damage which occurs as a result of such persons following the Customer's instructions, guidance and/or advice.

#### 14. STATUTORY CANCELLATION RIGHT FOR CONSUMERS

14.1. The provisions of this clause 14 only apply to Customers who are a Consumer for the purpose of any hire or purchase of Goods from the Supplier.

14.2. Subject to the remainder of this clause 14, if the Consumer is based in the UK or EU and entered into the Contract using methods of distance communications only (i.e. online, phone or email) the Consumer will have the right to change its mind within 14 days after the Goods come into its physical possession, and receive a refund.

14.3. If the Consumer wishes to change its mind in accordance with dause 14.2 the Consumer can contact the Supplier using the contact details set out at the end of these terms. When writing to the Supplier, the Consumer can also send a cancellation form as set out in: Schedule 1 below.

14.4. Where a Consumer exercises its right to cancel under clause 14 and has made payments in advance for Goods that have not been provided to it, then the Supplier will refund these amounts to the Consumer:

14.4.1. within 14 days of receipt of the Goods which have been returned by the Consumer; or

14.4.2. (if earlier) within 14 days after the day the Consumer provides evidence that they have returned the Goods; or 14.4.3. if no Goods have been provided by the Supplier, within 14 days after the day on which the Supplier is informed of the

Consumer's decision to cancel the Contract. 14.5. If the Consumer exercises the right to cancel under

clause 14: 14.5.1. The Supplier may reduce the refund of the Goods (excluding delivery costs) to reflect any reduction in the value of the Goods, if this has been caused by the Consumer's handling of the Goods which would not be permitted in a shop, if the Supplier refunds the Consumer the price paid before the Supplier is able to inspect the Goods and later discovers that the Consumer has handled the Goods in an unacceptable way, the Consumer Null be obligated to pay an appropriate amount socified by the Supplier

specified by the Supplier. 14.5.2. If applicable, the maximum refund for delivery costs which will be paid by the Supplier will be the costs of delivery by the least expensive delivery method offered by the Supplier.

Where the Contract is with a Consumer and:
 14.6.1. is for the supply of accommodation, transport of goods,

vehicle rental services, catering or services related to leisure activities; and 14.6.2. provides for a specific date or period of performance,

14.0.2. provides the aspectine date or period to performance, the Consumer will not have a right to cancel the Contract without incurring any charge or Liability to the Supplier. 14.7. Where the Contract is with a Consumer and is for the supply of digital content, the Consumer has started to download or stream the digital content.

14.8. Where a Consumer cancels the Contract under this clause 14, it shall return any Goods which the Supplier has provided to it at its own cost, unless otherwise expressly agreed in writing.

14.9. If the Consumer has another legal or contractual right to terminate the Contract, usually if the Supplier has done something wrong, then the Supplier will refund the Consumer the cost of the Goods (where applicable).

### **HAE TERMS & CONDITIONS**

### 15. TERMINATION

15.1. Without affecting any other right or remedy available to it, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer. 15.1.1. fails to make any payment to the Supplier when due without just cause;

15.1.2. breaches the terms of the Contract and, where the breach is capable of remedy, has not remedied the breach within 14 days of receiving notice requiring the breach to be remedied'

15.1.3. persistently breaches the terms of the Contract;

15.1.4. provides incomplete, materially inaccurate or

misleading facts and/or information in connection with the Contract;

15.1.5. pledges, charges or creates any form of security over any Hire Goods or proposes to compound with its creditors, creates a trust deed for its creditors, applies for an interim moratorium in respect of claims and/or proceedings, any distress/diligence, execution or other legal process is levied on any property of the Customer, has a bankruptcy petition/petition for sequestration presented against it or the Customer takes or suffers any similar action in any jurisdiction;

15.1.6. being a company, ceases or threatens to cease to carry on business, enters into voluntary or compulsory liquidation, has a receiver, administrator or administrative receiver or in the Republic of Ireland an examiner appointed over all or any of its assets, any attachment order/arrestment is made against the Customer, any distersy/diligence, execution or other legal process is levied on any property of the Customer or the Customer takes or suffers any similar action in any jurisdiction; 15.1.7. appears to the Supplier (acting reasonably) due to the Customer's credit rating, to be financially incapable of meeting its obligations under the Contract; and/or

15.1.8. appears to the Supplier (acting reasonably) to be about to suffer any of the above events.

15.2. The Supplier can stop providing an ongoing subscription for digital content at any time provided that the Supplier notifies the Customer in writing at least [one month] in advance and it refunds any sums that the Customer paid in advance for digital content that won't be provided.

### 16. TERMINATION OR EXPIRY OF THE CONTRACT

16. Termination or expiry of the Contract shall not affect any rights, remedies, obligations or liabilities of the parties that have accured up to the date of termination or expiry, including the right to claim damages in respect of any breach of the Contract which existed at or before the date of termination or expiry.

### 17. CONSEQUENCES OF TERMINATION

17.1. On expiry or termination of the Contract, however caused, the Supplier's consent to the Customer's possession of the Hire Goods shall terminate immediately.

17.2. Upon termination of the Contract the Customer shall immediately return the Goods to the Supplier or, as requested by the Supplier, make the Goods available for collection by the Supplier or its authorised representatives. The Supplier may enter, without prior notice, the site where the Goods are held and repossess them. The Customer hereby grants or shall procure the right for the Supplier or its authorised representative to enter the site where the Goods are held in order to collect them.

17.3. On termination or expiry of the Contract, for any reason: 17.3.1. all monies owed by the Customer to the Supplier shall immediately become due and payable by the Customer; 17.3.2. The Customer shall pay all costs and expenses incurred by the Customer in recovering the Hire Goods or in collecting any sums due under the Contract (including any storage, insurance, repair, transport, legal and remarketing costs). 17.4. In the event that the Customer is a business and Contract is terminated by the Supplier in accordance with Clause [17.1], which up rejudice to any other rights or remedies of the Supplier, the Customer shall pay to the Supplier on demand a sum equal to the whole of the Rental that would Contract thermination) have been payable if the Contract had continued from the date of such demand to the end of the Hire Period.]

17.5. Any repossession of the Goods shall not affect the Supplier's right to recover from the Customer any monies due under the Contract and/or any damages in respect of any breach of the Contract.

17.6. Any provision of the Contract that expressly or by implication is intended to come into or continue in force on or after termination or expiry of the Contract shall remain in full force and effect.

### 18. WARRANTIES

18.1. This clause 18 shall only apply if the Customer is a business.

18.2. Except as set out in this clause 18 all warranties, representations, terms, conditions and duties implied by law relating to fitness, quality and/or adequacy (including the terms implied by sections 13 to 15 of the Sale of Goods Act 1979) are excluded to the fullest extern termitted hy Jaw

excluded to the fullest extent permitted by law. 18.3. The Supplier warrants that, on delivery, the Goods shall: 18.3.1. Conform in all material respects with the Specification; 18.3.2. Be free from material defects in design, material and workmanship; and

and the second se

18.4. Subject to Clause 18.6. if:

18.4.1. the Customer gives notice in writing to the Supplier within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in clause 18.3; 18.4.2, the Supplier is given a reasonable opportunity of examining such Goods; and

18.4.3. the Customer (if asked to do so by the Supplier) returns such Goods to the Supplier's place of business at the [Customer's] cost,

18.5. the Supplier shall, at its option, repair or replace the defective Goods, and/ or refund the price of the defective Goods or in respect of thine Goods, refund the Rental (as applicable) in full or for the period that the Hire Goods were not available to the Customer, as applicable.

18.6. The Supplier shall have no Liability for the Goods' failure to comply with the warranty set out in clause 18.3 if:

18.6.1. the Customer makes any further use of such Goods after giving notice in accordance with clause 18.4 18.6.2. the defect arises because the Customer failed to follow

16.5.2. the detect arises because the clustomer failed to toniow the Supplier's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same; 18.6.3. the defect arises as a result of the Supplier following any drawing, design or specification supplied by the Customer; 18.6.4. the Customer alters or repairs such Goods without the

written consent of the Supplier, 18.6.5. the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or

18.6.6. the Goods differ from [the Specification] as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.

 18.7 Except as provided in this Clause 18, the Supplier shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in Clause 18.3.
 18.8. These conditions shall apply to any repaired or replacement Goods supplied by the Supplier.

### 19. LIMITATIONS OF LIABILITY

19.1. If the Customer is a business, and the Supplier is found to be liable in respect of any loss or damage to the Customer's property the extent of the Supplier's Liability will be limited to the retail cost of replacement of the damaged property. 19.2. If the Customer is a business, the Supplier shall have no Liability to the Customer if, without just cause, any monies due in respect of the Goods have not been paid in full by the due date for payment.

13. If the Customer is a business, the Supplier shall have no Liability for additional damage, loss, liability, claims, costs or expenses caused or contributed to by the Customer's continued use of defective Goods after a defect has become apparent or suspected or should reasonably have become apparent to the Customer.

19.4. If the Customer is a business, the Customer shall give the Supplier a reasonable opportunity to remedy any matter for which the Supplier is liable before the Customer incurs any costs and/or expenses in remedying the matter itself. If the Customer does not do so the Supplier shall have no Liability to the Customer.

19.5. If the Customer is a business the Supplier shall have no Liability to the Customer for any of the following losses (whether direct or indirect):-

19.5.1. consequential losses;

19.5.2. economic and/or other similar losses;

19.5.3. business interruption, loss of business, contracts and/ or opportunity including loss of profits and/or damage to goodwill; and/or 19.5.4. special damages and indirect losses however so arising.

19.5.4. special damages and indirect losses however so arising. 19.6. If the Customer is a business, subject to clause 19.2 to 19.5, the Supplier's total Liability to the Custome under and/ or arising in relation to any Contract, whether in contract, tort (including negligence) and any statutory and/or common law duty shall not exceed 5 times the amount of the Rental or monies payable for Sale Goods (as applicable) under that Contract or the sum of £1,000 (or Euro equivalent) whichever is the higher.

19.7. If the Customer is a Consumer and the Supplier fails to comply with these terms, the Supplier is responsible for loss or damage suffered by the Consumer that is a foreseeable result of the Supplier breaching the Contract or failing to use reasonable care and skill, but the Supplier is not responsible for any loss or damage that is not foreseeable. Loss or damage is foreseeable if either it is obvious that it will happen or if, at the time the Contract was made, both the Supplier and the Consumer knew it might happen.

19.8. If the Customer is a Consumer, the Supplier only supplies the Goods for domestic and private use. If the Consumer uses the Goods for any commercial, business or re-sale purpose the Supplier will have no liability to the Consumer for any loss of profit, loss of business, business interruption, or loss of business opnortunity.

19.9. Nothing in the Contract shall exclude or limit the Liability of either party for fraud, death or personal injury due to that party's negligence, nor exclude or limit any other type of Liability which it is not permitted to exclude or limit as a matter of law.

### 20. GENERAL

20.1. Each hire of an item of Hire Goods or purchase of an item of Sale Goods shall form a distinct Contract which shall be separate to any other Contract relating to other Hire Goods or the purchase of other Sale Goods.

20.2. The Customer shall be liable for the acts and/ or omissions of its employees, agents, servants and/or subcontractors as though they were its own acts and/or omissions under the Contract.

20.3. When dealing as a Consumer, if the Customer has any questions or complaints it may contact the Supplier by telephoning its customer service team on 028 8676 6633 or by e-mail at info@kdmhire.com

20.4. If the Customer is a business the Customer agrees to indemnify and keep indemnified the Supplier against any and all losses, lost profits, damages, claims, costs (including legal costs on a full indemnity basis), actions and any other losses and/or liabilities suffered by the Supplier and arking from or due to any breach of stortory duty by the Customer.

20.5. If the Customer is a busines' no waiver by the Supplier of any breach of the Contract shall be considered as a waiver of any subsequent breach of the same provision or any other provision. If any provision is held by any competent authority to be unenforceable in whole or in part the validity of the other provisions of the Contract and the remainder of the affected provision shall be unaffected and shall remain in full force and effect.

20.6. If the Customer is a business the Supplier shall have no Liability to the Customer for any delay and/or non-performance of a Contract to the extent that such delay is due to any Force Majeure events. If the Supplier is affected by any such event then time for performance shall be extended for a period equal to the period that such event or events delayed such performance.

20.7. All third party rights are excluded and no third parties shall have any rights to enforce the Contract by virtue of the Contracts (Rights of Third Parties) Act 1999. This shall not apply to any finance company with whom the Supplier has an outstanding finance agreement relating to the Hird Goods. Such finance company shall, subject to the Supplier's consent, have the right to enforce the Contract as if they were the Supplier.

20.8. The Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements, promises, assurances, waranties, representations and understandings between them, whether written or oral, relating to its subject matter.

20.9. No variation of the Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

20.10.11 the Cuistomer is a Consumer, these terms are governed by English law and wherever the Consumer lives the Consumer can bring a claim against the Supplier in the English courts. If the Consumer lives in Wales, Scotland or Northern letand, the Consumer can also bring datus against the Supplier in the courts of the country the Consumer lives in. The Supplier can also claim against the Consumer in the court of the country the Consumer lives in. Nothing in these terms affects the Consumer's rights to rely on such mandatory provisions of local

law. 20.11. Advice about Customers' legal rights where they deal as a Consumer is available from their local Citizens' Advice Bureau or Trading Standards office or if based in the Republic of Ireland your local office of the Director of Consumer Affairs or Citizens Information Centre. Nothing in these conditions will affect these legal rights.

20.12. If the Customer is a Consumer, the Consumer should be aware that alternative dispute resolution is a process where an independent body considers the facts of a dispute and seeks to resolve it, without a Consumer having to go to court. If the Consumer is not happy with how the Supplier has handled any complaint, the Consumer may want to contact the alternative dispute resolution provider the Supplier uses. The Consumer can submit a complaint to the Citizens Advice Bureau via their website at https://www.citizensadvice.org.uk/ . The Citizens Advice Bureau will not charge the Consumer for making a complaint and if the Consumer is not satisfied with the outcome the Consumer can still bring legal proceedings. 20.13. If the Customer is a business, the Contract, and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of [England and Wales]. Each party irrevocably agrees that the courts of [England and Wales] shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with this contract or its subject matter or formation.

### Head Office

KDM Hire Ltd. 11 Killycolp Road, Cookstown, Co. Tyrone BT80 9AD Tel: 0845 338 1388 Email: info@kdmhire.com Website: www.kdmbire.com

Company registration: NI039890

## **CPA TERMS & CONDITIONS**

### 1. DEFINITIONS

(a) The "Contract" is the Contract between the Owner and the Hirer for the hire of Plant, which incorporates the Offer and is governed by these conditions.

(b) The "Hire Period" shall commence when either the Plant leaves the Owner's depot or place where last employed; and shall continue until the Plant is received back at the Owner's named depot or other agreed location. For the avoidance of doubt the Hire Period includes any time the Plant is being transported to or from site; or is left on site during evenings, nights, weekends, or any Holiday Period.

(c) The "Hiere" is the Company, firm, person, Corporation, or public authority taking the Owner's Plant on hire and includes their successors or personal representatives. (d) "Holiday Period" covers any cessation of work over Easter,

(d) "Holiday Period" covers any cessation of work over Easter, Christmas, and the New Year, as well as any other Bank or Public holidays.

(e) "Offer" is the Owner's offer to hire the Plant to the Hirer which will include details of the Plant to be hired, the Hire Period, relevant hire rates and charges and any supplementary conditions to be incorporated into the Contract.

(f) The "Owner" is the Company, firm or person letting the Plant on hire and includes their successors, assignees, or personal representatives.

(g) "Plant" covers all classes of Plant, or replacement Plant, machinery, vehicles, equipment, accessories, and any ancillary items, welfare units, accommodation, vehicles, or equipment therefor, which the Owner agrees to hire to the Hirer including any personnel, or anything within is supplied by the Owner for effect the hire, and anything supplied by the Owner for the safe operation and routine inspection and maintenance of the Plant. (h) A "Working Day" shall be from 8.00 am to 4.30 pm, Monday to Thursda, and 8.00 am to 3.30 pm, on Friday allowing a half-hour lunch break each day, unless otherwise specified in the Contract.

(i) A "Working Week" covers the period from 8.00 am on Monday to 3.30 pm on Friday, unless otherwise specified in the Contract.

### 2. EXTENT OF CONTRACT

No terms, conditions, or waranties other than as specifically set forth in the Offer shall be demed to be incorporated or to form part of the Contract or shall otherwise govern the relationship between the Owner and the Hier in relation to the hire of any particular Plant pursuant to the Offer. This excludes all other terms or conditions which the Hier may seek to apply under any order or acknowledgement or acceptance or similar document and supersedes all prior negotiations, sand signed by the Owner. The Owner and the Hier do not intend that any of the terms of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to the Contract, accept and the reson who is a successor to or an assignee of the rights of the Owner is deemed to become a party to the Contract fielt of the Owner is decemed to become a party to the Contract fielt of the Owner is decemed to become a party to the Contract fielt for the date of succession or assignment (as the case may be).

### 3. ACCEPTANCE OF PLANT

Acceptance of the Plant or any personnel supplied by the Owner on site implies acceptance of all terms and conditions herein unless otherwise previously agreed in writing. **4. UNLOADING AND LOADING** 

The Hirer shall be responsible for the unobstructed access and egress to the site, and where applicable any access road to the site and, unless otherwise agreed in writing, for unloading and loading of the Plant at the site or on the access road; and any personnel supplied by the Owner for such unloading and/or loading shall be deemed to be under the direction and control of the Hirer. Such personnel shall for all purposes in connection with their employment in the unloading and/or loading of the Plant be regarded as the servants or agents of the Hirer (but without prejudice to any of the provisions of clause 13) who shall be solely responsible for all claims arising in connection with unloading and/or loading of the Plant by, or with the assistance of, such personnel.

### 5. DELIVERY IN GOOD ORDER AND MAINTENANCE: INSPECTION REPORTS

(a) Unless written notification is received by the Owner within 24 hours from the commencement of the life from the lifer, the Plant shall be deemed to be in good order, save for either an inherent fault or a fault not ascertainable by reasonable examination, in accordance with terms of the Contract and to the lifer's satisfaction, provided that where the Plant requires to be erected on site, the periods stated above shall be calculated from the date of completed erection of Plant. The Hirer shall be responsible for the safe keeping of the Plant, its use in a workmanike manner within the manufacturer's rated capacity and in accordance with the manufacturer and/or the Owner's recommendations, and its return on the completion of the Hire Period in equal good order (fair wear and tear excepted).

(b) The Hirer shall at all times when hiring Plant without the Owner's operator or driver take all reasonable steps to keep themselves acquainted with the state and condition of the Plant. If such Plant is continued at work or in use in an unsafe and unsatisfactory state or environment, the Hirer shall be solely responsible for any damage, loss, cost, expense, or accidents whether directly or indirectly arising therefrom. (c) Any inspection report required under the relevant legislation, or a copy thereof, shall be supplied by the Owner, if requested by the Hirer, and returned on completion of the Hire Period.

### 6. SERVICING AND INSPECTION

The Hirer shall at all reasonable times allow the Owner, the Owner's agents, or insurers to have access to the Plant to inspect, test, adjust, repair, or replace the same. The Hirer shall allow such access during the Working Day. The Owner reserves the right to charge the Hirer for any inspection or maintenance work carried out on the Plant during the Hire Period.

### 7. GROUND AND SITE CONDITIONS

(a) The Hirer is deemed to have knowledge of the site, the site's access road, the property or land where the Plant is to be delivered or collected, loaded or unloaded, to work on, travel over, be transported over, be erected or dismantled on is suitable for the use of such Plant, and any electronic interference which may affect the Plant. (b) Subject to 7(a), if, in the opinion of the Hirer, the ground (including any private access road or track) is soft or unsuitable for the Plant, then the Hirer shall supply and lay suitable support in a suitable position for the Plant. (c) Any suitable support supplied by the Owner is provided solely to assist the Hirer under their duties within clause 7(b) and expressly not to relieve the Hirer of their legal, regulatory, or contractual obligations to ensure adequate stability of the Plant. (d) The Hirer is responsible for the protection of, and liable for any damage to, any underground, surface or above ground services and utilities including, but not limited to cables, ducts, water pipes and gas lines, and any pavements, bridges, tunnels, and roadways on or adjacent to the site and the Hirer shall liaise as necessary and comply with all requirements of the relevant statutory authority or similar body.

### 8. HANDLING OF PLANT

a) When a driver or operator or any person is supplied by the Owner with the Plant, the Owner shall supply a person competent in operating the Plant or for such purpose for which the person is supplied and such person shall be under the direction and control of the Hirrs. Such drivers or operators or persons shall for all purposes in connection with their employment in the working of the Plant be regarded as the servants or agents of the Hirre (but without prejudice to any of the provisions of clause 13) and the Hirre shall be solely responsible for all site costs and claims arising in connection with the operation of the Plant by the said drivers/operators/ persons.

(b) The Hirer shall not allow any other person to operate such Plant without the Owner's prior written consent.

(c) Such drivers or operators or persons shall not operate any other plant or machinery or undertake work other than that for which they are supplied by the Owner unless previously agreed in writing between the Owner and the Hirer.

### 9. BREAKDOWN, REPAIRS AND ADJUSTMENT

(a) Any breakdown or the unsatisfactory working of or damage to any part of the Plant must be notified immediately to the Owner and confilmed in writing. Any claim for breakdown time will only be considered from the time and date at which written notification is received and acknowledged by the Owner. (b) Full allowance for the hire charges set out in the Offer will be made to the Hirer for any stoppage due to breakdown of the Plant caused by the development of either an inherent fault or a dualt not ascertainable by reasonable examination or fair wear and tear and for all stoppages for normal running repairs in accordance with the terms of the Contract.

(c) The Hirer shall not repair, modify, or after the Plant without the prior written permission of the Owner (including without limitation the changing or repair of any tyre/puncture). The Hirer is responsible for all costs incurred in the changing or replacement of any tyre (which must be of an equivalent specification) as approved by the Owner and for the repair of any puncture. (d) The Hirer shall be responsible for all expense involved

(d) The Hirer shall be responsible for all expense involved arising from any breakdown, unsatisfactory working of or damage to any part of the Plant due to the Hirer's negligence, misdirection, or misuse of the Plant, whether by the Hirer or their servants, and for the payment of hirer at the idle time rate as defined in clause 2.5, during the period the Plant is necessarily idle due to such breakdown, unsatisfactory working or damage. The Hirer is responsible for the cost of spares and/ or repairs due to theft, loss, or vandalism of the Plant. The Owner will be responsible for the cost of repairs, inclusive of the cost of spares, to the Plant involved in breakdown from all other causes.

### **10. OTHER STOPPAGES**

No claims will be admitted (other than those allowed for under "Breakdown" (clause 9) or for "lidle Time" (clause 25), as herein provided), for stoppages through causes outside the Owner's control, including but not limited to adverse weather and/or ground conditions on shall the Owner be responsible for the cost or expense of recovering any Plant from soft or unsuitable ground, or a hazardous environment. For the avoidance of doubt, the Hirer shall be responsible for the cost and expense of recovering any Plant from soft or unsuitable ground or a hazardous environment.

### 11. LOSS OF OTHER PLANT DUE TO BREAKDOWN

Each item of Plant specified in the Contract is hired as a separate unit and the breakdown or stoppage of one or more units or vehicles (whether the property of the Owner or otherwise) through any cause whatsoever, shall not entitle the Hirer to compensation or allowance for the loss of working time by any other unit or units of Plant working in conjunction therewish, provided that where two or more items of Plant are expressly hired together as a unit, such items of all bedemed to be one unit for the purpose of breakdown.

### 12. LIMITATION OF LIABILITY

Except for liability on the part of the Owner which is expressly provided for in the Contract (including these clauses): (a) the Owner shall have no liability or responsibility for any loss, or damage of whatever nature due to or arising through any cause beyond the Owner's reasonable control; (b) the Owner shall have no liability or responsibility, whether by way of indemnity or by reason of any breach of the Contract, breach of statutory duty or misrepresentation or by reason of the commission of any tort (including but not limited to negligence) in connection with the hire, for any of the Hirer's loss of profit, loss of use of the Plant or any other asset or facility, loss of production or productivity, loss of contracts with any third party, liabilities of whatever nature to any third party, and/or any other financial or economic loss or indirect or consequential loss or damage of whatever nature; and (c) whenever the Contract (including these clauses) provides that any allowance is to be made against hire charges, such allowance shall be the Hirer's sole and exclusive remedy in respect of the circumstances giving rise to the allowance, and such remedy shall be limited to the amount of hire charges which would otherwise be or become due if the allowance in question had not been made

(d) For the avoidance of doubt, nothing in these conditions limits or seeks to exclude the Owner's liability for daims of death or personal injury caused by the Owner's negligence, fraud or for any other liability for which it is not permitted to seek to limit or exclude by operation of law.

### 13. HIRER'S RESPONSIBILITY FOR LOSS AND DAMAGE

(a) For the avoidance of doubt, it is hereby declared and agreed that nothing in this clause affects the operation of clauses 4, 5, 8 and 9 of these conditions.
(b) For the duration of the Hire Period (which for the avoidance

of doubt includes the time Plant is left on site during a Holiday Period) the Hirer shall, subject to the provisions referred to in sub paragraph (a) be liable for all loss of or damage to the Plant, and shall also fully and completely indemnify the Owner and any personnel supplied by the Owner in respect of all claims by any person whatsoever for injury to person or property caused by or in connection with or arising out of the storage, transit, transport, unloading, loading or use of the Plant during the continuance of the Hire Period, and in connection therewith, whether arising under statute or common law. In the event of loss of or damage to the Plant, hire charges shall be continued at idle time rates as defined in clause 25 until the settlement has been agreed. Payment of the settlement must be made within 21 calendar days of the date of the agreement or idle time charges can be reinstated from the date of that agreement. Should idle time charges be re-instated, the agreed settlement figure remains payable in full.

(c) For the avoidance of doubt, notwithstanding any agreement by the Owner to waive hire charges after any agreed period of use of the Plant, the Hirer's obligations specified under clause 13(b) shall continue for the duration of the Hire Feriod. (d) Notwithstanding the above the Hirer shall not be responsible for damage, loss, or injury, subject to clauses 1(b) and 7: (i) prior to delivery of any Plant to the site (or, where the site is not immediately adjacent to a highway maintainable at the public expense, prior to its leaving such highway) where the Plant is in transit by transport of the Owner or as otherwise arranged by the Owner,

(ii) during the erection and/or dismantling of any Plant where such Plant requires to be completely physically erected/ dismantled on site, provided always that such erection/ dismantling is under the exclusive control of the Owner or their agent,

(iii) after the Plant has safely been removed from the site, and until it is in transit on a highway maintainable at the public expense (or where the site is not immediately adjacent to a highway maintainable at the public expense including the site's access road, after it has safely juined such highway to the Owner by transport of the Owner or as otherwise arranged by the Owner (excluding always on such occasion that the Plant is the Owner (excluding always on such occasion that the Plant is the Owner (excluding always on such occasion that the Plant is mediately adjacent to a highway maintainable at the public expense including the site's access road, plor to its leaving or after its joining such highway) under its own power with a driver supplied by the Owner (excluding always on such occasion that the Plant is on a Public Highway (or access road) during the currency of the line and is being utilised by the Hire).

### 14. NOTICE OF ACCIDENTS

If the Plant is involved in any accident resulting in injury to persons or damage to properly immediate notification must be given by the Hirer to the Owner by telephone and confirmed in writing to the Owner no later than 24 hours after such telephone notification. In relation to any claim in respect of which the Hirer is not bound to fully indemnify the Owner, no admission of liability, offer, promise of payment or indemnity shall be made by the Hirer without the Owner's prior written permission.

#### 15. RE-HIRING ETC.

Neither the Plant nor any part thereof shall be re-hired, sub-let, or lent to any third party without the prior written permission of the Owner.

#### 16. CHANGE OF SITE

The Plant shall not be moved from the site to which it was delivered or consigned without the prior written permission of the Owner.

### **17. RETURN OF PLANT FOR REPAIRS**

If during the Hire Period the Owner decides that urgent repairs to the Plant are necessary then the Owner may arrange for such repairs to be carried out on site or at any location of the Owner's nomination. In the event that urgent repairs to the Plant are necessary the Owner shall be obliged to replace the Plant with similar Plant if available, the Owner (but without prejudice to any of the provisions of dauses 9 and/or 13) paying all transport charges involved. In the event of the Owner being unable to replace the Plant the Owner shall be entitled to terminate the Contract forthwith (but without prejudice to any of the provisions of dauses 9 and/or 13) by giving written notice to the Hirer, If such termination occurs: (a) within three months from the comments of the Hire Period, the Owner (but without prejudice to any of the provisions of clauses 9 and/or 13) shall pay all transport charges involved, or.

(b) more than three months from the commencement of the Hire Period, the Owner (but without prejudice to any of the provisions of clauses 9 and/or 13) shall be liable only for the cost of reloading and return transport.

### 18. BASIS OF CHARGING

(a) The Hirer shall render to the Owner for each Working Week an accurate statement of the number of hours the Plant has worked each day. When any personnel, operator or driver is supplied by the Owner, the Hirer shall sign their time record sheets. The signature of the Hirer's representative shall bind the Hirer to accept the hours shown on the time records sheets. Where applicable, the Plan's telematics may be checked against the Hirer's statement or operator's signed timesheet, should any conflict arise, then the telematics will take precedence over all other records. (If there is any conflict between the signed timesheet and any other record taken, then the signed timesheet takes precedence.)

(b) The Hirer shall be charged for any toolbox talks, briefings, inductions, mandatory training which the Owner's personnel have to attend poirto to or when working on the litter's site. (c) Full allowance will be made for breakdown periods resulting from mechanical or electrical faults or absence of driver or operator supplied by the Owner except where breakdown is due to acts or omissions of third parties and/or the Hirer's

# **CPA TERMS & CONDITIONS**

misuse, misdirection or negligence, subject however to the provisions of clause 8 of these conditions.

(d) Breakdown time in respect of such periods shall be

allowed for not more than the Working Day less the actual hours worked

(e) Plant shall be hired out either:

(i) for a stated minimum number of hours per Working Day or per Working Week or,

(ii) without any qualification as to minimum hours. Odd days at the beginning and at the end of the Hire Period shall be charged pro rata.

(f) Stoppages due to changing of tyres and repairs to punctures will be chargeable as working time up to a maximum of 2 hours for any one stoppage and any excess will be charged for at the appropriate idle time rates.

(g) In the case of Plant which is required to be dismantled for the purpose of transportation, if the Owner agrees to a modification of the hire charge for the period required for assembling on site and dismantling upon completion of the Hire Period, such modification of the hire charge and the Hire Period for which it shall apply shall be stated in the Offer/ Contract.

(h) The Hirer shall pay the Owner's invoice within 30 days net unless otherwise agreed.

(i) Any query with the Owner's invoice must be raised in writing by the Hirer within 14 calendar days of receiving the invoice. (i) The Owner in their absolute discretion may agree to accept electronic records and data as an alternative to written statements of the number of hours, time record sheets and other information related to charging that the Hirer is required to provide to the Owner. Such electronic records and data may include but is not limited to telematics automatically generated by the plant and electronic log books.

### 19. PLANT HIRED ON A DAILY BASIS WITHOUT QUALIFICATION AS TO HOURS

The full daily rate will be charged on a daily basis irrespective of the hours worked except in the case of breakdown for which the Owner is responsible, when the actual hours worked will be charged pro rata of the average Working Day. No hire charge shall be made for Saturday and/or Sunday unless at the Hirer's request, the Plant is actually worked or has been delivered to site or is on standby. The Hirer must inform the Owner if the Plant is going to be used at these times.

### 20. PLANT HIRED BY THE WEEK OR MONTH WITHOUT QUALIFICATION AS TO HOURS

The weekly or monthly rate shall be charged irrespective of the number of hours worked, except in the case of breakdown for which the Owner is responsible when an allowance pro rata of the agreed weekly rate or pro rata of the agreed monthly rate will be made for each full Working Day broken down calculated to the nearest half Working Day.

### 21. PLANT HIRED BY THE WEEK OR MONTH WITH QUALIFICATION AS TO HOURS The full hire for the period in the Contract will be charged as

per the Working Day or Working Week and an additional pro rata charge will be made for hours worked in excess of such period. An allowance will be made for breakdowns for up to the entirety of that Working Day providing always that where the actual hours worked are in excess of the breakdown time. the actual hours worked shall be chargeable. Idle time for this purpose shall be treated as actual working time. An allowance may be made for any Holiday Period that falls within the Working Day or Working Week, provided that the Plant is not available for the Hirer to use during that time.

### 22. "ALL-IN" RATES

Where "All-In" rates are charged by agreement the minimum period shall be as defined in the Contract and in accordance with the hire rates and terms contained therein, subject to the provisions of clause 26.

### 23. PERIOD OF CHARGING

23. PERIOD OF CHARGING (a) Within the Hire Period, an allowance may be made of not more than 1 day's hire charge each way for travelling time. If the Plant is used on the day of travelling, full hire rates shall be paid for the period of use on that day. If more than 1 day is properly and unavoidably occupied in transporting the Plant, a hire charge at idle time rates shall be payable for such extra time, provided that where Plant is hired for a total period of less than one Working Week, the full hire rate shall be paid from the date of despatch to the date of return to the Owner's named depot or other agreed location.

b) Should the Hirer delay the commencement of the Hire Period for whatever reason, then the Owner reserves the right to charge the Hirer the idle time rate as defined in clause 25 for the intervening period

(c) If the Plant is not made available for collection as agreed between the parties, such Plant shall be deemed with immediate effect to be placed back on hire. The Hirer shall be responsible for the safekeeping of the Plant in accordance with clause 13, and for all the reasonable costs and expenses incurred by the Owner in seeking to collect such Plant. (d) Upon the completion of the Hire Period, the Hirer shall clean and where necessary, decontaminate the Plant. All fuel and contaminates will be removed from bunds, storage tanks and bowsers. The Hirer shall be liable for any costs, liabilities and expenses incurred by the Owner should the Hirer fail to comply with this clause.

### 24. HIRER'S LIABILITY DURING THE NOTICE OF TERMINATION OF CONTRACT

a) Where the intended duration of the hire of the Plant is indeterminate or having been defined becomes indeterminate the Contract shall be terminable by 7 working days' notice in writing given by either party to the other except in cases where the Plant has been lost or damaged. Notwithstanding that the Owner may have agreed to accept less than 7 working days' notice of termination, the Hirer's obligations under clause 13 shall continue until the Plant is returned to the Owner in accordance with clause 31 or until the Owner has collected the Plant within the 7 working days following the acceptance of short notice. Oral notice given by the Hirer to the Owner's driver or operator shall not be deemed to constitute compliance with the provisions of this clause.

b) Without prejudice to clause 24(a), should the Hirer fail to make the Plant available for collection by the Owner before the end of the 7 working days' notice, the Hirer's obligations under clause 13 shall continue for a further 3 working days or until such time as the Plant is made available for collection and the Owner has collected the Plant. For the avoidance of doubt, where the Hirer gives a notice pursuant to clause 24(a) but subsequently and with the consent of the Owner, withdraws such notice, the obligations of clause 13 shall continue to apply and the requirements of clause 24 will apply to any later termination of the Contract.

c) If the Hirer terminates the Contract before the Hire Period commences, then the Hirer is liable for all reasonable costs and charges incurred by the Owner or to which the Owner is committed at the time of termination.

d) Should the Hirer terminate the Contract once the Hire Period has commenced, the Owner reserves the right to charge the Hirer the balance of the Contract. Where the Hire Period has not commenced but insufficient notice of cancellation is provided by the Hirer to allow the Owner to mitigate the effects of late cancellation, the Owner reserves the right (at its absolute discretion) to charge the Hirer the full balance of the charges for the Hire Period.

e) The Hirer may off-hire the Plant by written notification via an electronic device or application (app.). This off-hire will only be accepted by the Owner, provided the Owner issues an off-hire confirmation to the Hirer.

### 25. IDLE TIME

When the Plant is prevented from working for a complete Working Week, the hire charges shall be two thirds of the hire rate or such other idle time rate as is agreed in writing by the Owner for the period during which the Plant is not in use. If the Plant works for any time during the Working Day, then the whole of that Working Day shall be charged as working time. In any case no period less than one Working Day shall be reckoned as idle time save for as provided for in clause 18(f). Where an "All-In" rate is charged, idle time is calculated on the machine element only. Full rate will be charged for the operator.

### 26. WAGES AND OTHER CHARGEABLE ITEMS RELATING TO DRIVERS AND OPERATORS OF PLANT

All chargeable items shall be paid by the Hirer at the rates set out in the Contract save that any subsequent increases before and/or during the Hire Period arising from awards under any wage agreements and/or from increases in the Owner's statutory contribution shall be charged as additions at cost by the Owner and shall be admitted and paid by the Hirer.

### 27. TRAVELLING TIME AND FARES

Travelling time, fares and similar expenses for drivers, operators and any person supplied by the Owner, incurred at the beginning and end of the Hire Period and where appropriate return fare of the driver, operator and any person supplied by the Owner to their home may be chargeable at cost. No charge shall be made by the Owner for any such expenses incurred by other employees of the Owner for the purpose of servicing, repair, or maintenance of Plant, unless necessitated by the Hirer's negligence, misdirection, or misuse of the Plant.

### 28. FUEL, OIL AND POWER

(a) Fuel, fuel additives or power shall when supplied by the

Hirer and where instructed or specified by the Owner, be of a grade and type specified. The Hirer shall be solely responsible for all damages, losses, costs, and expenses incurred by the Owner if the Hirer fails to supply, maintain, or use the wrong/ contaminated fuel, fuel additives or power rating. Fuel, fuel additives or power when supplied by the Owner, to be charged at an agreed cost.

(b) If the Plant requires an electrical supply to either safely operate or recharge, then the Hirer will be responsible for the cost of providing the correct electrical supply, which will be available prior to the Plant's delivery, and continue until the Plant has left the site. The Hirer shall ensure that all current Faint has left die siet internier snall ersbere fund an übereit Health and Safety and other applicable legislation and industry guidance is complied with including fitting, testing and inspection of the supply. The Hirer will indemnify the Owner against any and all damages, losses, or daims should the Hirer fail to do so

### 29. SHARPENING OF DRILLS/STEELS ETC.

The cost of re-sharpening or replacement of drill bits, blades, bucket teeth and other ancillary items shall be borne by the Hirer

### 30. OWNER'S NAME PLATES

The Hirer shall not remove, deface, or cover up the Owner's name plate or mark on the Plant indicating that it is the Hirer's property, without the prior written permission of the Owner.

### 31. TRANSPORT

The Hirer shall pay the cost of and if required by the Owner, arrange transport of the Plant from the Owner's depot or other agreed location to the site and return to the Owner's named depot or other agreed location on completion of the Hire Period

### 32. GOVERNMENT REGULATIONS

a) The Hirer will be responsible for compliance with all relevant legislation, regulations, instructions, or guidance issued by the Government, Government Agencies, Local Authorities, statutory regulators, and Public/Corporate Bodies established by Parliament/Government including (without limitation) regulations under the Bribery Act, the Civil Aviation Act, the Construction (Design and Management) Regulations, the Environmental Acts, Factories Acts, the General Data Protection Regulation (GDPR), the Health and Safety at Work, etc. Act and observance of the Road Traffic Acts should they apply, including the cost of road fund licences and any insurances made necessary thereby, save that if and during such time as the Plant is travelling, whether for full or part journey from Owner to site and site to Owner under its own power with a driver supplied by the Owner, the Owner and not the Hirer shall be responsible as aforesaid.

b) For the avoidance of doubt, the Hirer shall indemnify the Owner against any and all charges, fines, or losses that the Owner may become liable for as a result of the Hirer utilising the Plant during the Hire Period.

### 33. PROTECTION OF OWNER'S RIGHTS

The Hirer shall not re-hire, sell, mortgage, charge, pledge, part with possession of or otherwise deal with the Plant except as provided under clause 15 and shall protect the same against distress, execution or seizure and shall indemnify the Owner against all losses, damage, costs, charges, and expenses arising as a direct result of any failure to observe and perform this condition except in the event of Government requisition.

### 34. TERMINATION AND SUSPENSION

(a) The Owner may terminate the Contract forthwith by written notice to the Hirer if one or more of the following events occur: (i) The Hirer defaults in punctual payment of any sum due to the Owner for hire of Plant or other charges payable pursuant to these conditions and fails to remedy such default within 10 working days or such other period as might be considered reasonable under the circumstances upon receiving written notice requiring it to do so;

(ii) The Hirer fails to observe and perform the terms and conditions of the Contract and fails to remedy such default within 10 working days of receiving written notice requiring it to do so; (iii) The Hirer suffers, or the Owner reasonably believes that

the Hirer shall suffer, any distress or execution to be levied against them;

(iv) The Hirer makes or proposes to make any arrangement with their creditors or becomes insolvent within the meaning of Section 113 of the Housing Grants, Construction and Regeneration Act 1996 or any amendment or re-enactment thereof for the time being in force; or

(v) The Hirer does or causes to be done or permit or suffer any act or thing whereby the Owner's rights in the Plant may be prejudiced or put into jeopardy.

(b) In the event of termination under sub-paragraph (a) above: (i) The Hirer must give the Owner or the Owner's agents, immediate unobstructed access to recover the Plant. (ii) The Owner shall be entitled to claim the hire charges outstanding as at the date of termination of the hire under this clause and return transport charges under clause 31. (c) The rights under sub-paragraph (a) and (b) above: (i) May be exercised notwithstanding that the Owner may have waived some previous default or matter of the same or a like nature.

(ii) Shall not affect the Owner's right to claim damages for breach of Contract or recover any sums due under the Contract as a debt.

(d) If the Hirer does not make payment of a sum by the final date on which payment is due to be made, the Owner has the right to suspend performance of its obligations under the Contract. The right to suspend may not be exercised without first giving to the Hirer at least 7 working days' notice in writing of the Owner's intention to suspend performance, stating the ground or grounds on which the Owner intends to suspend performance. The right to suspend performance will cease when the Hirer makes payment in full of the amount due.

### 35. CHANGES IN NORMAL WORKING WEEK

The foregoing provisions have been framed upon the basis of the Hirer working a 5-day week of 39 hours; it is hereby agreed that in the event of:

 (a) there being any agreed change in the normal weekly hours in the industry in which the Hirer is engaged or, (b) the Contract being made with reference to a 5-day week of other than 39 hours. Clauses 1(h) and (i), 18(d) and (e), 20 and (in regard to breakdown allowance and reduction for statutory holidays) 21 shall be deemed to be modified conformably and in the event of an alteration in the normal weekly working hours in the said industry the "Hire Rates and Terms" of Plant hired for a minimum weekly or daily period shall be varied pro rata.

### **36. DISPUTE RESOLUTION**

(a) The Owner will determine which court will have exclusive jurisdiction and interpretation of the law for this Contract be it governed by the country where the Owner's Head Office or site is located.

(b) Both parties to the Contract have a right to refer any difference or dispute arising under or in connection with the Contract to adjudication and the procedure set out in Part 1 of the Scheme for Construction Contracts (England and Wales) Regulations 1998 or such equivalent legislation which confers on the parties the statutory right to adjudicate within the relevant jurisdiction (or any amendment or re-enactment thereof for the time being in force) will apply. The person (if any) specified in the Contract to act as adjudicator may be named in the Offer. The specified nominating body to select adjudicators shall be the Construction Plant-hire Association acting by its President or Chief Executive for the time being. (c) The Owner and the Hirer shall comply forthwith with any decision of the adjudicator; and shall submit to summary judgment and enforcement (and/or, under Scots law, shall consent to a motion for summary decree and submit to enforcement) in respect of all such decisions; in each case, without any defence, set-off, counterclaim, abatement, or deduction. Where, under Scots law, the Owner, the Hirer, or the adjudicator, wishes to register a decision of the adjudicator for execution in the Books of Council and Session, any other party shall, on being requested to do so, forthwith consent to such registration by subscribing the decision before a witness.

### **37. LATE PAYMENTS**

The Owner reserves the right to charge the Hirer for the late payment of any outstanding invoices under the Late Payment of Commercial Debts (Interest) Act 1998, or any subsequent legislation

### 38. SEVERABILITY

If any of these clauses are held to be unlawful, void, or unenforceable, then that clause will be deemed severable and will not affect the validity and enforceability of the remaining clauses, to the extent permitted by law.

### Head Office

KDM Hire Ltd. 11 Killycolp Road, Cookstown, Co. Tyrone BT80 9AD Tel: 0845 338 1388 Email: info@kdmhire.com Website: www.kdmhire.com

Company registration: NI039890

# Our Environmental Policy!

KDM Hire recognise that day-to-day operations can impact both directly and indirectly on the environment. It is our commitment to protect, conserve and enhance all aspects of the environment over which we have control or can influence, through good management and adopting best practice. It is our intent that responsibilities for the implementation, operation and satisfactory performance of our environmental commitments are effectively assigned, accepted and fulfilled at all levels within our organisational structure.

### We are committed to:

- Meeting all applicable legal requirements and regulations
- Providing adequate resources to ensure that proper provision can be made for environmental compliance
- Protecting the environment by promoting environmental awareness, preventing pollution to land, air and water, and proactively reducing waste
- Identifying and managing environmental risks and hazards
- Establishing and reviewing environmental objectives and targets to ensure that we continually improve our performance
- Develop a sustainability strategy to help reduce or offset carbon produced from company operations to benefit the environment
- · Communicating this policy to everyone working for or on behalf of KDM Hire

As part of our commitment to developing a sustainability strategy, KDM Hire have undertaken numerous projects for both carbon reduction and carbon offset.






Over 2000 Trees and 700m<sup>2</sup> of Wild Flowers planted in the last 3 years

A Wind Turbine Solar P provides 60% of our Depot R Head Office power to o requirements req



Solar Panels fitted to Depot Roofs contribute to our power requirements





CALL OUR HIRE DESK TODAY 0845 338 1388

# PPE

### **Personal Protection Equipment**

Advisory PPE (Personal Protective Equipment) symbols are displayed throughout this catalogue as a guide to what PPE should be used when operating any hired equipment. You should undertake your own risk assessment before commencing any task to determine what equipment is suitable and what safety precautions should be taken.



### DUST MASK A correct fitting face

A correct fitting face piece should be worn when operating equipment where the user is subjected to increased levels of dust.



Full face shields offer a wide area of protection against flying particles or chemical splashes while remaining mist free.

### RESPIRATOR

Respirators use filters to remove contaminants in the workplace air. Filter selection is important to ensure the safety of wearers.

GLOVES Protective gloves should be used during manual handling of abrasive or sharp objects, vibrating equipment or when working with chemicals and

hazardous substances.

EAR PROTECTION

or higher.

FOOTWEAR

Hearing protection is vital to

guard against excessive noise

where noise levels are 85dB

It is recommended that safety

foot protection complying with

EN20345:2011 is worn whilst

using specific equipment.



### GOGGLES

Eye protection conforming to EN 166 protects the wearer against particles or liquids entering the eye when operating certain types of equipment.



### HARD HAT

It is recommended that head protection is worn when using particular types of equipment to protect the wearer against falling objects and other impacts.

### HARNESS

All fall arrest and fall restraint systems are required to be used in conjunction with PPE that typically comprise a full body harness and lanyard as a minimum.

These symbols are intended as a guide only and KDM Hire is not liable for their accuracy or intended use. PPE information is readily available on the HSA website. Please contact us directly if you require further information.



### **Hand-Arm-Vibration**

HAV or Hand-Arm-Vibration is vibration transmitted from work processes into workers hands and arms. Regular exposure to levels of vibration can cause painful and disabling disorders leading to permanent health effects. It is commonly caused by operating hand-held power tools or holding materials being processed by machines. To help you determine the exposure levels of the equipment you hire, we have provided a HAV symbol with each type of relevant equipment as a guide to the precautions required.







# **2** CALL OUR HIRE DESK TODAY **0845 338 1388**

# **HEAD OFFICE**

KDM Hire Ltd 11 Killycolp Road Cookstown Co. Tyrone BT80 9AD

Tel: 028 8676 6633 email: info@kdmhire.com

# **DUBLIN DEPOT**

KDM Hire (Ireland) Ltd. Stadium Business Park Ballycoolin Road Dublin 11 D11 E2YT

Tel: 1800 452 510 email: info@kdmhire.ie

# MALLUSK DEPOT

KDM Hire Ltd 11 Mallusk Drive Newtownabbey Co. Antrim BT36 4GX

Tel: 028 9084 7100 email: belfast@kdmhire.com



KDM Hire (Ireland) Ltd. Watergrasshill Business Park Meenane, Watergrasshill Co. Cork

Tel: +353 (0)86 1680211 email: cork@kdmhire.ie

# CASTLEREAGH DEPOT

KDM Hire Ltd 5 Alexander Road Belfast Co. Down BT6 9HP

Tel: 028 9694 4199 email: castlereagh@kdmhire.com

# **VEHICLE RENTAL**

KDM Hire Ltd 11 Killycolp Road Cookstown Co. Tyrone BT80 9AD

Tel: 028 8676 3350 email: info@allroadrental.com

# **CABIN DEPOT**

KDM Hire Ltd G1 Kilcronagh Business Park Cookstown Co. Tyrone BT80 9HJ

Tel: 028 8648 0966 email: kcabin@kdmhire.com



# HIRE Training Sales & Service





# SERVICE YOU CAN TRUST



kdmhire.com