

RENTAL CATALOGUE IRELAND 2023-2025











WELCOME

Welcome to our latest rental catalogue, which offers a guide to our comprehensive range of hire products, support services and equipment available for sale.

In conjunction with the opening of our new Dublin Super Depot and a new Depot coming to Cork in early 2024, we have upgraded our portfolio of equipment available for hire, providing you with the widest choice along with some of the most efficient and innovative products in the market place.

We appreciate your ongoing loyal support and look forward to working with you and providing what we hope is a valued service long into the future.

WHY CHOOSE US?

Our Products

KDM Hire offers you one of the widest selections of equipment available for immediate hire.

Value

We aim to offer our customers the best value for money possible by providing up to date and efficient equipment backed by the highest levels of service while keeping our prices competitive.

Modern & Reliable Equipment

With an ongoing replacement policy and a comprehensive maintenance programme, our equipment offers the assurance of reliability and minimal chance of disruption to your task.

Service

We strive daily to offer the highest and most dependable levels of service within the industry. Whether it is answering your phone call or delivering your equipment, we provide a service you can trust.

Safety

Safety is always our number one priority and we are fully committed to the highest safety standards for both you, our customer, and our employees.

SERVICE YOU CAN TRUST



CONTENTS



Hire Products:

	ACCESS PLATFORM HIRE	- 11
5	LIFTING EQUIPMENT HIRE	67
	MATERIAL HANDLING HIRE	121
	PORTABLE CABINS & TOILET HIRE	143
	POWER GENERATION HIRE	201

General information:

Divisions	02	New & Used Equipment Sales	225
Safety & Quality	04	Container & Cabin Sales	226
Support & Transport	05	Contract Hire	227
General Information	06	Support Services	228
Training	222	Event Rental	230
Trade Shop	224	Index	231

DIVISIONS



5 Divisions - 1 Solution!

Since being established in 1990, KDM Hire has grown to offer you one of the most extensive ranges of equipment available for hire. To make it easier for you to choose the correct equipment for your task, we have divided our equipment and products into 5 separate divisions.

To ensure you receive the highest levels of service and best quality products, we operate each product division distinctly, depending on the type of equipment. Our Portable Cabin Hire and Power Generation divisions are branded separately to ensure this focus is provided.

Access Platform Hire



Lifting Equipment Hire



Material Handling Hire



Portable Cabin & Toilet Hire





K Cabin is a leading provider of quality accommodation, storage and site welfare solutions available for immediate hire throughout Ireland. With one of the largest most comprehensive fleets, we can offer a solution tailored to the space and flexibility you require.





Power Generation Hire



Our K Power division specialises in the hire of generators and auxiliary equipment for applications where a reliable source of temporary power is required. We offer a comprehensive range of silenced generators along with a range of associated products and equipment.





DEPOT LOCATIONS

KOM KIRE ISBN

6 Depots - 1 Solution!

Operating from 6 depots in Ireland and Northern Ireland, KDM Hire endeavours to provide a quality rental service to customers large and small. Each depot has a dedicated team ready to provide local or national support to meet your rental and logistical needs, whatever the scale.



SAFETY







Safety is our Priority!

KDM is fully committed to safety throughout the business for customers, employees or the general public. Rigorous safety standards are adopted to all aspects of our operations and regularly audited by our dedicated safety team.

All equipment is extensively checked, cleaned and tested prior to each hire to ensure it is fully operational, safe and ready to use. All electrical tools are PAT tested and we carry out an electrical inspection on all cabins prior to delivery. Safety operating instructions are provided with each piece of equipment to ensure you are familiar with its proper use. Alternatively, we can provide a familiarisation handover or advise on the operation of any equipment.

SafeHire certification has recently been awarded for high standards of service, health & safety and environmental management.



QUALITY



To give our customers the quality assurance they require, we regularly review numerous quality management processes to ensure we comply with ISO 9001 and other industry standards.


This process of continual improvement helps KDM maintain high standards of service delivery while ensuring operational efficiency and compliance with regulatory requirements. All systems and processes are regularly audited to ensure consistent customer satisfaction.



CALL OUR HIRE DESK TODAY!

Our team of experienced hire specialists are always on hand to offer advice and help you choose the most suitable machine for your job. They are dedicated to understanding your needs and ensuring the equipment is available when you require it and supporting you throughout the hire.

Call us today - for advice, availability & hire pricing



HERE TO SUPPORT YOU

To guarantee reliability and safety on site, our equipment fleet is maintained to the highest standards by our team of experienced service engineers. Support is provided by a dedicated service team and unrivalled spare parts department.

For on-site maintenance and in the unlikely event of a breakdown, our fleet of mobile service engineers are on standby to ensure downtime is kept to the absolute minimum.

So, whether it is advice or technical support, we aim to ensure you are supported every step of the way.

Call us today - for technical advice or support



TRANSPORT & DELIVERY

Transport to and from site is vitally important to your operation. We operate a modern in-house haulage fleet allowing our dedicated transport team to offer a prompt and reliable service so you can carry on with your business.

We are fully compliant members of the Freight Transport Association.



GENERAL INFORMATION

Opening Hours

Monday to Friday | 7.30am to 5pm



Hire Periods

First Day	The first 24 hour period
Extra Day	Every additional 24 hour period
Weekly Rate	Any seven day period

Contract Hire



Contract hire is a flexible and cost-effective way to provide equipment for your business without the risks, hassle and hidden costs normally associated with buying and maintaining equipment. See page 227 for further details

Long Term Hire Rates

Ask about our long term hire discounts, the longer you hire, the better deal you will get!



Insurance

It is the customer's full responsibility to protect all equipment against loss or damage. You should always ensure you have adequate insurance cover in place.



Products and Pricing Policy

All products shown in this catalogue are subject to availability and alternative items of a similar specification may be offered.

Product information and specifications shown in this catalogue are intended as a guide only and whilst we take every effort to ensure the accuracy of this information, we do recommend that you check any essential information before ordering as no liability can be accepted.

- At all times, KDM Hire reserves the right to change rates and information without prior notice.
- All prices listed in this catalogue exclude VAT which will be charged at the prevailing rate.
- All prices are correct at the time of going to press.
- All prices quoted are for standard working hours, additional charges will apply for extra usage.
- All prices quoted exclude fuel and transport to and from site

Terms and Conditions

All equipment is hired subject to our Terms and Conditions as specified by the Hire Association of Europe and CPA which are clearly displayed on the reverse of every hire contract or can be viewed on our website or **pages 234 - 240** of this catalogue.

Certifications

KDM Hire Ltd. are associated with and full certified members of the following organisations:













How do I Hire?

KDM strive to make your hire experience as straightforward as possible. If you are not a business or trade customer, we require a few details before you hire.



1: IDENTIFICATION

When hiring equipment, we require photographic ID, a passport or driving license. We also require proof of your current address, ideally a utility bill or bank statement within the last 3 months.



2: PAYMENT

To hire equipment, payment is required in advance and can be made via credit or debit card. For continuing hires after the initial period, the same card details will be used to take further advanced payments. The card must be in the same name as the hirer.



3: SECURITY DEPOSIT

We may (and reserve the right to) ask for a security deposit in addition to the advance payment depending on the product being hired or the duration of the hire. This payment can be made via credit or debit card.



VISA

Call our Hire desk Today For advice, availability & hire pricing

As well as advising you on the availability and right choice of equipment, our hire desk experts can offer assistance on hire pricing, payment methods or opening an account.



PLEASE CALL FOR QUOTATION



Open an Account

Open a Business Credit Account Today!



Further information & forms please visit kdmhire.com

It's quick and easy to open a business credit account with KDM Hire. As soon as your new account is set up, you can start benefiting from the convenience of monthly invoicing, pricing agreements and your own account manager.

Credit accounts can be opened within 24 hours of receipt of your application.

Simply fill in our online application form and resend, alternatively download or ask for a form at your local depot and send to the address provided. **www.kdmhire.com/open-an-account** T&C's Apply

Open a Trade -Pay as you go Account



Further information & forms please visit kdmhire.com

Receive 10% discount on selected items!

Alternatively, you can open a pay as you go account which avoids the need to provide ID or pay a deposit every time you hire. Payment in advance will be required each time you hire, payable by credit or debit card. Simply fill in our online application form and resend, alternatively download or ask for a form at your local depot and send to the address provided.

www.kdmhire.com/open-an-account *T&C's Apply*

If you require any further information or assistance, please ask a member of our team or call 1800 452 510

GOGREEN ECO-FRIENDLY RENTAL PRODUCTS

KDM Hire are committed to protecting the environment and have developed the go green initiative to help customers choose the most Eco-friendly rental products for their tasks, thus helping to reduce CO₂ emissions and improve sustainability. Considerable technological advances have been made in battery and electrical power sources, providing greener alternatives but with similar performance to many traditional engine powered products. We have highlighted these products using the **GO GREEN** symbol throughout the catalogue to help you make the greener choice.

Some of the many advantages of choosing GO GREEN products

- Reduced CO₂ emissions
- Safer & quieter to use
- Reduced fuel costs
- Less noise pollution
- O Reduced spillage or contamination



Look out for our GO GREEN products, options and benefits throughout the catalogue or contact us directly for further details.



PPE

Advisory PPE (Personal Protective Equipment) symbols are displayed throughout this catalogue as a guide to what PPE should be used when operating any hired equipment. You should undertake your own risk assessment before commencing any task to determine what equipment is suitable and what safety precautions should be taken.



DUST MASK

A correct fitting facepiece should be worn when operating equipment where the user is subjected to increased levels of dust.



EAR PROTECTION

Hearing protection is vital to guard against excessive noise where noise levels are 85dB or higher.



GOGGLE

Eye protection conforming to EN 166 protects the wearer against particles or liquids entering the eye when operating certain types of equipment.



FACE SHIELD

Full face shields offer a wide area of protection against flying particles or chemical splashes while remaining mist free.



FOOTWEAR

It is recommended that safety foot protection complying with EN20345:2011 is worn whilst using specific equipment.



HARD HAT

It is recommended that head protection is worn when using particular types of equipment to protect the wearer against falling objects and other impacts.



RESPIRATOR

Respirators use filters to remove contaminants in the workplace air. Filter selection is important to ensure the safety of wearers.



GLOVES

Protective gloves should be used during manual handling of abrasive or sharp objects, vibrating equipment or when working with chemicals and hazardous substances.



HARNESS

All fall arrest and fall restraint systems are required to be used in conjunction with PPE that typically comprise a full body harness and lanyard as a minimum.

These symbols are intended as a guide only and KDM Hire is not liable for their accuracy or intended use. PPE information is readily available on the HSA website. Please contact us directly if you require further information.

HAV

HAV or Hand-Arm-Vibration is vibration transmitted from work processes into workers hands and arms. Regular exposure to levels of vibration can cause painful and disabling disorders leading to permanent health effects. It is commonly caused by operating hand-held power tools or holding materials being processed by machines. To help you determine the exposure levels of the equipment you hire, we have provided a HAV symbol with each type of relevant equipment as a guide to the precautions required.

C 4- 40

Below 5

Vibration in m/s2

All li

Max. daily usage time/hours

8 Hours

8 Hours daily maximum use

5 to 10



2 Hours

2 hours daily use without further assessment

These symbols are intended as a guide only and KDM Hire is not liable for their accuracy or intended use. HAV information is readily available on the HSA website. Please contact us directly if you require further information or a manufacturers product HAV rating.

Over 10



Assess Risk!
Consult your supervisor



ACCESS PLATFORM HIRE



WE OFFER ONE OF THE MOST COMPREHENSIVE RANGES OF AERIAL WORK PLATFORMS AVAILABLE FOR HIRE THROUGHOUT IRELAND. OUR FEET OF SCISSORS, BOOMS AND SPECIALIST LIFTS ALLOW YOU TO WORK SAFELY AT HEIGHTS OF UP TO 48M.

Access Platforms	12
Low-Level Access	17
Electric Scissor Lifts	22
Tracked & Self Levelling Scissor Lifts	28
Diesel Scissor Lifts	31
Trailer & Tracked Boom Lifts	36
Electric Boom Lifts	44
Diesel Articulating Boom Lifts	51
Diesel Telescopic Boom Lifts	57
Vehicle Mounted Lifts	63



For all Powered Access



Over Desk Tower

The DeskSurfer allows hands-on access to fittings or equipment above desks in offices or reception areas. Simply push into position and manually lift the platform to your desired height. No power source or batteries required. Easy to manoeuvre by a single operator through standard doorways and into small lifts.

✓ Allows access above office desks

✓ No power source or batteries required

✓ 3.5m maximum working height

Only 140kg

	Specs
Working height	3.5m
Platform Height	1.5m
Platform Capacity	150kg
Platform Dimensions	-
Working Footprint	0.65m x 1.35m
Height Stowed	1.91m
Weight	140kg
Product Code:	10100



PLEASE CALL FOR QUOTATION

Stairway Tower

For painting & decorating or maintenance on stairways or confined spaces, this Tower provides safe access on both domestic and commercial applications.

✓ Compact size 0.7 x 1.3m base

✔ Portal frame allows emergency access

✓ Maximum stability

✔ Platform heights up to 5m



	Specs
SWL	275kg
Max Platform Height	5.0m
Max Working Height	7.0m
Size (w x I)	0.7m x 1.3m

Product Code: 101








Folding Tower

This lightweight portable Scaffold System is ideal for interior decorating or maintenance. Its clever design means that it is both quick and easy to erect and can be easily transported.



One person operation

Fits through standard doorway









	2.8m	3.8m	4.5m
Platform Height	0.8m	1.8m	2.55m
Working Height	2.8m	3.8m	4.55m
Weight	63kg	90kg	140kg
Platform Size	0.6×1.8m	0.6×1.8m	0.6×1.8m
S W L	275kg	275kg	275kg
Product Code:			10120

PLEASE CALL FOR QUOTATION

Mini Tower

These unique scaffold towers allow a single worker to erect the sturdy scaffold in under 10 minutes, maximising the available working time. The MI TOWER does not compromise on security, with easy-clip frame clips and easy-lock stabilisers creating a stable foundation. This compact tower allows access into tight spaces making it suitable for a range of applications. The base of the tower doubles as the storage and transport Trolly, making it easy to keep all of the components together when not in use.


- Up to 6m working height
- Erected/dismantled by just one person
- Ready to use in under 10 minutes
- Fits through standard doorways

















Single & Double Width Towers



Alloy Tower Scaffold is the solution when you require a safe, stable and comfortable working platform. Its lightweight design allows it to be quickly assembled. For narrow aisles or where space is limited, a single width Alloy Tower at only 0.9m wide can solve your access problem.



	Single	Double
Base Size	2.5 x 0.85m	2.5 x 1.45m
S W L/Deck	275kg	275kg
S W L/Tower	950kg	950kg
Product Code:	10140	10150



Advanced Guardrail Tower

The Advanced Guardrail cam-lock system provides an easier and safer alternative to building scaffold towers. Using this system, the guardrail is in place before the user ascends the platform. These towers are also quicker and simpler to build with fewer components. Ideal when towers have to be dismantled and rebuilt regularly. They are also less susceptible to loss and damage.

- Easier & safer to erect
- Fewer components, less damage
- ✓ Working height up to 10.7m.
- Single and double width towers are available







	,	Double Width Tower
Base Size	0.85 x 2.5m	1.45 x 2.5m
Product Code:	10160	10170







Bridge Beam

Maximise your access platform with these unique 2.5m Bridge Beams. Designed to safely create an extended platform between two access towers to provide a larger working platform at height.

- Bridge over machinery or obstacles
- Create an extended platform between two towers
- Kit includes 2 beams, decks and hand rails










	эрссэ
Dimensions	2.58m x 0.51m x 0.1m
Weight	8.3kg
Product Code:	10180



Low Level Platform

Lightweight, compact and simple one-person assembly, the ideal solution for low level access up to 3m. These innovative 600mm wide platforms can be set at multiple heights and offer up to

200kg working capacity, perfect for accessing those awkward areas on-site or at home.





Guard-rail provides safe working platform










Product Code:

PLEASE CALL FOR QUOTATION

Podium Steps

The Mobile Work Platform offers a captive deck and large platform area plus added stability for all maintenance and installation work.



Quick and easy to assemble

Large non-slip captive desk


Lockable castors

Lightweight & compact - folds flat for easy storage & transportation









Product Code: 10270





When working at a height, these non-slip Platforms provide a safe and comfortable solution for bridging open spans and access problems.



0.6m wide

Full handrail system available

Must be used with handrails and toe boards above 1.8m











	4.2m	6m	7.2m	Guard Rail Post
Span	4.2m	5.4m	6.6m	n/a
Width	600mm	600mm	600mm	n/a
Weight	39kg	56kg	65kg	5.5kg (Post)
Capacity	270kg	180kg	120kg	n/a
Product Code:	10280	10290	10300	10310









Manual Platform Lift 3.5 - 4.2m

These unique access machines are elevated using a wind up mechanism, requiring no power source or batteries.

✓ No power source required

✓ Manual wind up operation

Easily manoeuvrable







Non-powered Powered Access...









	Peco Lift	Eco Lift
Working Height	3.5m	4.2m
Platform Height	1.5m	2.2m
Platform Capacity	150kg	150kg
Platform Dimensions	0.6 x 0.72m	0.64 x 0.85m
Working Footprint	0.7 x 0.985m	0.74 x 1.28m
Height Stowed	1.55m	1.95m
Weight	180kg	305kg
Product Code:	30100	30110



Push Around Lifts 3.6m - 4.55m

Designed as an alternative to podium steps or small scaffold towers, these units are simply pushed into position and elevated by the push of a button. At only 700mm wide and light enough to be easily pushed by a single person, these Lifts offer a safe solution for working at heights of up to 4.55m.















	3.6m	4.55m
Max Working Height	3.6m	4.55m
Max Platform Height	1.6m	2.55m
Platform Capacity	240kg	240kg
Platform Dimensions	$0.52 \times 1.01 m$	0.57×1.05m
Working Footprint	$0.7 \times 1.135 m$	0.7×1.21m
Height Stowed	1.63m	1.8m
Weight	215kg	349kg
Power Source	Battery	Battery
Product Code:	30120	30130







Push Around Lift 5.1m

For applications requiring extra reach and more room on the deck, these 5.1m working height lifts are ideal for fit-out, mechanical & electrical and maintenance tasks.



Large platform













	Power Tower	IQ Pro
Max Working Height	5.1m	5.0m
Max Platform Height	3.1m	3.0m
Platform Capacity	250kg	240kg
Platform Dimensions	$0.65 \times 1.52 m$	0.7 x 1.2m
Working Footprint	$0.78 \times 1.52 m$	0.7 x 1.2m
Height Stowed	1.92m	1.8m
Weight	312kg	370kg
Power Source	Battery	Battery

Product Code:

PLEASE CALL FOR QUOTATION



LET US TRAIN YOU...

APPROVED OPERATOR TRAINING COURSES AVAILABLE SEE PAGE 222





Vertical Mast Lifts 9.6m - 13.1m



These lightweight vertical lifts can be wheeled through a single doorway allowing work to be safely completed.

Easily pushed into place and stabilised using 4 manual outriggers.

✓ Up to 13.1m working height

Only 330kg









	AWP25S	AWP30S	AWP36S
Working Height	9.6m	11.0m	13.1m
Platform Height	7.6m	9.0m	11.1m
Platform Capacity	159kg	159kg	159kg
Height Stowed	1.98m	1.98m	2.78m
Width	0.74m	0.74m	0.74m
Length	1.31m	1.35m	1.4m
Deck Size	0.69 x 0.66m	0.69 x 0.66m	0.69 x 0.66m
Weight	330kg	352kg	472kg
Power Source	Battery	Battery	Battery

Product Code: 30150

PLEASE CALL FOR QUOTATION

Self-propelled Lifts 4.5m Lightweight

This lightweight, self-propelled Access Platform which gives up to 4.5m working height and is ideal for applications where space and floorloading is at a premium. Compact dimensions & zero inside turning radius allow this machine to access the most difficult areas.



	Nano SP
Working Height	4.5m
Platform Height	2.5m/8'
Platform Capacity	200kg
Width	0.75m
Length	1.2m
Height Stowed	1.6m
Deck Size	0.73 x 1.0m
Weight	478kg
Power Source	Battery
Product Code:	30160

GOGREEN Eco Version







Self propelled Lifts 5.4m



Hydraulically operated vertical mast provides an exceptionally smooth operation while clean and quiet for a variety of environments. Front wheel drive provides outstanding manoeuvrability and long cycle duties.



Non marking tyres fitted as standard







Eco version	JLG 1230 ES	Genie GR12
Working Height	5.66m	5.45m
Platform Height	3.66m	3.45m
Platform Capacity	230kg	230kg
Width	0.76m	0.75m
Length	1.36m	1.35m
Height Stowed	1.64m	1.66m
Deck Size	0.68 x 1.25m	0.75 x 0.89m
Deck Size Extended	N/A	0.75 x 1.4m
Weight	805kg	717kg
Outreach Max	N/A	N/A
Power Source	Battery	Battery
Duradicat Codes	20170	20170







When operating in tight workspaces, a short wheel base and high degree steer angle provide these machines with superior functionality and efficiency over conventional scissor lifts. Slide out deck extensions on most machines also allow up and over capability.



Non marking tyres fitted as standard









	Genie GR15	Skyjack SJ16
Working Height	6.52m	6.75m
Platform Height	4.52m	4.75m
Platform Capacity	227kg	227kg
Width	0.75m	0.77m
Length	1.35m	1.37m
Height Stowed	1.68m	1.68m
Deck Size	0.75 x 0.89m	0.69 x 0.85m
Deck Size Extended	$0.75 \times 1.4 m$	N/A
Weight	994kg	971kg
Outreach Max	N/A	0.5m
Power Source	Battery	Battery

Product Code:







Self-propelled Lift Oil-free



This all-electric oil-free lift is the only option for applications where there is zero tolerance for oil leaks no matter how minor. Maintenance free electrical components replace conventional hydraulics' to offer an energy saving and silent machine for the cleanest environments.

Totally oil free, No more hydraulic leaks

Zero noise, emission, or pollution

Maintenance free

Product Code:

	Oil-free
Working Height	6.7m
Platform Height	4.7m
Platform Capacity	230kg
Width	0.76m
Length	1.45m
Height Stowed	1.99m
Deck Size	1.0 x 0.76m
Deck Size Extended	1.5 x 0.76m
Weight	1350kg
Outreach Max	0.5m
Power Source	Battery

PLEASE CALL FOR QUOTATION













	Genie GR20
Working Height	8.07m
Platform Height	6.07m
Platform Capacity	159kg
Width	0.80m
Length	1.35m
Height Stowed	1.98m
Deck Size	0.89 x 0.75m
Deck Size Extended	0.75 x1.4m
Weight	1112kg
Power Source	Battery
Product Code:	30190








Compact Scissor Lift 5.9m



The Genie® GS-1330m scissor lift offers a maximum platform height of 12.8ft (3.9m) and a maximum working height of 18.8ft (5.9m), with a 2-person, 500lb (227kg) capacity and weighing in at only 1950lb (885kg). The Genie GS-1330m scissor lift is equipped with an efficient, all-electric DC drive system that offers productive power for getting around indoor job sites with quiet, zero-emissions operation.



Only 885kg

	Genie 1330	Snorkel 3010
Working Height	5.9m	5.0m
Platform Height	3.9m	3.0m
Platform Capacity	227kg	227kg
Width	0.78m	0,77m
Length	1.41m	1.26m
Weight	885kg	495kg
Power Source	Battery	Battery
Product Code:	30320	30330





Compact Scissor Lift 7.8m





For those hard-to-access areas where turning space is limited, these Compact Scissors are ideal for safe working at heights up to 7.8m. Fold down handrails allow travel through a standard door.

Only 81cm wide (32")





Product Code:










PLEASE CALL FOR QUOTATION

Narrow Scissor Lifts 8m - 10m



With working heights up to 10m and only 810mm wide, these Narrow Scissors are perfect for manoeuvring into awkward areas. Non-marking tyres allow travel over sensitive floors.

Fold down handrails are fitted as standard









	2032	2632
Working Height	8.1m	9.9m
Platform Height	6.1m	7.9m
Platform Capacity	363kg	227kg
Width	0.81m	0.81m
Length	2.44m	2.44m
Height Stowed	2.13m	2.5m
Height Rails Lowered	l 1.75m	1.91m
Deck Size	0.81 x 2.26m	0.81 x 2.26m
Deck Size Extended	0.81 x 3.18m	0.81 x 3.18m
Weight	1621kg	2002kg
Power Source	Battery	Battery
Product Code:	30220	30230







Narrow Scissor Lift 12m





Standard Width Scissors 10m - 12m



This unique machine has built-in stabilisers to allow work up to an impressive 11.8m whilst still being able to access narrow passageways and aisles.

This machine is fitted with self-levelling jacklegs for added safety











	3232
Working Height	11.8m
Platform Height	9.8m
Platform Capacity	227kg
Width	0.81m
Length	2.44m
Height Stowed	2.38m
Height Rails Lowered	1.75m
Deck Size	0.81 x 2.26m
Deck Size Extended	0.81 x 3.18m
Weight	2352kg
Power Source	Battery
Product Code:	30240

GOGREEN Eco Version



Ideal for high-level maintenance or fit-out applications up to working heights of 12m, these Scissors offer additional deck space to their narrow equivalent. Roll-out platform extensions come as standard.



Non marking tyres & fold down handrails are standard features









Eco Version	2646	3246
Working Height	9.9m	11.8m
Platform Height	7.9m	9.8m
Platform Capacity	454kg	318kg
Width	1.17m	1.17m
Length	2.41m	2.41m
Height Stowed	2.26m	2.39m
Height Rails Lowered	1.68m	1.8m
Deck Size	1.15 x 2.26m	1.15 x 2.26m
Deck Size Extended	1.15 x 3.18m	1.15 x 3.18m
Weight	1956kg	2364kg
Power Source	Battery	Battery
Product Code:	30250	30260





Scissor Lift, Narrow Aisle 14m



At only 1.19m/3'11" wide and offering a working height of nearly 14m, this Scissor Lift is ideal for high-level maintenance or fit-out of warehouses or factories. A lifting capacity of up to 350kg and a 91cm slide out deck extension make this machine exceptionally versatile. Standard features include solid non marking tyres and folding handrails.

Driveable at full height

Exceptional 14m working height

Only 1.19m wide

Product Code:

	4047
Working Height	13.93m
Platform Height	11.89m
Platform Capacity	249kg
Width	1.19m
Length	2.48m
Height Stowed	2.54m
Height Rails Lowered	1.95m
Deck Size	1.16m x 2.26m
Deck Size Extended	1.16m x 3.18m
Weight	3260kg











Electric & Hybrid Scissor Lift 14m



Available in electric hybrid options, these machines provides excellent rough terrain capability whilst offering zero emissions and quiet operation for noise sensitive environments. Other features include a maximum working height of 14.2m and a 4.31m extended deck size.

Ideal for larger indoor or outdoor applications

14m working height

Large 1.6m x 4.31m deck

Auto-level jacklegs

	4069
Working Height	14.2m
Platform Height	12.2m
Platform Capacity	363kg
Width	1.75m
Length	3.12m
Height Stowed	2.74m
Height Rails Lowered	2.08m
Deck Size	1.6 x 2.79m
Deck Size Extended	1.6 x 4.32m
Weight	3260kg
Product Code:	30280









Electric Scissor Lift 16m



A narrow platform size of 0.81 m/2.64m and a massive 15.8m working height, this scissor is ideal for working at large heights and in tight areas. Fitted with a host of systems including pot hole protection, speed limiting at height and a load sensing system. Standard features include solid non-marking tyres and folding handrails.

	S4550E
Working Height	15.8m
Platform Height	13.8m
Platform Capacity	277kg
Width	1.25m
Length	2.76m
Height Stowed	2.60m
Height Rails Lowered	2.20m
Deck Size	0.81 x 2.64m
Deck Size Extended	0.81x 3.54m
Weight	3366kg

Product Code:

Massive 15.8m working height Driveable at full height Small footprint



PLEASE CALL FOR QUOTATION



Electric Scissor Lift Twin Deck 18m





Offering the same features as the standard diesel version but fully electric, these rugged twin deck scissor lifts have an 680kg lift capacity and large 5.41m long deck. Quiet and emission free, this machine will work all day on a single charge.

	18M T/0
Working Height	18.0m
Platform Height	16.0m
Platform Capacity	680kg
Width	2.29m
Length	4.88m
Height Stowed	3.19m
Height Rails Lowered	2.49m
Deck Size	1.83 x 3.98mm
Deck Size Extended	1.83 x 5.41m
Weight	9760kg
No Deck Extensions	1

✓ Fully electric Zero emissions Quiet operation Full rough terrain

capability 4 x 4







Product Code:








Electric Scissors Lift 19m - 22.5m



These impressive Scissor Lifts provide a maximum working height of 19m or 22.5m (depending on the model) while still only 1.22m wide. An automatic levelling system provides the user with additional stability allowing indoor or outdoor use. Ideal for high level narrow warehouse aisle applications or inner-city applications on narrow pathways etc.

Proportional control and 90° steering angle allow a tight turning radius making this lift very flexible and agile.



	JCPT1912 DC	PBS225 ES
Working Height Platform	19.0m	22.5m
Platform Height	17.0m	20.50m
Platform Capacity	750kg	450kg
Width	1.25m	1.22m
Length	4.72m	4.49m
Height Stowed	3.57m	3.7m
Height Rails Lowered	2.74m	2.91m
Platform Size	1.19 x 4.3m	1.19 x 3.98m
Max Platform Size	1.19 x 6.1m	1.19 x 5.48m
Weight	11750	10290kg
Product Code:	30300	30300



TRACKED & SELF LEVELLING SCISSOR LIFTS



Tracked Scissor Lift 8m



This Tracked Scissor Lift has auto levelling outriggers which extend to 400mm allowing levelling on the most uneven surfaces. Retractable outriggers allow travel through narrow entrances only 800mm wide making this machine ultra versatile.

- ✓ 400mm outriggers allow levelling on the most uneven surfaces
- Dual position outriggers retract to 800mm
- Non marking rubber tracks
- Drop down frame enables access through standard doors

	850 HE
Working Height	8m
Platform Height	6m
Platform Capacity	250kg
Width	0.8 / 1.12m
Length	2.14m
Height Stowed	2.34m
Heights Rails Lower	ed 1.49m
Deck Size	0.7m x 1.39m
Deck Size Extended	0.7 x 2.27m
Weight	1730kg
Dunalmet Code	20210















TRACKED & SELF LEVELLING SCISSOR LIFTS

Bi-Level Tracked Scissor Lift 8m & 10m




This unique Bi-level Tracked Scissor provides safe access solutions on slopes of up to 20°. Capable of levelling both longitudinally and laterally, this machine will operate in the roughest and most uneven conditions. The crawler traction allows access to areas not suitable for traditional 4 x 4 machines.


- Multi directional bi-levelling system
- Suitable for extreme conditions with various gradients
- Rubber tracks provide extra stability
- Suitable for indoor or outdoor work
- Automatic powered platform levelling
- Front to Back 20°
- Side to Side 870BL (14°) 1090BL (15°)














	870 BL	1090 BL
Working Height	8.0m	10m
Platform Height	6.0m	8.0m
Platform Capacity	250kg	300kg
Width	1.3m	1.4m
Length	1.94m	2.29m
Height Stowed	2.52m	2.94m
Height Rails Lowered	1.98m	2.09m
Deck Size	1.2m x 1.5m	1.3m x 1.8m
Deck Size Extended	1.2m x 2.35m	1.3m x 2.92m
Weight	2460kg	2830kg

Product Code:







TRACKED & SELF LEVELLING SCISSOR LIFTS

Speed Level Scissor Lift 8m



The unique SL30SL Speed Level offers automatic powered platform levelling without the need for outriggers. Level up to 13° from side-to-side and up to 9° from front-to-back swiftly for a stable working platform. Driveable at full height (11m), the Speed Level offers a spacious platform (1.72m x 4.32m) and a powerful 4-wheel-drive ideal for cladding and glazing applications on rough terrain sites even on compound slopes.

> PLEASE CALL FOR QUOTATION



- Climb gradients up to 50%
- Automatic powered platform levelling
- ✓ 4 x 4 suitable for rough terrain
- Automatic powered platform levelling
- Front to Back 9°
- Side to Side 13°









	SL30SL
Working Heights	11.0m
Platform Height	9.0m
Platform Capacity	590kg
Width	2.13m
Length	4.3m
Height Stowed	2.6m
Height Rails Lowered	1.7m
Deck Size	1.72m x 4.32m
Weight	3400kg
Product Code:	30310



CLOCK





9° front to rear

13° side-to-side





Narrow Diesel Scissor 10m





This Narrow diesel scissor lift provides excellent off-road performance but with slim dimensions is still able to access those awkward areas. Ideal for narrow paths or entrances where a conventional machine will not fit. A large deck with roll out extension and self-levelling outriggers make this a versatile workhorse.

	S2755RT
Working Height	10.1m
Platform Height	8.1m
Platform Capacity	300kg
Width	1.45m
Length	3.3m
Deck Size	1.4m x 2.73m
Deck Size Extended	1.4m x 3.93m
Weight	2750kg
No. Deck Extensions	1





Only 1.45M wide ✓ Full 4 x 4 capability ✓ Only 2750kg







DIESEL SCISSOR LIFTS

Compact Diesel Scissors 10m - 12m



These compact Rough Terrain Scissors will handle the most rigorous sites, but still access those awkward areas. Self-levelling jacklegs provide extra stability and the ability to work on sloped or uneven ground. Standard features include puncture-proof tyres and a roll out deck extension.

✓ Auto level jacklegs & puncture-proof tyres are standard features

Compact but still with working height to 12.7m

	2668 Compact	3268 Compact
Working Height	9.9m	11.8m
Platform Height	7.9m	9.8m
Platform Capacity	567kg	454kg
Width	1.73m	1.73m
Length	2.67m	2.67m
Deck Size	1.55 x 2.51m	1.55 x 2.51m
Deck Size Extended	1.55 x 3.73m	1.55 x 3.73m
Weight	3004kg	3846kg
No Deck Extensions	1	1
Product Code:	30330	30340



900



QUALITY





DIESEL SCISSOR LIFTS

Twin Deck Diesel Scissor 12m






With twin roll-out deck extensions providing a platform size up to 7.38m long and lift capacity of up to 1.1t, these Scissor Lifts will handle the toughest jobs.

	3384
Working Height	12.1m
Platform Height	10.1m
Platform Capacity	1134kg
Width	2.13m
Length	4.88m
Height Stowed	2.68m
Height Rails Lowered	2.0m
Deck Size	1.83 x 3.89m
Deck Size Extended	1.83 x 6.57m
Weight	5445kg
No Deck Extensions	2
Standard Features	Auto level jacklegs & puncture proof tyres

Product Code:

Large capacity up to 1134kg






Onboard power available as an option

> PLEASE CALL FOR QUOTATION



Twin Deck Diesel Scissor 15m

Extra large deck space, high reach and heavy lifting capacity make these Scissors ideal for your largest cladding and roofing applications.



- Extra long deck provides additional work space, ideal for cladding applications
- ✓ Auto level jacklegs fitted as standard to all diesel scissors



	8841	4390
Working Height	14.3m	15.1m
Platform Height	12.5m	13.1m
Platform Capacity	680kg	680kg
Width	2.2m	2.29m
Length	3.5m	4.88m
Height Stowed	2.9m	2.93m
Height Rails Lowere	ed 2.2m	2.25m
Deck Size	1.7 x 3.4m	1.83 x 3.98m
Deck Size Extended	1.7 x 4.6m	1.83 x 7.3m
Weight	4935kg	6031kg
No of Deck Extension	ons 1	2
Standard Features	Auto level jacklegs & puncture proof tyres	Auto level jacklegs & puncture proof tyres

Product Code: 30360

PLEASE CALL FOR QUOTATION






30350

DIESEL SCISSOR LIFTS

Twin Deck Diesel Scissors 17m - 18m



These large twin-decked machines offer exceptional deck space up to heights of 18m, making these Scissors ideal for your largest cladding and roofing applications. Puncture proof tyres and auto-level jacklegs fitted as standard.

	9250	5390
Working Height	17.2m	18.2m
Platform Height	15.2m	16.2m
Platform Capacity	907kg	680kg
Width	2.34m	2.29m
Length	4.47m	4.88m
Height Stowed	3.16m	3.15m
Height Rails Lowered	l 2.29m	2.47m
Deck Size	1.88 x 4.3m	1.83 x 3.89m
Deck Size Extended	1.88 x 7.31m	1.88 x 6.57m
Weight	6668kg	7537kg
No Deck Extensions	2	2
Standard Features	Super Deck	Super Deck
Product Code:		30370

✓ 7.3m extended deck length







Onboard power available as an option





Mega Diesel Scissor Lift 22.5m




With a massive maximum working height of 22.5m and lift capacity of 1,000kg this heavy duty Diesel Scissor Lift is ideal for large industrial or construction applications.

	S225-24
Working Height	22.5m
Platform Height	20.3m
Platform Capacity	750kg
Width	2.47m
Length	4.84m
Height Stowed	3.83m
Height Rails Lowered	2.99m
Deck Size	2.36 x 4.5m
Deck Size Extended	2.36 x 7.2m
Weight	14030kg
No Deck Extensions	1
Product Code:	30380

Provides 22.5m working height

Puncture proof tyres and auto level jacklegs fitted as standard















DIESEL SCISSOR LIFTS

Mega Diesel Scissor Lift 27.5m



This mega HL-275 D25 Diesel Scissor Lift offers a working height of 27.5m, a working area of up to $8.25 \, \text{m} \times 2.35 \, \text{m}$ (extended) and a safe working capacity of 1000kg.

These rough terrain machines are unique in their ability to be driven at full height providing operators with a safe and efficient solution when working at substantial heights of up to 27.5m. Weighting in at 22670kg, you can be assured of the stability and dependability you require.

These lifts also offer 110V power outlets onboard, ideal for industrial and construction applications.






- ✓ Work safely up to 27.5m
- ✔ Driveable at full height
- 8.25m extended deck length
- ✓ 1000kg capacity










	HL-275 D25
Working Height	27.5m
Platform Height	25.2m
Platform Capacity	1000kg
Width	2.5m
Length	6.57m
Height Stowed	3.89m
Height Rails Lowered	3.13m
Deck Size	6.15m x 2.35m
Deck Size Extended	8.25m x 2.35m
Weight	22670kg
No. Deck Extensions	1
Product Code:	30390



Trailer Mounted Lift 12m



Retractable axles on this machine allows access to otherwise inaccessible areas, whilst enabling two men to work at heights of up to 12.2m. A compact and lightweight design allows this Lift to be towed by most vehicles.

Retractable axle allows access through narrow gateways



TRAILER MOUNTED LIFTS

Trailer Mounted Lift 17m



Traction Drive Versions Available



17.10m 56ft 1in

8.70m

28ft 7in


13

12

11

10

These towable Platform Lifts enable two men to work at heights of up to 17m. Quick set-up enables easy movement from one site to the next.



outdoor use



Width

Weight

Stowed Height

Product Code:





PLEASE CALL FOR QUOTATION

2.15m



TRACKED / SPIDER BOOMS

Outrigger Pads included


This robust Tracked Boom Lift allows accessibility to the most difficult sites. It delivers 60% gradeability with excellent traction on steep or rough terrain. Its light weight means site to site transportation is easy and large tracks provide minimal impact to the ground.



Tracked / Spider Boom Lift 15m



These Tracked Lifts will travel across soft or uneven ground and allow access through narrow gateways or into confined sites. Excellent outreach makes these machines ideal for tree pruning, shopping mall maintenance or work around the house or garden.




Tracked / Spider Boom Lift 17m



This 17m Spider Lift is ultra compact allowing you to work in the most difficult to access areas. Designed to go just about anywhere including ground sensitive areas where weight or disturbance is a concern. Ideal for tree surgery in parks or a range of maintenance jobs inside or out.

Extensive familiarisation handover provided with all Spider Booms

	Traccess170
Working Height	17m
Platform Height	15m
Outreach Max	7.5m
Platform Capacity	200kg
Width (retracted)	0.8m (Tracks)
Length	4.25m
Height Stowed	2.0m
Weight	2050kg
Power Source	Petrol / 110V
Jackleg Spread	2.85 x 2.85m
Product Code:	30420





Tracked / Spider Boom Lift 20m





Outrigger Pads

Suitable for unstable or soft ground these Outrigger Pads are ideal for use with Booms or Scissors with jacklegs or outriggers.

 Size
 400 x 400 x 40mm
 500 x 500 x 40mm
 750 x 750 x 40mm





Tracked / Spider Boom Lift 26m



✓ Li-ion Battery Hybrid version allows indoor operation



With working heights of up to 26m and impressive outreach capability of up to 23.7m, these Tracked Spider Lifts are ideal for accessing difficult or otherwise impossible to reach areas. They are ideal for indoor and outdoor use and at only 990mm wide are suitable for accessing narrow entrances. Extendable tracks and lengthened undercarriage provide greater stability while overall weights of just 4,365kg offer low ground pressure for sensitive sites.

	TIIIUWa 20.14
Working Height	25.7m
Platform Height (Max)	23.7m
Outreach (Max)	13.75m
Platform Capacity	230kg
Width (Retracted)	0.99m
Length	6.34m
Height Stowed	1.98m
Weight	4365kg
Power Source	Diesel / Battery
Jackleg Spread	4.08 x 3.98m

Product Code: 30430

Self stabilisation and automatic retraction of stabiliser through one button

✓ 360° rotation

Extensive familiarisation handover provided on all Spider Booms


all Spider Boo












Tracked / Spider Boom Lift 33m





To maximise operator safety and stability these high-performance aerial platforms are equipped with several safety features including automatic assisted stabilisation, performance hydraulic system and anti-entrapment. The up and over capabilities of this machine make it ideal for building maintenance, tree pruning, bridge repair or interior and exterior renovations.

Working heights of up to 32.6m

Outreach up to 16.5m

Automatic assisted stabilisation

Bi energy - low noise and pollution-free operation

Can be operated at negative levels




















33m Tracked Boom

32.6m
30.6m
16.5m
230kg
1.2m - 1.7m
6.5m
1.99m
7740kg
Hybrid - Diesel / Battery
5.14m x 4.6m

Product Code:




Bi-level Crawler Boom Lift 16m



The Almac 1670 Crawler Boom Lift offers up to 16m working height, 8.5m front and lateral outreach an impressive 9.8m travel height. Unique in their ability to offer a dynamic and proactive automatic levelling system to allow the operator to work safely on uneven ground or steep slopes, guaranteeing total functionality on gradients of up to 22° (40%) with a slew rotation of 110°. These compact machines are ideal for construction sites or challenging pedestrian areas where space is restricted with awkward terrain.


Operated with a single joystick these easy to use boom lifts also offer a basket rotation of \pm 70% and a maximum capacity of up to 230kg (2 operators).

- ✓ Dynamic and proactive automatic levelling system up to 22° (40%)
- Compact and easy to use
- Adjustable track undercarriage
- ✓ 16m working height & 8.5m outreach



	1670 EVO
Working Height	16m
Platform Height (M	ax) 14m
Outreach (Max)	8.5m
Platform Capacity	230kg
Width	1.35m
Platform Size	1.4m x 0.7m
Length	5.17m
Height Stowed	1.99m
Weight	3850kg
Standard Features	Jib, Non-marking tracks

PLEASE CALL FOR QUOTATION



Product Code:

Telescopic Crawler Boom 22m




When you need ultimate terrainability, choose this Telescopic Boom Lift. A crawler undercarriage, improved manoeuvrability on soft surfaces and zero turning radius get you to places others just cannot go. Suitable for the most arduous sites and extremely rough terrain. Ideal for transmission line work.

- Zero turn radius for faster positioning
- 55% gradeability for greater terrainability
- Low mount platform
- Crawler undercarriage allows access to the roughest terrain

Secondary Guarding included







Vertical Mast Boom Lift 10m




With zero tail swing, a short wheelbase and at only 990mm wide, this machine offers excellent manoeuvrability in confined areas. This Vertical Mast Lift also provides 3.1m of outreach making it ideal for factory maintenance and repair tasks.

✓ Ideal for confined factory maintenance jobs

V	Only	99cm	wide
	Offig	JJCIII	vviu

	Haulotte Star 10
Working Height	10.0m
Platform Height	8.0m
Platform Capacity	200kg
Outreach Max	3.1m/10'
Width	0.99m
Length	2.65m
Platform Size	0.68 x 0.92m
Height Stowed	1.99m
Weight	2760kg
Power Source	Battery
Product Code:	30450



Narrow Electric Boom 11m




For working in narrow factory aisles or places where larger booms cannot reach. Rotating jib and basket allows perfect work positioning.

Zero tail swing

Only 1.2m wide

Provides 6.3m outreach



PLEASE CALL FOR QUOTATION

Narrow Electric Boom 12m



This narrow-width Electric Boom provides outstanding outreach and working height capability, whilst allowing access to the tightest locations.

Non marking tyres fitted as standard

✓ Ideal for factory maintenance jóbs









	Z34/2Z
Working Height	12.5m
Platform Height	10.5m
Outreach Max	6.8m
Platform Capacity	227kg
Width	1.47m
Platform Size	1.42 x 0.76m
Weight	5216kg
Stowed Height	2m
Donald Control	20470





Lightweight Boom 12m



Ideal for work on weight sensitive floors or paved areas. This Boom has both engine and battery power for use indoors or outdoors.

- Bi-energy (Diesel / Battery) or Battery only versions available
- Lightweight, suitable for soft ground or weight sensitive floors










	HR12	Z33-18
Working Height	12.2m	12.0m
Platform Height	10.2m	10.0m
Outreach Max	6.1m	5.57m
Platform Capacity	200kg	200kg
Width	1.5m	1.5m
Platform Size	1.1 x 0.65m	1.17 x 0.76m
Weight	3060kg	3665kg
Stowed Height	1.9m	1.98m
Product Code:	•••••	30480



PLEASE CALL FOR QUOTATION

Narrow Artic Boom 13.5m - 14.3m













These narrow self-propelled aerial work platforms are quickly deployable, designed to raise two operators to work at heights of up to 14m. These booms are ideal for shopping mall maintenance or work around the house or site.


Only 1.5m wide

Platform capacity of 215kg which can accommodate 2 persons

Suitable for indoor and outdoor use

Turning radius of 2.4m

A38E	Z40/23
13.5m	14.3m
11.5m	12.3m
5.4m	6.9m
215kg	227kg
1.05m	1.50m
3880kg	6940kg
2.0m	1.89m
4.1m	4.1m/13'4"
	13.5m 11.5m 5.4m 215kg 1.05m 3880kg 2.0m



Product Code:





With working heights of up to 15.9m, these quiet, emission-free Lifts can provide outreach capacity of up to 6.1m and full 360° articulation. Perfect for internal jobs, which require high reach and perfect positioning.



✔ Bi-energy version also available










	Z45/25	A46JE	50 ft 15.24 n
Working Height	15.9m	16.0m	13.72 do ft
Platform Height	13.9m	14.0m	35 ft
Outreach Max	7.7m	7.35m	30 ft 9.14m
Platform Capacity	227kg	227kg	25 ft 7.82 n
Width	1.79m	1.7m	20 ft 6.10 m
Platform Size	1.83 x 0.76m	1.83 x 1.0m	15 ft 4.57 m
Weight	7394kg	6850kg	10 ft 2:25 m
Stowed Height	2m	2.0m	5 ft 1.82 ft
Power Source Ba	ttery / Bi-energy	Battery	0 ft 0 ft 10 ft 15 ft 20 ft 25 ft 15 gt 0 ft 15 ft 20 ft 25 ft 15 gt 0 ft 15
Product Code:	30500	30550	7,000
> PLEASE CALL FOR QUOTATION			



Contract or fixed-term hire is a flexible and cost effective way to source equipment for your business without the risks, hassle and hidden costs normally associated with buying and maintaining equipment.



Electric / Bi-Energy Boom 17m



This narrow Self-propelled Boom will lift to a working height of 17.2m and provide an exceptional outreach of 9.7m. 180° platform rotation provides exceptional control when positioning the platform in narrow, confined spaces where there is a need to reach over machinery or fixed objects.


















	HR17N
Working Height	17.2m
Platform Height	15.2m
Outreach Max	9.6m
Platform Capacity	225kg
Width	1.5m
Length Stowed	5.0m
Weight	7200kg
Platform Size	1.5 x 0.7m
Height Stowed	2.1m
Turning Radius	4.4m
Power Source	Bi-energy Diesel / Battery
Product Code:	30510

Only 1.5m wide

✓ Bi-energy - diese l/ battery

Excellent horizontal reach to 9.7m

Ideal machine for maintenance within large warehouses





Hybrid Electric / Diesel Boom 20m



This Hybrid Boom is ideal for outdoor and indoor applications such as construction sites, sports arenas, malls, manufacturing facilities and even challenging pedestrian areas with the demand for low noise and clean performance.

This Articulating Boom provides lifting versatility with a combination of up, out and over positioning capabilities. The Genie FastMast™ boom system allows operators to descend and retrieve materials and quickly return to working height.


	Z60 37FE	Nifty HR21 Hybrid
Working Height	20.16m	20.8m
Platform Height (max)	18.16m	18.8m
Outreach (max)	11.15m	13.0m
Platform Capacity	227kg	250kg
Width (retracted)	2.49m	2.27m
Platform Size	1.83 x 0.76m	1.8 x 0.8m
Length	8.15m	6.62m
Height Stowed	2.54m	2.18m
Weight	7756kg	6680kg
Power Source	Hybrid	Hybrid
Product Code:	30520	30520

PLEASE CALL FOR QUOTATION

- → Hybrid battery / diesel powered
- ✓ Fume free operation
- Low noise
- Suitable for indoor or outdoor use
- → Horizontal reach of 11.15m (36′5″)
- All terrain non marking tyres standard







Hybrid Electric / Diesel Boom 28m





technology with efficient four-wheel drive allow this 28m articulating boom to work in any environment, indoors or out. Emission free operation and reduced running costs along with a lighter weight and more compact foot print make this one of the versatile boom lifts available.

Hybrid power

Can operate emission free

Quiet operation

Compact & lightweight design

Reduced running costs


























Diesel Artic Boom 12m



These Booms offer 4WD capability for applications up to 12.6m. With zero tail & nose swing and at only 1.99m wide, these Diesel Booms are ideal for working in confined areas.









			40 ft						
	Z34/22	Zebra 12	12.19 m 35 ft						
Working Height	12.6m	12.2m	10.67 m						
Platform Height	10.6m	10.2m	9.14 m 25 ft	/	Т				
Outreach Max	6.78m	8.5m	7:62 m						Γ
Platform Cap.	227kg	230kg	20 ft 6.10 m					90	
Width	1.85m	1.99m	15 ft 4.57 m		_	÷			
Platform Size	1.5 x 0.8m	1.5 x 0.8m	10 ft 3.05 m						-
Weight	5027kg	5150kg	5 ft	1		4 0-	_		
Stowed Height	2m	2.1m	0 ft			V			
Std. Features	Jib ,4WD	Jib, 4WD	0 m -5 f		5 ft	10 ft 3.05 m	15 ft	20 ft 6.10 m	25 ft
Product Code:		30530	-1,000	- 0111		3.30 (1)			

Diesel Artic Boom 15m



The 45ft Boom is the workhorse of the access industry. 4WD, puncture-proof tyres, zero tail swing and flick-out jibs are just some of the features making this machine perfect for the toughest sites.



Zero tail swing



Puncture proof tyres








Onboard power & Secondary Guarding available on most models

	Z45/25
Working Height	15.9m
Platform Height	13.9m
Outreach Max	7.6m
Platform Capacity	227kg
Width	2.29m
Weight	6460kg
Platform Size	1.8 x 0.76m
Stowed Height	2.13m
Standard Features	Jib / 4WD
Product Code:	30540



Diesel Artic Boom 17m



These all terrain Diesel Booms are designed for high access jobs on unfinished sites where room is at a premium. Work at heights of up to 17m with large outreach capacity.



Provides additional 2m of outreach to 15m version










Onboard power & Secondary Guarding available on most models

	Z51/31	SJ51AJ
Working Height	17.59m	17.58m
Platform Height	15.59m	15.58m
Outreach Max	9.37m	9.16m
Platform Cap.	227kg	227kg
Width	2.29m	2.24m
Weight	7394kg	7316kg
Platform Height	1.8 x 0.76m	1.8 x 0.76m
Stowed Height	2.13m	2.07m
Std. Features	Jib / 4WD	4WD



Product Code:







Diesel Artic Boom 20m



For up & over positioning where additional outreach is required, these large Articulating Booms have zero-tail swing allowing rotation in restricted areas where other similar machines cannot go.

✓ Zero tail swing

New model available with additional outreach

Onboard power & Secondary Guarding available


Secondary	duarumg	avallable	19.25 n		1					\top	
	Z60/34	Skyjack 63AJ	55 R 1676 n	┪	F	7					
Working Height	20.3m	21.38m	50 ft 15.74 m								
Platform Height	: 18.3m	19.38m	40 R	-/							
Outreach Max	11.05m	12.19m	35 R 10 67 m	-/							
Platform Cap.	227kg	227kg	30 ft 014.0		4	-	4	Ц,	_	9]
Platform Size	1.8 x 0.76m	1.8 x 0.9m	25 R 752 m	1							
Width	2.46m	2.44m	20 R 610 n			1					
Weight	10215kg	9979kg	1011								
Stowed Height	2.69m	2.54m	5 R	4		1	٦.				
Std. Features	Jib, 4WD	Jib, 4WD	91	0	0	100	150	-	16.0	20.0	
Product Code:		30560	-0.0	in on	1520	lilin	457 m	630m			10.6

PLEASE CALL FOR QUOTATION

Lightweight Hybrid Artic Boom 21m

Secondary Guarding included





The Nifty HR21 Hybrid Boom offers all the features of our standard 20m Articulating Boom Lifts but provides a more compact and lightweight option for those confined or weight sensitive areas. The hybrid feature allows all electric, noise and fume free operation with the option to switch to engine for outdoor use when battery levels are low. This machine also offers an additional 1m of outreach and exceptional outside turning radius of only 3.89m.

HR21 Hybrid

Working Height	20.8m
Platform Height	18.8m
Outreach Max	13.0m
Platform Capacity	250kg
Width	2.27m
Platform Size	1.8 x 0.8m
Weight	6680kg
Stowed Height	2.18m
Outside Turning Radius	3.89m
Standard Features	4WD
•	

 Hybrid system allows electric or engine operation
 Noise and fume free

operation

Lightweight - only 6680kg

Reduced running costs

Compact & lightweight design







Product Code:

Diesel Artic Boom 26.5m



With an impressive outreach of 18.3m or 60ft, this large Artic Boom provides unsurpassed up & over positioning. This machine is ideal for maintenance or repair tasks on old buildings or industrial applications.

- 18.3m / 60' outreach
- 8.83m / 29' up and over reach
- 360° continuous turntable rotation for fast easy positioning










Onboard power & Secondary Guarding available on most models







NEW

DIESEL ARTICULATING BOOM LIFTS

Diesel Artic Boom 40.1m



The JLG 1250AJP's unique boom design significantly reduces lift/lower cycle times for the operator while the dual platform capacity of up to 450kg allows increased versatility and productivity. With a massive 19.25m of horizontal outreach, full four wheel drive and four wheel steer, this large articulating boom offers superb mobility and high reach access around the site.

- Quick lift/lower times
- 450kg platform capacity (restricted)
- 19.25m horizontal reach
- 4 x 4 and 4-wheel steer

	1250AJP
Working Height	40.1m
Platform Height	38.1m
Outreach Max	19.25m
Platform Capacity	227kg
Width (retracted)	2.49m
Width (extended)	3.81m
Platform Size	0.91m x 2.44m
Weight	19958kg
Stowed Height	3.05m
Product Code:	30580














Diesel Artic Boom 43m



The Z135/70 gives an impressive working height of 43.15m and a massive up and over reach of 18m at 23m high or 21.26m of reach at nearly 10m vertically. The 20m extending jib provides effortless positioning while the chassis extends in a unique X pattern for ease of set up.

X-design chassis allows easy set up

Telescoping jib extends to 6.10m / 20'

Option to work at 20ft below ground level

Onboard power & Secondary Guarding available on most models






	Z135/70
Working Height	43.15m
Platform Height (max)	41.15m
Horizontal Reach (max)	21.26m
Lift Capacity	up to 272kg
Width - axles ext	3.94m
Width - axles ret	2.49m
Platform Size	2.454 x 0.91m
Weight	21092kg
Stowed Height	3.09m
Standard Features	Ext. Jib











Diesel Telescopic Boom 15m



With 4WD and flick-out jibs as standard, these Rugged Telescopic Booms are ideal for a host of applications, including structural steel and general maintenance work.








Onboard power & Secondary Guarding available on most models





	S45
Working Height	15.9m
Platform Height	13.9m
Outreach Max	11.2m
Platform Capacity	227kg
Width	2.3m
Platform Size	1.83 x 0.76m
Weight	6709kg
Stowed Height	2.49m
Standard Features	Jib, 4WD

Product Code: 30590





Diesel Telescopic Boom 20m



These mid-range Telescopic Booms are ideal for those larger sites where that extra reach is required, but where you still need manoeuvrability in confined spaces. 4WD and flick-out jibs come as standard.












Onboard power & Secondary Guarding available on most models



	S65
Working Height	21.8m
Platform Height	19.8m
Outreach Max	17.1m
Platform Capacity	227kg
Width	2.49m
Platform Size	1.83 x 0.76m
Weight	10102kg
Stowed Height	2.72m
Standard Features	Jib, 4WD

Product Code: 30600






LET US TRAIN YOU...




Diesel Telescopic Boom 28m





With working heights of up to 28.21m these heavy weight Telescopic Booms are the ultimate in reach and stability. With a dual basket capacity system of 227kg on full reach and 341kg on restricted reach, they have a greater lift capacity than their rivals (*some models only). Features include full time four wheel drive and fixed width axles (some models only).



Oscillating axle enhances traction

✓ 4WD and foam filled tyres come as standard









	S85	SJ86T
Working Height	27.9m	28.21m
Platform Height	25.9m	26.21m
Outreach Max	23.6m	23.42m
Platform Capacity	227kg	227kg / 341kg restricted reach
Width 2.4	44m Ext 3.07m	2.49m
Platform Size	2.44 x 0.91m	2.44 x 0.91m
Weight	17917kg	17146kg
Stowed Height	2.8m	3.0m
Standard Features	Jib / 4WD	Foam filled tyres
Product Code:		30610



Diesel Telescopic Boom 40m



The Genie S125 provides working heights of up to 40.2m and maximum horizontal reach to an impressive 24.4m. Four-wheel drive and four-wheel steer are standard to meet the demands of rugged outdoor use.














	S125
Working Height	40.2m
Platform Height	38.2m
Outreach Max	24.4m
Platform Capacity	227kg
Width	2.49m Ext 3.35m
Platform Size	2.44 x 0.91m
Weight	20248kg
Stowed Height	3.07m
Standard Features	Jib, 4WD
Product Code:	20620

4 wheel steer

✓ Massive 24.38m/80′ outreach

Onboard power & Secondary Guarding available on most models



Diesel Telescopic Boom 43m



The Genie SX-135 XC telescopic boom lift provides 3m (10ft) more outreach and 32 per cent more capacity than typical self-propelled booms of this size. Thanks to its unique up-and-over style capability, operators will easily navigate any obstacles at height.

✓ Mini Genie XChassis design for easy transport


5.48m to 9.14m (18 to 30ft) telescoping Jib-Extend with 125° articulation

Dual lifting capacity of 300kg - 454kg

Massive outreach (27.43m - 90ft)

	SX-135 XC
Working Height	43.5m
Platform Height	41.15m
Horizontal Reach	27.43m
Platform Capacity	300kg / 454kg
Weight	21546kg
Width - Axles Ext.	3.94m
Width - Axles Ret.	2.94m
Stowed Height	3.05m
Standard Features	Rotating Jib
Product Code:	30630







Diesel Telescopic Boom 48m



With up to 48m working height and x-chassis design providing extra stability, this Super Boom is ideal for extreme access jobs. It has positive traction drive, a self levelling platform, rough terrain foam filled tyres and an on board generator as standard. A 10' Rotating Jib gives perfect positioning for any task.












	SX150
Working Height	48.02m
Platform Height (max)	46.02m
Horizontal Reach (max)	24.38m
Lift Capacity	340kg
Weight	22997kg
Width - axles ext	5.03m
Width - axles ret	2.49m
Stowed Height	3.05m
Standard Features	Rotating Jib
Product Code:	30630

Easily extending axles for excellent stability

Ultra high reach capacity

Large working envelope which minimises machine movement

Platform capacity 340kg



VEHICLE MOUNTED LIFTS




4 X 4 Truck Mounted Lift 13.1m



4×4 Truck Mounted Platforms offer a working height of 13.1m and 6.2m outreach ideal for utility, telecom or streetlight maintenance where the task requires quick and easy site set up. 360° rotation, 240kg platform capacity and zero tail swing allowing operators to access the most difficult working areas.

Less than 3500kg GVW and 4 A-frame stabilisers gives these rough terrain trucks the ability to be operated efficiently both on and off-road.



Specs

Working Height	13.1m
Platform Height	11.0m
Outreach Max	6.2m
Platform Capacity	240kg
Width with outriggers extended 3.5m	
Gross Vehicle Weight	3500kg
Stowed Height	2572mm
Tail Swing	Zero
Standard Foatures A Fram	a autriagaere

Standard Features A-Frame outriggers 81300 **Product Code:**

Quick site set up

✓ 360° non continuous rotation

240kg platform capacity

Can be driven on a standard licence













VEHICLE MOUNTED LIFTS

Truck Mounted Lift 20m, 3.5t GVH



Ideal if your work involves moving from site to site or you need to vacate the site on completion of your task. Vertical outriggers allow quicker set-up on site and less roadside disruption due to their extremely compact footprint.

At less than 3500 GVH, this vehicle can be driven on a standard licence and offers greater fuel efficiency than heavier trucks in the 20m class. Suitable for a wide variety of applications including sign maintenance, street lighting, TV and sporting events.

Quick site set up

Compact footprint

Can be driven on a standard licence












	3.5T GVW
Working Height	20.0m
Platform Height	18.0m
Outreach Max	9.2m
Platform Capacity	200kg
Width with outriggers extended	2.865m
Gross Vehicle Weight	3500kg
Stowed Height	2.5m
Basket Rotation	65° left / right
Tail Swing	Zero
Standard Features	Vertical outriggers
Product Code:	81300





3.5t

VEHICLE MOUNTED LIFTS

Van Mounted Platform 13m



These Van Mounted Platforms are ideal for applications such as street light or sign maintenance where you need additional payload capacity for tools and materials.


They provide a payload capacity of 250 - 300kg (depending on model) and ample space for your equipment. Working heights of up to 13m and outreach of 8.5m provided by the telescopic boom allows access to most jobs without the need for accurate positioning. A-frame stabilisers make set up quick and easy while features such as the single joystick control and zero tail swing provide ease of operation.

- → 250 300kg payload capacity (depending on model)
- ✓ 360° continuous turntable rotation for fast, easy positioning
- Quick set up
- Can be driven on a standard licence
- ft options available offering increased payload (Contract Hire only)











LIFTING EQUIPMENT HIRE



REGARDLESS OF WHAT YOU ARE LIFTING, WE CAN PROVIDE A WIDE VARIETY OF LIFTING GEAR AND EQUIPMENT TO ENSURE YOUR LIFT IS UNDERTAKEN SAFELY AND EFFICIENTLY. FROM MINI CRANES TO FURNITURE MOVERS OR MACHINE SKATES, WE CAN OFFER YOU THE SOLUTION TO MOST LIFTING PROJECTS OR TASKS.

Cranes, Lifts & Gantries	68
Glass & Cladding Handling	81
Site Lifting & Handling	93
Cable Handling	99
Crane & Forklift Accessories	101
Trollys & Trucks	104
Hoists, Winches & Lifting Gear	110
Jacks & Skates	115
Fall Arrest & Safety & Testing	117

CRANES, LIFTS & GANTRIES



Mini Spider Crane, Electric, 2.82t x 1.4m



This fully electric powered mini crane offers all the features of the standard model but with the added advantage of being completely emission free. Mini cranes often operate in confined indoor spaces, this unique machine allows operation in non-ventilated areas without any concerns. The crane will operate for a full day on a single charge but can be charged while during operation if required.



ML 285CB-3


Crane Capacity	2.82 @ 1.4m
Max. Lifting Height (on the ground)	8.7m @ 550kg
Max. Working Radius	8.205m x 0.15t
Max. Reach Below Ground	-10.1m (4 falls)
Travel width	750mm
Stowed height	1470mm
Stowed length	2800mm
Min. outrigger spread width	4782mm
Max. outrigger spread width	4718mm
Weight	1995kg
Product Code:	40100

Product Code:

✓ Fully electric

Zero emissions

Non marking tracks





GOGREEN Eco Version















CRANES, LIFTS & GANTRIES

Mini Spider Crane, 2.82t x 1.4m


At only 750mm wide retracted and with a maximum lifting capacity of 2.82t, this mini crane will travel into the most inaccessible areas and undertake serious lifting tasks. With electric or diesel power options it will happily operate outdoors or in. Radio remote control allows the operator to position loads independently while multi outrigger positions allow set up in the most awkward spaces.











Radio remote control

Diesel or electric operation

Searcher hook option

Rubber tracks

Щ	1	A.	
1	F	٦	
	۳		

MC285C-3

Crane Capacity	2.82t x 1.4m
Max. Lifting Height (on the ground)	8.7m
Max. Working Radius	8.205m x 0.15t
Max. Reach Below Ground	-10.1m (4 falls)
Travel width	750mm
Stowed height	1470mm
Stowed length (with electric motor)	3285mm
Min. outrigger spread width	3990mm
Max. outrigger spread width	4718mm
Weight	2160kg

Product Code: 40100






CRANES, LIFTS & GANTRIES

Mini Spider Crane, Knuckle boom, 2.8t x 1.8m





NEW The Innovative Maeda 3053C Knuckle boom crane offers addition versatility, reach, and lift height over other machines. With a 16.95m maximum lift height while still only 780mm wide, this crane will get into areas and lift where others cannot. A three section fully automatic telescopic boom along with stepless outrigger settings provides the up and over versatility and capabilities that other cranes cannot offer.

- Unique 3 section knuckle boom
- Additional up and over reach
- 16.95m max lift height
- Only 780mm travel width
- Radio remote control
- Non marking tracks
- Negative angle detachable jib





	MK3053CB
Crane Capacity	2.8t x 1.8m
Max. Lifting Height (on the ground)	16.95m
Max. Working Radius	14.3m
Travel width	780mm
Stowed height	1945mm
Stowed length (with electric motor)	3195mm
Min. outrigger spread width	4315mm
Max. outrigger spread width	4546mm
Weight	2900kg
Droduct Codes	40100















Spider Crane - 3.83t x 2.7m

This powerful mini crane offers an outstanding 3.83t lifting capacity while still only 1.38m wide, allowing access and heavy duty lifting in restricted areas. This crane provides a 500kg pick and carry capability while other standard features include a crane / outrigger interlock system, working limit setting and variable speed travel. Manual and remote-control options ensure safe and efficient lifting no matter how difficult the task.














- Lifting heights of up to 16.8m
- ✓ Ideal for larger lifting applications on construction or industrial sites
- Position anywhere on-site i.e. rooftops or coned areas
- 500kg pick & carry capability
- Only 1380mm wide travel width
- Rubber tracks
- Working limits setting
- Crane/outrigger interlock system
- Data logger

- Radio remote control
- Dual speed travel
- Searcher hook option

4	MC405C
Crane Capacity	3.83t x 2.7m
Max. Lifting Height (on the ground)	16.8m
Max. Working Radius	16m x 0.21t
Max. Reach Below Ground	-20.5m (4 falls)
Travel width	1380mm
Stowed height	1980mm
Stowed length	4980mm
Min outrigger spread width	4331mm
Max outrigger spread with	5441mm
Weight	5600kg

Product Code: 40100



Pick & Carry Crane, 2t Electric

These Mini Cranes are designed to operate in confined spaces, capable of a wide range of lifting tasks. With an impressive 2.25 tonne lifting capacity they are still narrow enough to fit through a standard doorway. Suitable for industrial applications where machinery needs moved or for construction sites to carry out glass installations or material lifting tasks where safety and efficiency are essential.


- Fitted with 900mm fly jib for extra versatility
- Maximum lifting capacity 2250kg
- Non-marking tyres for use in clean environments
- Battery powered fume free
- Visual and audible load safety indicators
- Designed for indoor and confined space operation

APPLICATIONS & USES

- Construction
- Machinery moving
- Glass installation
- Curtain walling
- Factory maintenance
- Artwork installation
- Facilities management









Product Code: 40110



Pick & Carry Crane, 900kg Tracked



The unique tracked pick and carry crane allows safe positioning and handling of goods or materials on soft ground or rough terrain. The tracked crawler chassis provides low ground pressures while retractable tracks allow access to narrow driveways or paths. With a lift capacity of 900kg, forward reach of over 3m and lift height of 4.3m, the tracked pick and carry crane is ideal for positioning glass, marble slabs or structural beams in otherwise hard to reach places.





Contract Lifting

When hiring a mini crane, two options are available depending on your requirements. Hire only or Contract lifting.

HIRE

As with all hire's, you are fully responsible for the complete operation and the equipment during the hire. This includes slinging loads, supervision of the site and any auxiliary lifting gear. You are also responsible for the planning, risk assessment and method statement which should be undertaken by an appointed person. Our machines can also be hired with a qualified operator under your own risk and control.

CONTRACT LIFT

In the case of a contract lift the crane hire company takes full responsibility of the lift program and provides qualified operators and the appointed person to ensure the lift is carried out in compliance with BS7121 & LOLER. After initially inspecting the site and receiving details of the required lift, all aspects of the lifting program are then planned in advance before proceeding. Full insurance is provided along with the required personnel to ensure your project is completed safely, efficiently and on time.

Contract lifting services include:

- On-site inspection
- Planning & risk management
- Risk assessments & method statements
- Insurance
- Auxiliary lifting gear
- Transportation



Each service has different responsibilities for us the crane provider and you the customer. The differences in responsibilities is outlined below:

HIRE

You are responsible for:

- Safety and welfare of crane operator
- Safe operation of the crane
- · Supplying an appointed person
- · Carry out all work in accordance with BS7121
- Provide third party liability and hired plant insurance
- Producing risk assessment and method statement

We are responsible for:

- · Providing a suitable crane
- · Providing a CPCS trained crane operator if required

You are responsible for:

- Allowing access to for a full site survey from one of our CPCS appointed persons
- · Supplying information of the load to be lifted
- · Advise us of any hazards that are not evident in the site visit

We are responsible for:

- · Supplying an a CPCS appointed person
- · Produce risk assessment and method statement
- Organisation and control of the lifting operation
- Carry out all work in accordance with BS7121
- Provide a CPCS trained crane operator
- · Provide a suitable crane
- Loss of or damage to other property caused solely by the owner's negligence in the performance of the lifting contract subject to:
- A maximum liability of £25,000 in respect to goods lifted (this can be increased with prior arrangement)
- A maximum liability of £5,000,000 in respect to loss or damage to other property and injury of persons



Mini Floor Cranes





Manual mini floor cranes are designed for lifting applications where no overhead lifting point is available or cannot be accessed by other powered equipment. Easily moved into position these cranes can safely undertake lifts up to 900kg at hook heights of 2.9m. With a maximum outreach of 1.4m floor cranes are particularly advantageous when obstacles or limited floor loadings prevent direct access or the use of forklift.

Three versions are available depending on how much you need to lift, how much space you have and what your ground conditions are.



Width

Product Code:





650mm

40120



- Lift up to 900kg
- ✓ Hook heights up to 2.9m
- Short version available for restricted access
- Narrow width, easy to position
- Removable counter weights for easy transportation











645mm

0.78m

Mini Floor Crane, Rotary

The rotary mini floor crane allows precise positioning of your load by rotating the counterbalance along with the crane jib arm. Weight of up to 500kg can be handled safely with rotation of 270° and 5 locking positions for added flexibility.



- Lift up to 500kg
- ✓ Hook heights up to 2.8m.
- 270° rotation
- 5 safe locking positions
- Only 955mm wide



	01M5
SWL	500kg
HOL	2.804m
Weight	608kg
Width	0.995m
Product Code:	40120





Material Lifts - 10ft, 15ft, 20ft & 25ft

Ideal for maintenance, warehouse, engineering or use in the entertainment industry, these lightweight lifts are easy to transport and are suitable for those lifting tasks inaccessible by forklift. Lifts are available from 3m - 7m lift heights along with a range of accessories.



	ALP L476	ALP L620	ALP L752
SWL	350kg	350kg	300kg
HOL	4.76m	6.20m	7.52m
Weight	143kg	174kg	188kg
Width	0.77m	0.77m - 1.90m	0.77m - 1.90m
Product Code:	40130	40140	40140





Counterbalance Material Lift 400kg NEW

This counterbalance lift will allow lifts of up to 400kg and 4m high up against walls or other fixtures where access by forklift or other lifting equipment is not possible. The unique compact design allows loading into a small van for transport by one person.

- Lifts up to 400kg
- Counterbalance design allows access up against objects
- Max lift height 4m
- Easy to transport
- Easy to handle by one person









S W L	400kg
HOL	4.0m
Weight	271kg
Product Code:	40150





Counterbalance Material Lift 800kg

Lifting weights of up to 800kg and heights up to 6m, this heavy-duty machine is the solution to lifting heavy loads in areas inaccessible to forklifts or other lifting devices. Allowing access up against walls or other fixtures this lift will operate safely in any environment. A unique worm gear drive unit provides easy operation without the need for a crank handle.

- Lifts up to 800kg
- Counterbalance design allows access up against objects.
- Easy lift operation using cordless drill
- Jib crane or forks available









Counterbalance Lift 160kg


These Counterbalance Lifts allow goods to be lifted close to walls or obstacles without the restriction of legs.












PLEASE CALL FOR QUOTATION

Panel Lifter

Used for lifting plasterboard or panels into position at ceiling level, making fixing work easy for a single person.





Beam Lifter



The unique beam lifter is an easy to operate lifter suitable for lifting steel, wood beams or other materials into position. Lifts up to 600kg to heights of 3m but will fold down and fit into most estate cars.



Reliable screw mechanism

Only 730mm wide

Ideal for lifting steel or wood beams

Easy to transport

	Specs
SWL	600kg
HOL	3.0m
Total weight	86kg
Height	1.59m
Length (working / stowed)	0.81m
Width	0.61m
Product Code:	40175















Air Operated Lifts

Compact and portable one man compressed air lift operated by adding a small air compressor. Ideal for ducting or mechanical installations where access is limited.





One man operation





SWL

HOL

Weight

Product Code:

Retracted height









3.8

125kg

3.8m

29kg

1.1m

Portable Davit

The portable Davit is a rapidly deployable lifting system that can be operated by one person for goods. The system can be easily rotated 360 degrees

under full load of up to 1000kg.

Lift up to 100kg

360° rotation

Rapid deployment

One person operation







	Specs
S W L	500kg
HOL	1935mm
Radius	1200mm
Weight	41kg

Product Code



Floor / Engine Cranes


This easily transported Hydraulic Crane is perfect for lifting engines and other heavy loads.



PLEASE CALL FOR QUOTATION

Mobile Davit Counterbalance Base

A 5 piece portable base suitable for our portable Davit which is easily transportable to site. The base acts as an anchor point where a fixing point is not otherwise available.



	Specs
S W L	600kg
Radius	800 - 1200mm
Weight	78kg
Product Code:	40185

PLEASE CALL FOR QUOTATION



NEW



Foldable Aluminium Mobile Gantry 1000kg

The unique and innovative Portagantry Rapide is a height-adjustable and foldable Aluminum Mobile Gantry designed for rapid deployment. Capable of an impressive load lifting capacity of up to 1000kg this system can be assembled and disassembled by just one person within a minute without the need for any tools. The perfect solution for confined space access and rescue & entry lifting scenarios due to its ability to lift equipment and goods of up to 1000kg and personnel of up to 500kg.

✓ Up to 1000kg capacity

Assembled and disassembled by just one person within a minute

	Specs	
S W L	1000kg	
HOL	2880mm	
Weight	62kg	
Dimensions	464mm x 536mm x 4077mm	
Width/size	2.98m max work span	
Product Code:	PORTA ALLA	P. 13



Aluminium Mobile Gantry 2000 - 5000kg

These easy to assemble lightweight portable Gantries are ideal for lifting applications in inaccessible places. Easily transported and adjustable in height and beam length.

Easily transported and assembled









		•
S W L	2000kg	5000kg
HOL	3.14m max	5.5m max
Weight	125kg	305kg
Width/Size	3.65m max work span	5.5m max work span
Product Code:	40190	40190





Glazing Positioners

The revolutionary way to install windows or glass, Glazing robots will quickly improve efficiency and health and safety on site. Window elements up to 575kg can be lifted, transported and easily installed avoiding back injuries and reducing damage to glass. With rough terrain capabilities and the ability to travel with heavy elements through narrow doorways, these versatile machines can access areas other heavy equipment cannot due to surface pressures.

- Rapid installation and improved safety
- ✓ 360° continuous rotation
- ✓ Vacuum swivel, keeps hoses out of the way
- Rough terrain capability
- Compact enough to fit into a van











Glass Positioner 350 - 400kg

These powered self-propelled machines come standard with four hydraulic functions as well as linear movements which significantly reduce installation times. Suitable for indoor or outdoor applications, the 350 model is only 690mm wide and compact enough to be driven into a van for transportation to site.

- Rapid installation and improved safety
- 360° continuous rotation
- ✓ Vacuum swivel, keeps hoses out of the way
- Rough terrain capability
- Compact enough to fit into a van










	350kg	400kg
External Length	1450mm	1975mm
External Width	690mm	860mm
Max. Lifting Capacity	350kg	410kg
Max. Load at Max Extension	200kg	225kg
Max. Capacity on 1 Side	200kg	200kg
Total Weight Excl. Counterweights	512kg	N/A
Total Weight Incl. Counterweights	617kg	912kg
Min. Extension	290mm	458mm
Max. Extension	790mm	958mm
Max. Lifting Height	2800mm	3078mm
Side Offset	100mm	100mm
Tilt Function	180°	Back 45° / Forth 97°
Continuous Rotation	360°	360°
Suction Cups	4 X Ø270mm	4 X Ø310mm
Batteries	2 X 95 Ah	2 X 90 Ah
Product Code:	40200	40200
PLEASE CALL FOR QUOTATION		







Glass Positioner 575 - 1000kg

With a maximum lift height up to 4.1m these larger positioners combine superior lifting capacity and reach with a unique and compact design. A unique "gyro function", ensures that the glass is automatically lifted in the same position while movements can be controlled to the nearest millimetre by means of the unique control which also activates or deactivates the vacuum suction. This lifter has 6 hydraulic functions, with both lateral movement and rotation being hydraulically triggered.

Full hydraulic rotation

Full linear movement

The professional glazer / window installers choice










	575kg	1000kg
External Length	1880mm	2100mm
External Width	890mm	890mm
Max. Lifting Capacity	575kg	1000kg
Max. Load at Max Extension	275kg	300kg
Max. Capacity on 1 Side	275kg	300kg
Total Weight Excl. Counterweights	1025kg	1363kg
Total Weight Incl. Counterweights	1300kg	1816kg
Min. Extension	700mm	800mm
Max. Extension	1800mm	2500mm
Max. Lifting Height	3600mm	4100mm
Side Offset	100mm	75mm
Tilt Function	180°	Back 43° / Forth 88°
Continuous Rotation	360°	360°
Suction Cups	4 X Ø350mm	4 X Ø410mm
Batteries	2 X 150 Ah	2 X 150 Ah
Product Codo:	40200	40200





Glass Positioner, Forklift Mounted 350kg



NEW This glass positioner fits directly to the forks of a telehandler or forklift for installation of glass at height or where ground conditions are difficult. With a 350kg capacity and operated by a cabled remote control, the unit allows safe handling and manipulating of glass in places a standard unit cannot reach.

Fits directly to telehandler forks

Full manipulation functions

Remote control operation

✓ Lift capacity 350kg













	350кд
External Length	1850mm
External Width	840mm
Max Lift Capacity	350kg
Max Load (at max extension)	200kg
Max Capacity / Side	200kg
Weight	400kg
Min Extension	290mm
Max Lifting Height	2700mm
Side Offset	100mm
Rotation	360°
Suction Cups	6 X Ø270 mm
Batteries	2 X 95 Ah
Lifting Fork Height	70mm
Lifting Fork Width	150mm
Centre distance between Forks	640mm
Product Code:	40200

PLEASE CALL FOR QUOTATION









2501/0

Glass Vacuum Lifters

Whatever your glass lifting project involves we have a glass lifting hire option to suit your needs no matter the weight, shape or size. Glass lifting vacuums and associated equipment make lifting, carrying and placing of glass and other non-porous materials effortless, improving efficiency, safety and removing the manual handling strain. All vacuums are fitted with dual circuit vacuums and low vacuum alerts to ensure safety is never compromised.




Glass Vacuum Lifter - Compact 135kg


his compact vacuum is ideal for smaller applications as an alternative to using manual practices, taking the strain out of tasks and improving efficiency.

Ideal for smaller applications

✓ An effective alternative to using manual practices







1		
- 059		
		H
بر إ		
 	— 42	0 ——

	Specs
Load Capacity	135kg
Rotation	180°
Tilting	90°
Weight	24kg
Product Code:	40210



Glass Vacuum Lifter - Compact Multi Position 350kg



A compact glass vacuum designed for smaller applications which is adaptable for different glass shapes. Simple manual operation allows precise positioning, the unit can be tilted 90° and rotated 360°.


- Compact and easy to use
- Simple manual operation
- 360° rotation
- 90° tilt











	Specs
Load Capacity	vertical 300kg / horizontal 350kg
Rotation	360°
Tilting	90°
Weight	43kg
Product Code:	40210





Glass Lifting Vacuum - Inline 450kg

With 300kg capacity using 4 suction pads or 450kg using 6 pads this inline lifter is the perfect choice for lifting longer units or panels. 360° manual rotation and 90° tilt makes this a versatile appliance.

4 or 6 suction pad versions available



	Specs
Load Capacity	4 pads 300kg / 6 pads 450kg
Rotation	360°
Tilting	90°
Weight	45kg
Product Code:	40210







Glass Lifting Vacuum

- Compact Multi Position 450kg

This compact but powerful lifter offers multiple configurations to suit a variety of panel shapes or sizes. The slimline design allows access into the most difficult situations while the variable length extension arms are easy to set up.

4 or 6 suction pad versions available

Perfect choice for lifting longer units or panels.

360° manual rotation














	Specs
Load Capacity	450kg
Suction Plates	6
Frame Size 2100mm x 680mm x	x 200mm



Glass Lifting Vacuum - Compact Multi Position 600kg



This manual and easy to use multi position glass vacuum is suitable for a range of window shapes or sizes and is easily adapted to suit your application. Safe and precise positioning is assured with an audible warning device to alert of impending loss of vacuum. Battery operated, the unit will run for 8 hours without recharging.



Suitable for a range of shapes or sizes of glass








360° rotation

Simple manual operation

90° tilt





Specs

Load Capacity 4 pads 300kg / 6 pads 450kg / 8 pads 600kg Rotation **Dimensions** 680 x 900mm (2100mm with extensions) Weight 45kg

Product Code: 40215







Glass Lifting Vacuum Multi Position - 750kg

Exceptional slimline design and weighing only 75kg this lifter is ideally suited to working in tight working environments. Capable of lifting up to 750kg with 10 suction cups fitted, this vacuum is an impressive performer.

Narrow depth of just 180mm for tight working environments





	·
Load Capacity	750kg
Suction Plates	10
Rotation	360°
Tilt	90°
Dimensions	1380mm x 760mm x 160mm
Dimensions with Widenings	2540mm x 1400mm x 160mm
Tare Weight	140kg

Product Code: 40210

PLEASE CALL FOR QUOTATION

Manual Vacuum Lifters

A handheld, pump activated suction lifter for materials such as glass, metal or plastic.













Specs



Glass Lifting Vacuum Multi Position - 1050kg

With remote control, motorised rotation and hydraulic tilting this vacuum easily handles larger glass panels. With up to 1050kg capacity this lifter will handle the most arduous tacks with ease.

Up to 1050kg load capacity

Low height: 800mm (centre of rotation to suspension point)

Motorised rotation by 360°



Load Capacity 1050kg **Suction Plates** 10 Rotation 360° (motor) Tilt 90° (hydraulic) Dimensions 1225mm x 862mm x 280mm **Dimensions with Widenings** 2800mm x 862mm x 280mm

Specs

Product Code: 40215






Glass Lifting Vacuum Multi Position NEW - 1500kg



This slimline heavy capacity vacuum is the flagship of our fleet. The compact innovative design provides increased productivity for the larges glass panels and installation tasks.





- Continuous manual 360° rotation
- Dual independant vacuum circuits
- Hydraulically assisted tilting
- Wheeled stand







	Specs
Load Capacity	4 cups 1200kg / 12 cups 1500kg
Rotation	360°
Tilting	90°
Weight	250kg

Product Code: 40215




Curved Glass Lifting Vacuum - 600kg



When taking extra care when installing curved glass panels, this vacuum is the solution. With multiple round suction pads it allows the handling of both concave and convex curved glass panels. The vacuum can also be adapted to suit different curvature radius glass with two adjustment positions available.






Dual vacuum circuits

Perfect for lifting curved glazing units










	Specs
Load Capacity	12 cups 400kg / 16 cups 500kg / 20 cups 600kg
Rotation	360°
Tilting	90°
Weight	N/A

Product Code: 40215





Counterbalance Beams



Every construction site or renovation has its special circumstances, areas that are difficult to reach such as balconies, canopies or under eves niches, often presenting a challenge for installers or erectors. Overhanging or counterbalance beams offer a solution to this problem by balancing the install load with a radio-controlled moving counterweight that moves along the beam to match the required weight. Ideal for installing and positioning glass using a vacuum lifter or for numerous other applications.

Reach difficult areas under canopies or balconies

Attach a glass vacuum for easy installation

Radio remote controlled











	800kg
	890mm
)	3461 / 3063mm
o)	4671 / 4273mm
stors)	1145 / 1380mm
stors)	2620 / 2855mm
	1060kg
1250mm / 1500mm	/ 1750mm / 2000mm
	o) stors) stors)

Product Code:



Cladding Vacuum Lifter - Easy Clad

The Easy Clad vacuum lifter is the ideal solution for lifting and installation of wall cladding panels. With a tilt mechanism feature and rotating system panels can be moved safely from horizontal to vertical position. Suction pads are suitable for flat or micro rib panels used in most cladding and cold-store construction applications.

Removable lifting arm allows reduced clearance

Radio remote control as standard

Dual vacuum circuit







	Specs
Max. lift Capacity	375kg
Overall Pad Size	1000mm x 500mm
Depth	280mm
Weight	61kg
Rotation	90° (manual)
Tilt	90° (manual)
Low Vacuum Warning	Audible & visual

Product Code: 40230





Cladding Vacuum Lifter - Master Clad


Master Clad vacuum cladding lifters are suitable for the lifting and installation of a range of wall and roof cladding panels with varying length and shape. It can handle flat, micro rib or trapezoidal panels using adjustable vacuum pads to suit your requirements.

With a capacity of up to 400kg and extended lengths of 8.5m, longer panels can be handled with ease. The Master Clad features a tilt mechanism and rotating system to safely move panels from horizontal to the vertical position.

	Specs
Max lifting capacity	400kg
Suction Pads	6 no.
Weight - wall configuration	134kg
Weight - 4.1m configuration	172kg
Weight - 6.5m configuration	213kg
Weight - 8.5m configuration	254kg
Maximum Panel length (Roof)	21m
Maximum Panel length (Wall)	14m
Rotation	90° (manual)
Tilt	90° (manual)
Independent Vacuum Circuits	2 no.
Low Vacuum warning	Audible & visual
Product Code:	40230

~	Suitable for wall and roof panels
~	Radio remote control as standard
~	Dual vacuum circuit
















Cladding Vacuum Rotator - Roto Master

The Roto Master is specifically designed for the lifting, rotation and installation of composite sheeting panels. Panels can be turned 180° with ease, avoiding damage or flex. This unique lifter greatly improves efficiency along with health and safety while overcoming the difficulty of handling long panels.















				Spec
S W L			 	 4000kg
Maximum panel			20n	
	0.001	/1	- 1	

Weight 640kg - 960kg (beam length dependant)

Product Code: 40230

→ PLEASE CALL FOR QUOTATION



Cladding Bale Lifter - Bale Master

The Bale clad is a simple solution to the lifting and handling of bales of cladding on site. Using a modular spreader beam combined with 2 self-levelling crane forks, bales of cladding can be unloaded and lifted into position quickly and efficiently while avoiding panel damage. The spreader beam can be supplied to suit any panel length.

Safe and efficient way to lift bales of cladding

✓ Suitable for all panel lengths

Avoids panel damage

Kit includes:

- 2 x self-levelling crane forks
- 2 x 3t web slings
- 2 x short chain slings
- Spreader beam to desired length

		Spec
S W L		4000kg
Maximu	m panel length	20n
Weight	640kg - 960kg (beam	length dependant



40230










Scaffold Hoist

Quiet running Hoist for working off scaffolding. Ideal for fast and safe movement of mortar, bricks, tools and materials.











	Specs
S W L	200kg
10L	50m
Neight	46kg
/oltage	110V
roduct Code:	40240



PLEASE CALL FOR QUOTATION



Gantry Hoist

This 300kg builder's gantry hoist with a 30m lift height can be used in scaffolding or on a roof. The 3.3m sliding beam allows goods to be easily manoeuvred onto a platform safely and without effort.




Product Code:



Kerb & Flag Lifters

Versatile Flag / Slab Lifters for laying concrete or natural stone slabs.











	Standard	Heavy Duty	Flag Lifter
SWL	40kg	100kg	60kg
Weight	8kg	12kg	1.5kg
Range	0.9m	0.48m - 1.05m	0.22 x 0.505m

Product Code:



PLEASE CALL FOR QUOTATION

Vacuum Slab Lifters

This battery powered Vacuum Lifter enables you to lift and position slabs and other products in a safe and efficient manner.

Prevents damage to flags and slabs

Rechargeable battery powered



	Specs
S W L	150kg
Weight	16.5kg
Product Code:	40260




PLEASE CALL FOR QUOTATION



NEW

Kerb Lifter, Mechanical

This fully mechanical Kerb Lifter handles kerbs with ease using a mini excavator or small loader. Handles allow accurate positioning.







PLEASE CALL FOR QUOTATION

Vacuum Slab Laying Dolly

This innovative dolly takes the back ache out of laying paving, slabs or flags. Fitted with a battery powered manual vacuum slab lifter to allow one man to operate with ease.

One man operation Takes the strain out of laying flags.






Stone Vacuum / Magnet

This Stone Vacuum Magnet is ideal for lifting heavy stone or concrete products up to 400kg. Used with an excavator, handler or other lifting machine.











	Specs
S W L	400kg
Weight	34kg
Power	Battery
Width / Size	750 x 270mm
Product Code:	40260







Vertical Stone Vacuum / Magnet

or handling vertically stored materials. The twin pumped

vacuum ensures safe handling up to 200kg capacity.

Ideal for installing granite or marble slabs onto vertical surfaces



PLEASE CALL FOR QUOTATION



NEW

Porous Stone Vacuum / Magnet

PLEASE CALL FOR QUOTATION

Fitted with an additional vacuum pump to handle porous material this stone magnet can lift up to 600kg products with a rougher or slightly porous surface.



Product Code:







	Specs
S W L	600kg
Weight	35kg
Power	Battery
Width / Size	950 x 340mm

Additional pump for increased vacuum

Can handle rougher or slightly porous material



40260



Stone Vacuum Accessories

Numerous vacuum plates are available to fit our stone magnets, suitable for different sized materials. weight capacities or shapes such as kerbs.

Vacuum plates for a range of weights & sizes.

Kerb lifting vacuum plates









	TOU KEID Flate	400 Flate	ooo riale
Size	900 x 90mm	750 x 270mm	950 x 340mm
Weig	ht 7kg	10kg	15kg
Produc	rt Code: 40265		



Block Grabs



Single or double scissor Block Grabs are the solution for positioning bales of blocks and other concrete products on site. Used with an excavator, handler or other lifting machine.











	Single	Double
SWL	1500kg	2200kg
Weight	197kg	285kg
Range	0 - 995mm	1 - 1100mm
Product Code:	40280	40290



Pipe Laying Hooks

Designed to improve safety when transporting or laying pipes. The strong profiled beam will fit all pipes up to 3000mm length. Safety chains are fitted as standard.



	1000kg	3000kg
S W L	1000kg	3000kg
Jaw Width	300mm	460mm
Pipe Length	3000mm	3000mm
Weight	180kg	310kg

Product Code:



Kerb Grab



This universal Grab can be adjusted for use with kerbs, steps and many other materials. Used with an excavator, handler or other lifting machine.



	Spec
SWL	500kg
Weight	29kg
Range	50 - 600mm
Product Code:	40270

PLEASE CALL FOR QUOTATION

Hydraulic Manhole Lifter



NEW Universal hydraulic lifter to remove stubborn manhole covers

40305

Easy to use this device will lift and move all common sizes of covers.









Eichinger 1511 S W L 1500ka Weight 29ka Max. Cover size 900 x 900mm

High breakout force

Manhole keys and bars supplied

Product Code:

40315





Portable Site Conveyors

Moving rubble or material to or from your work space couldn't be easier using 4.4m conveyors. The ideal solution when moving large amounts of sand, stone, rubble, soil in the most awkward spaces. All you require is a 110V power connection for a single operator to move up to 60 tonnes per hour at an incline of up to 50°. These machines can also be linked for moving materials over larger distances and around corners. Lightweight due to its aluminum frame

these robust machines are also highly portable. Emergency stop buttons are installed at each end for safety.

Move up to 60 tonnes per ho	ur
-----------------------------	----

Suitable for sand, stone, rubble and soil

 Linkable for moving material over larger distances or around corners

Lightweight and highly portable

Not for use with wet concrete!

Specs

Power 110V / 550W Length 4.4m **Belt Width** 300mm 60 tonnes per hour Capacity

Product Code: 40370

Manhole Ring Chain Clamp & Lifting Pins

For the safe lifting & laying of manhole rings of varying diameters (not suitable for green concrete). Used in sets of 3, the lifting pins are the guick and easy way to lift manhole rings.





Manhole Ring Chain Clamp		Lifting Pins
S W L	3000kg	2000kg
Weight	46kg	-
Size	Max pipe - 3m	-
Product Code:	40310	40315

> PLEASE CALL FOR QUOTATION











Brick & Block Carts

This cart comes with a clamping mechanism to ensure safe transport of bricks or blocks around the building site.









S W L	400kg
Weight	70kg
Width	4.8 - 1.05m Clamp

> CALL FOR QUOTATION



Coneflow Concrete Skips

These general purpose skips offer accurate placing of concrete and excellent concrete flow.

assist in loading.









	Specs
Capacity	500
Weight	260kg
Capacity	1000
Weight	460kg
Product Code:	40340



Forklift Concrete Skips

Designed for pouring large volumes of concrete into formwork or

Available in lay-down or forkliftable versions









	500l	800
Capacity	5001	800
Weight	200kg	335kg
Product Code:		40350

PLEASE CALL FOR QUOTATION



These heavy duty skips are ideal for pouring concrete into columns or narrow framework where access is difficult. Fitted with pull-rope for opening the discharge gate.










	5001	10001	20001
Capacity	5001	10001	20001
Weight	290kg	380kg	650kg
Product Code:	40320	40330	40335

> PLEASE CALL FOR QUOTATION



removal, these Skips are designed to automatically release and empty without the need for assistance. Drop down arm eases filling.



	750l	1000l	20001
Capacity	750l	10001	20001
Weight	165kg	210kg	425kg
Product Code:	40360	40360	40360











CABLE HANDLING



Cable Drum Jacks

Screw or hydraulic cable drum jacks are available for raising and supporting large cable drums. Choose which type depending on your drum size and weight required, with capacities up to 10t.

Screw or hydraulic versions available

Up to 10t capacity



	6t Manual	10t Hydraulic
Capacity / S W L	6t (per pair)	10t (per pair)
Min Drum diameter	1360mm	1080mm
Max Drum diamter	1900mm	3500mm
Weight per pair	22kg each	90kg each
Product Code:	40390	40390






CABLE HANDLING

Cable Rollers & Skids

When pulling or positioning heavy cables, these rollers and skids suitable for straight runs, corners or manholes. They will ease the load and protect your cables.





	Cable Roller	Triple Corner	Manhole Lead Roller
Weight	2.75kg	12.0kg	14.0kg
Droduct Cod			40400

PLEASE CALL FOR QUOTATION

Cable Drum Rotators - Pair

These Rotators offer an easy and safe way to roll off cable from heavy cable drums.

Easy way to roll out cable












	specs
Maximum Drum Weight	1500kg
Drum Diameter	2400mm Max / 300mm Min
Weight	54kg per pair
Product Code:	40390

PLEASE CALL FOR QUOTATION



Cable Pull Winch (Capstan) A lightweight portable winch for assistance

in pulling cables up ducting or other applications.



Product Code:









1500kg - 2500kg Pulling capacity Rope Speed 2.5m/min-4m/min 16A 110V **Power** Size 655 x 550 x 440mm Weight 80kg

PLEASE CALL FOR QUOTATION

40410







CRANE & FORKLIFT ACCESSORIES



Self Levelling Crane Forks

These self-levelling Forks allow you to use your crane for transporting pallet loads. A spillage net is recommended.



PLEASE CALL FOR QUOTATION

Gas Bottle Cages

For the safe lifting of gas bottles using a crane to reach those difficult areas.









	specs
S W L	340kg
Neight	95kg
Nidth/Size	1.13 x 0.75 m
Product Code:	40430



CRANE & FORKLIFT ACCESSORIES

Access Cage

Our platform is designed for use with both cranes and forklifts enabling personnel to work safely at height.



SWL

Weight

Width/Size

Product Code:









PLEASE CALL FOR QUOTATION

Specs

250kg


190kg

1.14m x 1.2m 40440

Toilet Lifter

Designed to provide safe lifting and positioning of portable toilets anywhere on-site. These Toilet Lifters secure the toilet in a sumped base which catches any spillage when being moved.











	Specs
S W L	750kg
Height	2300mm
Width	1500mm
Length	1500mm
Weight	85kg
Product Code:	40430



Forklift Extension Forks

These extensions fit over the existing forks to offer extended reach for bulkier loads. Various sizes are available. Always comply with manufacturers' recommendations.



	2t	4t	/t
Capacity Per Set	2000kg	4000kg	7000kg
Length	1800mm	1800mm	3300mm
Fork Size	190 x 75mm	190 x 75mm	200 x 95mm
Weight	70kg	110kg	172kg
Donald of Control			40.450

PLEASE CALL FOR QUOTATION

Forklift Gantry Jibs

With 2.5 & 3 tonne capacities these jibs extend the lifting capabilities of your forklift for reaching over and under applications.



	Adjustable	Fixed
Capacity	2500kg	2500 - 3000kg
Extension Range	700mm - 3700mm	700mm - 3700mm
Height	635mm	500mm
Width	640mm	685mm
Weight	210kg	260kg
Adjustable Jib Angles	0°, 15°, 30°, 45°	N/A
Product Code:		40460





NEW

CRANE & FORKLIFT ACCESSORIES

Forklift Tipping Skips

These Tipping Skips are ideal for handling and removal of rubbish or waste. These skips can also be used for handling soil or other materials on a building site.





Fork Mounted Hooks

This simple attachment offers a central lifting point on your forklift for lifting hooked loads.

	2t	3t	5t
S W L	2000kg	3000kg	5000kg
Width	650mm	730mm	730mm
Max Fork Size	160 x 60mm	190 x 70mm	190 x 70mm
Weight	45kg	60kg	72kg



Big Bag LifterDesigned to lift and transport large material bags safely and securely. The 4 point spreader beam has safety hooks for fast loading and can

be used for other lifting tasks.

Handles large material bags

Can be used as a spreader beam for numerous applications





with ease



	Specs
S W L	2000kg
Weight	84kg
Length	900mm
Width	900mm
Height	80mm
Product Code:	40490









Pallet Trucks

Standard or wide pallet trucks are suited for the movement of various sized pallets in all industries.



PLEASE CALL FOR QUOTATION

Rough Terrain Pallet Trucks

Ideal for the movement of palletised goods over rough and uneven ground. Large rubber wheels make it easy to manoeuvre. Not suitable for steep gradients.

Easy to manoeuvre

✓ Ideal for building sites and agricultural environments







TROLLIES & TRUCKS

Scissor Pallet Truck

Safely lift and load 1000kg pallets up to heights of 715mm at ease with these highly maneuverable and compact manual pallet trucks.













Stacker Trucks, Manual & Electric

PLEASE CALL FOR QUOTATION

These compact, powerful and robust stackers can lift 1000kg pallets up to heights of 1510mm. Easy to manoeuvre, they are ideal for working in confined spaces or narrow aisles.



1510mm lifting height

Manual or electric lift operation options







	Manual	Battery
Load capacity	1000kg	1000kg
Lift height	1510mm	1510mm
Length	1690mm	1750mm
Width	740mm	750mm
Turning radius	1400mm	1440mm
Product Code:	40520	40520

PLEASE CALL FOR QUOTATION

Lifting Tables

Electric or foot operated scissor lifting table with capacities up to 800kg. Ideal for lifting and loading tasks or for use as a work station/bench.

Easy to manoeuver

Use for lifting / loading tasks or as a work bench

Up to 800kg capacity









	Electric	Hydraulic
Max lifting capacit	y 800kg	500kg
Max table height	1000mm	1500mm
Min table height	415mm	450mm
Table dimensions	1016 x 510mm	1010 x 520mm
Weight	112kg	164kg
Product Code:	40525	40525



PLEASE CALL FOR QUOTATION



Pipe Rack

This mobile rack is ideal for storage of pipes or conduit on site, providing the efficiency of having your materials to hand where you need them.



1t capacity

Easily manoeuvred into position











	Specs
Load capacity	1000kg
Lift Height	1570mm
Length	1560mm
Width	1010mm
Donaldo de Cardas	40545





TROLLIES & TRUCKS

Stair Climbers - Powered

These Stair Climbers are ideal for handling those heavy and awkward loads up or down stairs. The powered version is easy to operate by a single person.



	Standard	Heavy Duty
SWL	190kg	310kg
Weight	24kg	35kg
Power	Battery	Battery
Product Code:		40530



PLEASE CALL FOR QUOTATION

Board Trolly

Make life easy when handling plasterboard, plywood, metal, and other awkward panels on site. Easy to manoeuvrer fully loaded through doorways and round corners.

Handle sheet materials with ease











Furniture Mover

This mover is ideal for moving furniture, safes, cabinets and other heavy loads. Very manoeuvrable and safe.



	эрсс
S W L	1800kg
Product Code:	40530












PLEASE CALL FOR QUOTATION

Board Trolly / Bench

This unique flat sheet material trolly not only transports plasterboard or other sheets but acts as a work table also. Can travel vertically to access narrow doorways and then be rotated horizontally to become a bench.





Rotate vertically to access narrow areas

Effective transport of bulk sheets







	Specs
Length	2025mm
Width	720mm
Weight	100kg
S W L	500kg
Product Codo:	40550









NEW

TROLLIES & TRUCKS

Glass Trolly

Move sheets of glass through worksites quickly and safely with these easy to manoeuvre and stable A Frame Glass Lifting Trollys.

Move glass and window panes quickly and safely on-site



1000kg capacity











Glass Panel Trolly

Adjustable length trolly for the safe movement of glass panels around site. Narrow enough to work in tight spaces but with large wheels to provide smooth and secure handling.



Secure load area

Narrow width







	Specs
Length	1700mm
Height	1800mm
Width	815mm
Weight	65kg
Load Capacity	600kg
Product Code:	40560





Sack Trucks

For shifting goods and loads that are just too heavy to carry manually.





PLEASE CALL FOR QUOTATION

	Standard	Heavy Duty
S W L	75kg	350kg
Product Code: 40540		



Moving Dollys

Moving dollys will handle long length materials or bulky goods safely and with added ease around site.



	Dolly	Beam Cart
S W L	500kg	500kg
Platform Size	450 x 450mm	350 x 515mm

Product Code: 40540



Pipe Trolly

The easy way to handle pipes and ducting around the site.





Specs

S W L	500kg	
Product Code:	40545	4
→ CALL EC	OR OLIOTATION	

TROLLIES & TRUCKS

Tracked Carrier





This state of the art tracked mover removes the need for manual handling, reduces labour costs and increases productivity when handling or transporting larger components into tighter spaces. Battery powered with radio remote control, the tracked carrier will handle difficult sites and gradients with ease while keeping the operator a safe distance away. Swivel platform and dolly accessory options are available to make long load handling safe and simple.

1200kg capacity

Fully proportional remote control

45° gradeability (100%)

Fifth wheel attachment available

Dolly attachment available





GOGREEN

Width overall



5th Wheel

attachment





PLEASE CALL FOR QUOTATION

Charger input

Product Code:



110V - 230V

Specs

750mm



TROLLIES & TRUCKS

Liftable Flatbed Transport Trolly



This liftable mover is a battery powered transport trolly with a hydraulic liftable flatbed table designed to replace manual plasterboard carriers. Easy to operate the trolly is fitted with an all-terrain electric drive motor and 4-wheel steer for excellent manoeuvrability on site. The trolly will transport building materials such as timber, plasterboard, glass or stone to areas that other equipment such as forklifts cannot.

Specs **Max Lifting Capacity** 1500kg **Total Machine Weight** 311kg Max Travelling Speed 6km/h Foam filled puncture proof Wheels Voltage 24 volts Charger Integrated 230 volt (110 volt) Lifting Function Electro-hydraulic **Product Code:** 40570



GOGREEN

- Capacity up to 1500kg
- Powerful electric motors
- 4-wheel steering
- Suitable for off-road & construction sites
- Lift and Go flatbed raises by 150mm







Turntable Trolly



A manoeuvrable manual Trolly for handling all types of loads.







SWL 700kg **Product Code:** 40540





Specs



Manual Chain Hoists

Chain Hoists are the ideal solution for lifting and lowering heavy loads in a range of applications, including the engineering and construction industries. We carry an extensive range to meet your requirements.

✓ Various sizes and chain lengths available







Longer chain lengths available on request (price on application)



			specs	
Description	S W L	HOL	Weight	Product Code:
Chain Hoist 0.5t	500kg	3 - 6m	13.0kg	40580
Chain Hoist 1t	1000kg	3 - 6m	16.5kg	40590
Chain Hoist 1t	1000kg	7 - 12m	18.0kg	40590
Chain Hoist 2t	2000kg	3 - 6m	27.0kg	40600
Chain Hoist 2t	2000kg	7 - 12m	29.0kg	40600
Chain Hoist 3t, 2 fall	3000kg	3 - 12m	32.5kg	40610
Chain Hoist 5t, 2 fall	5000kg	3 - 12m	60.0kg	40620





Electric Chain Hoists

Our Lightweight Hoists are ideal for light duty applications or when you have to access awkward areas.

✓ Lightweight, ideal for awkward areas

Our robust range of Electric Hoists take the manual work out of lifting or lowering your loads. Available with lift heights up to 25m.

✓ Lift heights up to 25m



			Specs	
Description	S W L	HOL	Weight	Product Code:
250kg 110V	250kg	9m	24kg	40630
1t 110V	1000kg	15m	53kg	40640
1t 110V	1000kg	25m	64kg	40640
2t 110V	2000ka	15m	59ka	40650

→ PLEASE CALL FOR QUOTATION

Wire Rope Hoist (Minifor)

This unique hoist is compact, light-weight and easy to handle. 40m wire rope length allows lifting in the highest of applications. This hoist is not only suitable for lifting loads, but also for pulling loads in any direction.

Operated by a Radio Remote Control

 Quick and easy installation and includes a swivel eye hook

✓ SW Lup to 300kg

20, 40 & 60m Ropes available

	Specs	
S W L	300kg	
Speed	7m/min	Į.
Weight	31kg	
Min Height	642mm	- 1
Width	492mm	
Rope Lengths	20/40/60m	<u></u>
Product Code:	40660	

PLEASE CALL FOR QUOTATION

Ratchet Lever Hoists

Ideal Hoists for lifting or pulling in confined spaces at any angle. Easily used by one person.

✓ Ideal for pulling in confined spaces







			Specs 🖰	_
Description	S W L	HOL	Weight	Product Code:
Lever Hoist 0.75t	750kg	3.5m	7.8kg	40670
Lever Hoist 1.5t	1500kg	3.5m	12kg	40670
Lever Hoist 3t	3000kg	3.5m	22kg	40680
Lever Hoist 6t	6000kg	3.5m	33kg	40680







Manual Pull Winches (Tirfor)

Manual Pull Winches are ideal for pulling and tensioning uses in forestry, agricultural or civil engineering applications. These winches are lightweight and reliable.













Beam Clamps & Trollys

These versatile Beam Clamps can turn a suitable beam into a lifting anchor point. Adjustable Beam Trollys provide a mobile suspension point for easy movement along tested beams.









	Beam Clamp		
SWL	Weight		
2000kg	4.6kg		
5000kg	12.3kg		
Product Code:	40700		

	Beam Trolly
SWL	Weight
2000kg	20kg
3000kg	27kg
Product Code:	40700

PLEASE CALL FOR QUOTATION



Chain Slings

A range of 8 Chain Slings in various lengths including single, 2 and 4 leg configurations. Shortening clutches are fitted as standard and a variety of hooks can be provided.

Chain sizes not shown can be made to order for long term hire or purchase



Workin Uniform L	Working Load Limits for Grade 8 Chains Uniform Load Method of Rating				
	ļ	$\nearrow \!\!\! \backslash$			
Chain Size (mm)	Single Leg	Two Leg 0°-45° 45°-60°	Three & Four Leg 0°-45° 45°-60°		
7	1.5t	2.1t 1.5t	3.1t 2.2t		
8	2.0t	2.8t 2.0t	4.2t 3.0t		
10	3.15t	4.25t 3.15t	6.7t 4.75t		
13	5.3t	7.5t 5.3t	11.2t 8.0t		
16	8.0t	11.2t 8.0t	17.0t 11.8t		
20	12.5t	17.0t 12.5t	26.5t 19.0t		

			Specs	
Description	Length	S W L	Chain Size	Product Code:
1m/3t Single Leg	1m	3,000kg	10mm	40710
3m/3t Single Leg	3m	3,000kg	10mm	40710
3m/4.25t Two Leg	3m	4250kg@45o	10mm	40720
5m/4.25t Two Leg	5m	4250kg@45o	10mm	40720
3m/6.70t Four Leg	3m	6700kg@45o	10mm	40730
6m/11.2t Four Leg	6m	11200kg@45o	13mm	40730







Vertical Plate Clamps

For safe vertical lifting of steel plates, available in a range of sizes.










Plate Clamp - 2t

S W L 2000kg Range 0 - 35mm plate

Plate Clamp - 7.5t

S W L 7500kg **Range** 0 - 55m plate

Product Code: 40220



→ PLEASE CALL FOR QUOTATION



Magnetic Lifters

For handling ferrous metals in numerous industrial applications.



→ PLEASE CALL FOR QUOTATION

40220


Fixed Spreader Beams

Product Code:

Ideal for lifting loads from a single suspension point and where the lifting points are a distance apart. Beams are an alternative to two leg chain slings, eliminating chain slippage and bending forces.

 Suitable for containers, boats, machinery removal or precast concrete sections

✓ Ideal where headroom is restricted







Modular Sectional Spreader Beam



SectionLift Modular / Sectional Spreader Beams are a versatile system of interchangeable components which are assembled to provide a wide array of lifting solutions of up to 12m. They can be assembled to form virtually any span or configuration allowing for a cost-effective lifting solution for a wide range of lifting and handling applications. From a simple 2 point spreader beam to a complex multi-beam lifting rig, these beams can be constructed to lift the most complicated structures.

✓ Modular / sectional lifting solutions of up to 12m

Max. load capacity: 24 tonnes @ 5m






Component Weights	SectionLift 6	SectionLift 20
End Fitment c/w Load Link	7.6kg	20.6kg
0.5m Strut	6.5kg	21.0kg
1.0m Strut	9.2kg	31.0kg
2m Strut	15.0kg	52.0kg
4m Strut	N/A	93.0kg
Top Shackle	1.5kg	5.6kg
Bottom Shackle	1.0kg	4.3kg

	SectionLift 6	SectionLift 20
Minimum Beam Length	500mm	500mm
Maximum Beam Length	4m	12m
Maximum Load Capacity	2t @ 2m / 6t @ 3m	24t @ 5m / 6t @ 12m

Product Code: 40755 PLEASE CALL FOR QUOTATION



S W L in Tonnes



Hydraulic Cylinders

A range of hydraulic cylinders are available to be used for lifting and positioning of heavy items or structures into place. Ideal for confined spaces or low-level applications where conventional jacks are not suitable. A range of sizes are available to suit even the most awkward situations.



Ideal for confined spaces

S W L	HOL	Weight	Size
			Hydraulic Jack Pads
10t	12mm	1.4kg	43mm Closed Height
20t	11mm	3.1kg	51mm Closed Height
45t	16mm	6.8kg	66mm Closed Height
			Hydraulic Cylinders
25t	102mm	8.2kg	216mm Closed Height
50t	159mm	23.1kg	283mm Closed Height
75t	156mm	29.5kg	286mm Closed Height

Pumps and Accessories

Product Code:

Manual & electric pumps are available for use with hydraulic cylinders depending on their size and application. Various pipes and manifolds can be provided to allow simultaneous lifting of multiple cylinders at once.

	Specs
Max Pressure	700bar
Dimensions	L 244 x D 244 x H 363mm
Power	Electric
Motor	0.5hp / 115V
Weight	13.2kg
Droduct Codo:	40790





40770 - 40780

JACKS & SKATES

Machine Shifting Skates

These caterpillar steel skates are ideal for moving heavy machines or equipment on hard floors where the surface is not always smooth.



	Steel Machine Skates	Steel Machine Skates	Nylon Shifting Skates	Nylon Shifting Skates
S W L	15 Tonne kit	30 Tonne kit	18 Tonne Kit	30 Tonne Kit
Weight	44kg	58kg	76kg	136kg
Size	108mm high	125mm high	102mm high	110mm high

Product Code: 40790 These steerable nylon wheeled skates are ideal for shifting heavy or awkward loads when you are working on a smooth clean surface.



Nylon Wheeled for smooth surfaces





Toe Jacks

Lightweight Toe Jacks are compact and easily handled around the site while also offering large lifting capacities of up to 60t.



25-73mm toe heights available



Can also be used for conventional jacking applications







	Steel Toe Jack 5/5	Alu. Toe Jack 20/8	Alu. Toe Jack 60/24
SWL	5t head, 5t toe	20t head, 8t toe	60t head, 24t toe
HOL	178mm	152mm	152mm
Weight	18kg	14.5kg	43.1kg
Size/Toe Heig	ght 41mm	72mm	73mm
Product Code:			40800

PLEASE CALL FOR QUOTATION



Roller Crowbar



S W L	1500kg
10L	145mm
Veight	16.2kg
roduct Code:	40810







FALL ARREST, SAFETY & TESTING



Mobile Man Anchors

Designed for use where handrails are not available on flat or pitched roofs up to 15°. To be used with fall arrest blocks or restraint lanyard. Supplied in an easy to handle crate.











Sliding Beam Anchors

This Sliding Beam provides a versatile anchor point when attached to a steel beam for safe working at height.



FALL ARREST, SAFETY & TESTING

Temporary Lifeline

This webbing Lifeline offers a safe horizontal anchorage for up to two people. Easy to tension between two fixed points up to 20m apart.











Product Code: 40840



Tripod Access System

Lower good or personnel below ground safely using this sturdy versatile tripod. A fitted winch can be used for either lowering or raising personnel or materials while an auto decent fall arrest block is used to assure the safety of the person being lowered.

Lower or raise goods or personnel below ground

Fall arrest safety devise fitted as

	Specs
S W L Goods	250kg
S W L Personnel	150kg
S W L Safety Fall Arre	st 150kg
HOL	20m
Height min.	1.78m / max. 2.73m
Width min.	1.30m / max. 1.87m
Weight (Tripod only)	17kg
Product Code:	40870











Digital Load Indicators

work out of load measurement with an

easy-to-read digital display.

An accurate instrument for taking the guess

Fall Arrest Blocks

Fully automatic and self retractable, these fall arrest devices offer minimal stress to the body in the event of a fall. Recovery auto-decent versions are available.

Offer minimal stress to the body in the event of a fall

Auto-descent versions available









	Specs	
Description	HOL	Produc Code:
Fall Arrest Block	5m	40850
Fall Arrest Block	15m	40850
Fall Arrest Block Auto Descent	18m	40860















FALL ARREST, SAFETY & TESTING





Slab Test Weights

These 250kg Weights lock together for larger testing applications and are easily handled by forklift or crane.




	Specs
S W L	250kg - 1000kg
Product Code:	40890

PLEASE CALL FOR QUOTATION



Hand Test Weights

These 20kg Weights are ideal for smaller testing applications or for providing ballast. Trollys and stillages are available for ease of handling.







MATERIAL HANDLING HIRE



A WIDE VARIETY OF FORKLIFTS AND MATERIAL HANDLING EQUIPMENT IS AVAILABLE TO HIRE ON A LONG, SHORT OR FIXED-TERM BASIS, SUITABLE FOR MOST APPLICATIONS. WITH LIFTING CAPACITIES OF UP TO 12T AND LIFT HEIGHTS UP TO 30M, WE CAN OFFER YOU THE SOLUTION TO YOUR HANDLING REQUIREMENTS.

Forklift Trucks	122
Telescopic Forklifts	128
Forklift Auxiliaries	133
Heavy Lift & Rotating Telehandlers	136
Site Loaders	140



For all Material Handling



Tracked Stacker Truck



Handle pallets or materials on rough sites or uneven terrain where other forklifts cannot access.

Tracked stacker trucks provide the ideal solution for shifting materials up to 1600kg with little disruption to ground conditions. Capable of lifting up to 1.775m and at only 1240mm wide retracted these trucks are ideal for construction, landscaping or farm applications.

Tracks widen to allow added stability

1,600kg lifting capacity

🗸 1,775mm maximum lift height

Can handle up to 20% incline

Stand on platform for ease of operation









	1.5t
Max Lift Capacity	1600kg
Max Lift Height	1775mm
Max Incline/Decline	20%
Width Retracted	1240mm
Max Width	1800mm
Weight	1330kg
Power Source	Petrol 11.7hp

Product Code:





Electric Forklift Trucks



Quiet and emission free, these Electric Forklifts are ideal for internal lifting applications such as handling food stuffs or perishable goods. Easy to charge battery packs enable hassle free use of the trucks during work periods and recharge overnight.

Larger capacity fork trucks are available for heavy lift applications in confined spaces or environmentally sensitive areas.

- Quiet & fume free
- Excellent turning radius
- ✓ 1.5t model allows turning radius of only 1.45m (3 wheeler)
- ✓ Heavy lift versions available





Non marking tyres option available



	1.6t	1.8t	2.5t	5t
Max Lift Capacity	1600kg	1800kg	2500kg	5000kg
Max Lift Height	3.26m	3.0m	5.5m	5.15m
Turning Radius	1.81m	1.92m	1.99m	2.785m
Width	1.07m	1.08m	1.17m	1.47m
Min Lowered Height	2.09m	2.0m	2.39m	2.335m
Weight	3180kg	3030kg	4300kg	7760kg
Power Source	Electric	Electric	Electric	Electric
Product Code:	50110	50110	50115	50115





Gas Forklift Trucks





Producing less emissions than conventional diesel forklifts, these Gas Trucks are ideal for use in ventilated warehouses or factories where personnel are working.

✓ Only 1.15m wide (2.5t)

✔ Puncture proof tyres fitted as standard

Reduced emissions



Various mast heights available

	2t Compact	2.5t	3.5t
Max Lift Capacity	2000kg	2500kg	3500kg
Max Lift Height	4.59m	4.35m	4.6m
Turning Radius	2.05m	2.28m	2.42m
Width	1.16m	1.15m	1.25m
Min Lowered Height	2.17m	1.99m	2.18m
Weight	3414kg	3560kg	4957kg
Power Source	Gas	Gas	Gas
Product Code:	50120	50130	50150

PLEASE CALL FOR QUOTATION

Rough Terrain Forklift



For general site use where you require rough terrain capability, these Straight Masted Forklifts are robust and reliable. Ideal for agriculture, forestry, construction or recycling applications.

Full 4WD capability

✓ 4.5m lift height






	Manitou M26-4	JCB 9308
Maximum Lift Height	3.7m	4.5m
Lift Capacity at Full Height	2600kg	3000kg
Turning Radius	4.27m	4.49m
Width	1.92m	2.20m
Lowered Height	2.73m	2.95m
Weight	5211kg	6340kg
Power Source	Diesel	Diesel
Product Code:	50310	50310







1.8t - 3t Diesel Forklift Trucks



These efficient Diesel Forklifts offer the most reliable option when shifting goods and materials around industrial yards or factory units. Most trucks are fitted with side shift for extra productivity and puncture proof tyres for reduced down time. Numerous mast configurations and cab options are available.

Puncture proof tyres fitted as standard

1.8t model only 1.1m wide



Various mast heights available

	1.8t	2.5t	3.0t
Max Lift Capacity	1750kg	2500kg	3000kg
Max Lift Height	4.4m	4.9m	4.8m
Turning Radius	2.01m	2.22m	2.28m
Width	1.10m	1.16m	1.19m
Min Lowered Height	2.07m	2.10m	2.19m
Weight	2780kg	4026kg	4505kg
Power Source	Diesel	Diesel	Diesel
Product Code:	50140	50140	50160



PLEASE CALL FOR QUOTATION



4 - 5t Diesel Forklift Trucks

Highly practical and easy to manoeuver, 4 - 5t Diesel Forklifts are the ideal solution for continuous operation on concrete or industrial yards.

Larger 5t Forklifts are also available for larger lifting applications providing lifting heights of up to 14'6".

Heated cab

Punchure proof tires

Side shift

	4.0t	5.0t
Max Lift Capacity	4000kg	5000kg
Max Lift Height	5.0m	4.45m
Width	1.40m	1.44m
Turning Radius	2.55m	2,90m
Min Lowered Height	2.71m	3.07m
Weight	5830kg	7523kg
Power Source	Diesel	Diesel
Product Code:		50170







7 - 16t Diesel Forklift Trucks

Larger 7 - 16t Forklifts are available for heavier lifting applications providing lifting heights of up to 5.85m, over 2m fork spread and 2.4m fork length, the perfect solution for a variety of applications including lifting containers or machinery.

- Fork positioners & side shift fitted as standard
- ✓ Fully heated cab
- Over 2m fork spread & 2.3m length



	7t	9t	13t	16t
Max Lift Capacity	7000kg	9000kg	13000kg	16000kg
Max Lift Height	3.0m	5.85m	4.4m	4.4m
Width	1.99m	2.23m	2.35m	2.49m
Turning Radius	3.36m	3.68m	4.04m	4.4m
Min Lowered Height	2.5m	2.77m	2.85m	2.85m
Weight	9380kg	14290kg	18300kg	19300kg
Fork Length	1.8m	2.4m	2.4m	2.4m
Power Source	Diesel	Diesel	Diesel	Diesel
Product Code:				50180







Compact Multi Directional Forklift




This innovative compact forklift provides the versatility to operate as a narrow aisle forklift, handle long lengths such as steel beams and timber plus still offering the manoeuvrability of a conventional forklift. The low profile and compact design also improve's safety and increases productivity. Suitable for indoor and outdoor applications the compact multi directional forklift has the ability to handle a diverse range of goods in most industries.

	CB3000	CBE3000
Max Lift Height	4.9m	4.9m
Lift Capacity	3000kg	3000kg
Max Forward Reach	N/A	N/A
Turning Radius	1.5m	1.5m
Width	1.5m	1.5m
Lowered Height	2.24m	2.24m
Weight	5900kg	6800kg
Power Source	Diesel	Electric
Product Code:	50190	50190







Long load handling

✓ Very manoeuvrable

✓ Improves safety & productivity





Multi Directional Side Loaders



The Combilift encompasses three machines in one - a Counterbalance Forklift, Aisle Truck and Side Loader.

With capacities of 3000kg, 4000kg and 5000kg and multi-directional capabilities as standard, these machines are ideally suited for handling long loads while offering increased productivity and safer operation. Combilifts are also suitable for indoor and outdoor use providing space saving opportunities.

- ✓ Multi Directional Capabilities
- Long Load Handling
- Safer Product Handling
- Space Savings
- ✓ Increased Productivity
- ✓ Reliable Robust Simple Design
- ✓ Indoor And Outdoor Use



Available for Long Term, Short Term or Contract Hire

	C3000	C4000	C5000
Max Lift Height	4.76m	4.87m	4.04m
Lift Capacity at Full Height	3000kg	4000kg	5000kg
Max Forward Reach	1.25m	1.3m	1.4m
Turning Radius	2.2m	2.325m	2.49m
Width	1.93m	2.19m	2.19m
Lowered Height	2.655m	2.855m	2.855m
Weight	4900kg	6300kg	6800kg
Power Source	Diesel	Diesel	Diesel
Product Code:			50195







Warehouse Forklift, Articulating





With the ability to operate in very narrow aisles (as narrow as 1.6m) this articulating forklift maximises storage space and eliminates time consuming double handling of materials. Capable of working indoors or out this electric truck is the ideal solution for large warehouse racking operations.

✓ Can operate in aisles as narrow as 1.6m

Articulation provides excellent vision

For indoor and outdoor use

GOGREEN Eco Version

	Specs
Max Lift Height	7.2m
Closed Height	2.9m
Aisle Width	2.9m
Lift Speed	0.4m/s
Max Lift Capacity	2t
Weight	6800kg
Power Source	Battery
Product Code:	50198









TELESCOPIC FORKLIFTS

4m Lightweight Telehandler



The Weidemann lightweight Telehandler combines lifting capabilities of up to 1.2t and an extremely low operational weight of only 2750kg. Suitable for applications where ground loading or disruption is a concern. These multi-purpose machines are both compact and highly practical when it comes to construction and agricultural applications both indoor and outdoor. At only 1.56m wide and 1.96m high and with a turning radius of 3m and a 4.2m lifting height, these versatile machines are ideal for those sites where space is at a premium.

- Only 2750kg can be towed behind a pickup or van
- Lifting capabilities of up to 1.2t
- 🗸 4.2m lift height



Bucket & Forks included

	Specs
Max Lift Height	4.2m
Lift Capacity at Full Height	1200kg
Maximum Forward Reach	2.25m
Lift Capacity at Full Reach	1000kg
Turning Radius	3.0m
Width	1.56m
Lowered Height	1.96m
Weight	2700kg
Power Source	Diesel
Product Code:	50200





4m Mini Telescopic Telehandler



This ultra compact Telehandler is easy to manoeuvre due to its small dimensions. Extremely versatile, it lends itself to a variety of applications such as construction, renovation, landscaping, industrial maintenance and events.

- Only 1.4m wide & 1.9m high
- ✓ 2000kg lift capacity
- ✔ Ultra compact and easy to manoeuvre
- ✓ Perfect for indoor and urban work
- ✓ 4WD/4WS
- ✓ Turning radius only 2.98m



Bucket & Forks included

	Specs
Maximum Lift Height	4.3m
Lift Capacity at Full Height	2000kg
Maximum Forward Reach	2.65m
Lift Capacity at Full Reach	900kg
Turning Radius	2.98m
Width	1.49m
Lowered Height	1.9m
Weight	4260kg
Power Source	Diesel
Product Code:	50200





5m Telescopic Forklift, Electric



Eliminate polluting emissions and fumes, reduced noise levels, and drastically reducing operating costs, are only some of the compelling reasons to switch to using an electric telehandler. With increased manoeuvrability in confined spaces this is the ideal tool for applications in closed environments such as stables, warehouses, industry or underground environments.

With batteries capable of a full shift, four-wheel drive and all the features of a conventional machine, this compact telehandler has all the eco credentials without compromise.



Bucket & Forks included

	eWorker
Maximum Lift Height	4.75m
Lift Capacity at Full Height	1500kg
Maximum Forward Reach	2.56m
Lift Capacity at Full Reach	900kg
Turning Radius	3.23m
Width	1.53m
Lowered Height	1.955m
Weight	4950kg
Power Source	Electric
Product Code:	50205

Fume & emission free Reduced operation costs Reduced noise levels Only 1.53m wide







Capable of lifting 2.5t to 5m

6m Telescopic Forklift



As your work conditions become increasingly demanding, this highly manoeuvrable compact machine is ideal for your site where space is at a premium, providing a loading capacity of 2500kg and a maximum lift height of 5.85m. The cab has been designed to offer excellent all round visibility and driver comfort plus easy access is provided by the low level door.

Capable of lifting 2.5t to 6m

Only 1.92m high

Only 1.82m wide



Bucket & Forks included

MT625
5.85m
2000kg
3.40m
800kg
3.31m
1.81m
1.92m
4485kg
Diesel
50210





7m Telescopic Forklift



For bulk material shovel work or lifts up to 7m, this machine offers the performance of larger Telescopic Forklifts with added manoeuvrability.

- 3100kg lifting capacity
- ✓ 4WD/4WS
- Low pressure grass tyres available



Bucket & Forks included



available	Specs
Maximum Lift Height	7.0m
Maximum Lift Capacity	3100kg
Lift Capacity at Full Height	2400kg
Lift Capacity at Full Reach	1250kg
Maximum Forward Reach	3.7m
Turning Radius	3.7m
Width	2.23m
Lowered Height	2.49m
Weight	7060kg
Power Source	Diesel
Product Code:	50220





9.5m Telescopic Forklift



This highly agile Telehandler offers unrivalled manoeuvrability and is designed to meet the unique demands of any site head on. Compact and offering great visibility, this Telehandler is ideal for restrictive sites but still capable of lifting to nearly 10m.

Compact & extremely manoeuvrable

3500kg lifting capacity



Bucket & Forks included

	Specs
Maximum Lift Height	9.5m
Maximum Lift Capacity	3500kg
Lift Capacity, Full Height	1600kg
Lift Capacity, Full Reach	500kg
Maximum Forward Reach	6.52m
Turning Radius	3.7m
Width	2.29m
Lowered Height	2.49m
Weight	8020kg
Power Source	Diesel
Product Code:	50220





13 - 14m Telescopic Forklift



For extra horizontal or vertical reach these 13 & 14m machines provide the stability and safety required for lifting to these heights. Excellent visibility combined with a turning circle of less than 4m provides excellent manoeuvrability on even the most congested sites.



Low boom design offers excellent visibility



Bucket & Forks included



	MT1335	540-140
Maximum Lift Height	13.0m	13.8m
Maximum Lift Capacity	3500kg	3500kg
Lift Capacity at Full Height	3500kg	3000kg
Lift Capacity at Full Reach	1000kg	1250kg
Maximum Forward Reach	8.75m	9.7m
Turning Radius	3.85m	3.75m
Width	2.28m	2.35m
Lowered Height	2.42m	2.59m
Weight	9100kg	10880kg
Power Source	Diesel	Diesel
Product Code:		50230





17 - 18m Telescopic Forklift



With lift capacities up to 4t and forward reach of up to 13.08m, these 17 & 18m handlers are the ultimate performers around the site. These well balanced machines ensure precision placement of loads. Side shift and frame levelling are available on most models.



4000kg lifting capacity



Bucket & Forks included

	540-170	MT1840
Maximum Lift Height	16.7m	17.55m
Maximum Lift Capacity	4000kg	4000kg
Lift Capacity at Full Height	2500kg	2500kg
Lift Capacity at Full Reach	600kg	850kg
Maximum Forward Reach	12.5m	13.08m
Turning Radius	4.10m	4.01m
Width	2.44m	2.42m
Lowered Height	2.69m	2.50m
Weight	12470kg	11700kg
Power Source	Diesel	Diesel
Product Code:		50240



FORKLIFT AUXILIARIES

Container Loading Ramps

Take the hassle out of loading or unloading containers and trailers with an efficient forklift loading ramp. With capacities of up to 10,000kg, these ramps are suitable for most forklift loading applications and will handle the toughest conditions. All ramps come with a high traction all weather surface, an easy action hydraulic pump for height adjustment and a forklift clamp for ease of manoeuvrability.

	Specs
Capacity	7000 - 10000kg
Weight	3,800kg
Length Inclined Section	8.44m
Overall Length	11.26m
Overall Width	2.26m
Useable Width	2.06m
Variation in Working Level	800 - 1650mm
Lip into the Container	2060 x 300mm
Product Code:	50260

Product Code:

3020









Container Ramp, Low Level

For loading containers at ground level, this heavy duty folding ramp is easily positioned and ready for use in seconds.



	Specs
Capacity	8500kg
Width	2.25m
Length	2.03m
Weight	275kg
Product Code:	50250



FORKLIFT AUXILIARIES

Yard Sweeper

This effective Yard Sweeper has no rotary action thus avoiding excessive dust and making it ideal for most applications. Easily and quickly attached to the forks of most standard forklifts or telehandlers you can be brushing up in seconds.





Specs
1.82m
140kg
130mm x 65mm
800mm centres

Product Code:



Forklift Mounted Sweeper / Collector

These forklift mounted sweeper/collectors are quick and easy to attach to telehandlers and forklifts providing a 2 metre sweeping width. Known for their sweeping performance and versatility, these machines are ideal for both small and large heavy-duty applications. When fitted on a telehandler the extending boom is perfect for getting into those awkward to reach areas.

Superb sweeping performance

Quick and easy to attach

Sweeps and collects

Water tank and dribble bar for dust suppression

Close wall / kerb sweeping



Hydraulic **Power Supply** Width 2.0m **Debris Container Capacity** 425ltrs Water Tank Capacity 200ltrs 20360 Product Code:













FORKLIFT AUXILIARIES

Forklift Extension Forks

These extensions fit over the existing forks to offer extended reach for bulkier loads. Various sizes are available. Always comply with manufacturers' recommendations.



	2t	4t	/t
Capacity Per Set	2000kg	4000kg	7000kg
Length	1800mm	1800mm	3300mm
Fork Size	190 x 75mm	190 x 75mm	200 x 95mm
Weight	70kg	110kg	172kg

PLEASE CALL FOR QUOTATION

40450

Forklift Tipping Skips

Product Code:

These Tipping Skips are ideal for handling and removal of rubbish or waste. These skips can also be used for handling soil or other materials on a building site.



Forklift Gantry Jibs

With 2.5 & 3 tonne capacities these jibs extend the lifting capabilities of your forklift for reaching over and under applications.





	Adjustable	Fixed
Capacity	2500kg	2500 - 3000kg
Extension Range	700mm - 3700mm	700mm - 3700mm
Height	635mm	500mm
Width	640mm	685mm
Weight	210kg	260kg
Adjustable Jib Angles	0°, 15°, 30° & 45°	N/A

Product Code:

\rightarrow

PLEASE CALL FOR QUOTATION



Fork Mounted Hooks

This simple attachment offers a central lifting point on your forklift for lifting hooked loads.

for lifting hooked load	ds.		
	2t	3t	5t
SWL	2000kg	3000kg	5000kg
Width	650mm	730mm	730mm
Max Fork Size	160 x 60mm	190 x 70mm	190 x 70mm
Weight	45kg	60kg	72kg
Provides a simple hook for your forl	lifting klift		40480





Heavy Lift Telehandler 5.5 - 7.2t



These Heavy Lift Telehandlers are the ultimate site workhorse providing up to 7200kg lifting capacity - 4000kg at full height (9.55m). Ideally suited for safely handling larger heavy loads or large volume shovelling applications.

- ✓ Massive lift capacities up to 7.2t
- ✓ Up to 18.8m lift heights
- High ground clearance for rough terrain
- ✓ 4WD & 4WS with 3 steering modes
- Frame Levelling ensures truly vertical lift



	5.5t	6.0t	7.2t
Maximum Lift Height	18.8m	9.6m	9.55m
Maximum Lift Capacity	5500kg	6000kg	7200kg
Lift Capacity - Full Height	3000kg	4000kg	4000kg
Lift Capacity - Full Reach	1000kg	1500kg	2100kg
Max Forward Reach	14.1m	5.5m	5.2m
Turning Radius	5.61m	3.95m	3.97m
Width	2.48m	2.33m	2.24m
Lowered Height	2.61m	2.44m	2.50m
Weight	14100kg	9800kg	11300kg
Power Source	Diesel	Diesel	Diesel

Product Code: 50270



Heavy Lift Telehandler 12t



	Massive	12000ka	lift	canacity
~	IVIGSSIVE	IZUUUKY	IIIL	capacity

9.8m lift height

High ground clearance for rough terrain

Powerful 145hp engine

✓ 4WD and 4WS with 3 steering modes.

Frame Levelling ensures truly vertical lift

	Specs
Maximum Lift Height	9.8m
Maximum Lift Capacity	12000kg
Lift Capacity - Full Height	5000kg
Lift Capacity - Full Reach	2700kg
Max Forward Reach	5.7m
Turning Radius	4.3m
Width	2.4m
Lowered Height	2.85m
Weight	16000kg
Power Source	Diesel
Product Code:	50280

> PLEASE CALL FOR QUOTATION

With massive lifting capacities of up to 12000kg and lifting heights of up to 10m, these heavy-duty forklifts are suitable for a variety of heavy lifting applications such as civil engineering and heavy industrial tasks.





Heavy Lift Telehandler Attachments Wide Carriage Forks

For improved stability when lifting larger awkward loads, this wide carriage fork is perfect for providing adjustable working widths of up to 1.8m and 10t capacity.

	Specs
Width	1.8m (inside)
SWL	10000kg



Crane Hook

Ideal for lifting heavy equipment or materials of up to 12t, this Crane Hook can turn a Heavy Lift Telehandler into a versatile crane.





	Spec 1	Spec 2
S W L	6000kg	12000kg



Rotating Telescopic Forklift



✓ Full 360° rotation

✓ Lift heights up to 26m

Remote radio control operation

✓ Ideal for confined sites

Tiltable cab (26m only)

3 steering modes & 4WD

Range of attachments available

✓ Full range of sizes available



These all terrain Rotating Telehandlers are ideally suited to construction and industrial applications. An absolute asset where high lifting capacity and outreach is required, these 3-in-1 units are simultaneously a telehandler, crane and work platform.

Full 360° rotation enables fast and precise positioning in tight or confined areas providing added efficiency and versatility.

Three steering modes and four-wheel drive ensures manoeuvrability on rough sites and the remote control option allows operation outside the cab, giving added visibility and safety.



Product Code: 50290







	MRT2150	Merlo 45.21	Merlo 50.26	Merlo 50.30	RTH 6.30
Maximum Lift Height	20.6m	20.8m	26.0m	29.2m	29.8m
Maximum Lift Capacity	4999kg	4500kg	4950kg	4950kg	6000kg
Lift Capacity, Full Height	2500kg	2500kg	1500kg	2000kg	2500kg
Lift Capacity, Full Reach	600kg	750kg	150kg	400kg	500kg
Maximum Forward Reac	h 18.1m	18.0m	23.0m	25.4m	26.0m
Turning Radius	4.5m	3.85m	3.85m	4.5m	4.63m
Width	2.42m	2.4m	2.43m	2.49m	2.54m
Lowered Height	3.025m	2.99m	3.12m	3.16m	3.12m
Weight (Unladen)	16095kg	15050kg	17300kg	19900kg	21800kg
Power Source	Diesel	Diesel	Diesel	Diesel	Diesel

Product Code: 50290





Rotating Telehandler Attachments

Block Winch

Safely lifting suspended loads of up to 6.0t into place anywhere on-site couldn't be easier than with this block winch attachment which provides up to 35m maximum hook travel.

		Specs
Width	1230mm	N/A
Max Hook Travel	35m	27m
Max Capacity	4500kg	6000kg
Winch Speed	28m/min	19m/min



Fly Jib Winch

For precision positioning of loads of up to 2t on-site, this Fly Jib Winch essentially turns a telehandler into a small crane, commonly used for the installation of roof trusses or steel beams.

	Specs
Length	1550mm
Max Hook Travel	35m
Max Capacity	2000kg



Access Platform

This Access Platform offers an exceptional deck space extending up to 4m wide, the ideal solution for cladding and roofing applications. A platform capacity of 1000kg allows materials to be lifted along with personnel.

	Specs
Deck Width	2.25m
Deck Width (Extended)	4.6m
Platform Capacity	1000kg



 Access platform provides 1000kg capacity & 90° rotation (Manitou)



SITE LOADERS

Compact Articulated Loader



Small enough to work in tight situations yet capable of handling loads up to 1000kg, these Telescopic Loaders are a real multi-purpose machine. Their unique articulated design and very low ground pressure allows these machines to work in confined areas with the minimum ground damage. Ideal for the building site, farm or landscaping tasks.

- → Highly manoeuvrable
- Telescopic boom fitted as standard
- Lightweight easily transportable
- → High tipping heights
- ✓ 750kg & 1000kg sizes available

Bucket supplied as standard





	528	635
Capacity	750kg	1000kg
Max Lift Height	2.79m	2.835m
Turing Radius in / out	0.995 / 2.05m	0.90/2.19m
Length	2.55m	2.55m
Width	1.095m	1.29m
Height	1.98m	2.035m
Control Type	Hand & Foot	Hand & Foot
Operating Weight	1360kg	1530kg
Power Source	Diesel	Diesel
Product Code:		50320



Articulated Loader Attachments

Product Code: 50330

Pallet Forks

The perfect attachment for handling pallets on the farm, construction site or yard. Easily adjusted width.

	Specs	
Max Load	1400kg	
Fork Length	1100mm	
Weight	115kg	
••••••		

Farm Fork

Suitable for muck or silage this fork makes light work of clearing out stables or livestock pens. Also suitable for handling branches or bushes.

	Specs
Width	900mm
Weight	120kg

Bucket Broom

For grounds maintenance tasks this broom sweeps and collects effortlessly. Collecting the waste in a large bucket the broom gives the best results when reversing.

	Specs
Broom Width	1100mm
Total Width	1356mm
Box Capacity	370

Weed Brush

The weed brush is an efficient tool for removal of weeds or moss from paved areas, yards or tarmac driveways. Three positions make it ideal for cleaning along edges, kerbs or fences.

	specs
Brush Diameter	600mm
Height	530mm
Length/width (ret.)	1100mm

Light Material Bucket

Light material buckets are intended for handling of e.g sand, saw dust, manure, wood chips and other light materials.



GOGREEN ECO-FRIENDLY RENTAL PRODUCTS

KDM Hire are committed to protecting the environment and have developed the go green initiative to help customers choose the most Eco-friendly rental products for their tasks, thus helping to reduce CO₂ emissions and improve sustainability. Considerable technological advances have been made in battery and electrical power sources, providing greener alternatives but with similar performance to many traditional engine powered products. We have highlighted these products using the **GO GREEN** symbol throughout the catalogue to help you make the greener choice.

Some of the many advantages of choosing GO GREEN products

- Reduced CO₂ emissions
- Safer & quieter to use
- Reduced fuel costs
- Less noise pollution
- O Reduced spillage or contamination



Look out for our GO GREEN products, options and benefits throughout the catalogue or contact us directly for further details.







PORTABLE CABINS & STORAGE HIRE




K CABIN SPECIALISES IN THE HIRE OF TEMPORARY BUILDINGS, PROVIDING A SOLUTION TO YOUR ON OR OFF-SITE ACCOMMODATION REQUIREMENTS.
BUILDINGS AVAILABLE INCLUDE ACCOMMODATION, WELFARE, SANITATION AND STORAGE UNITS AND ARE SUITABLE FOR MOST APPLICATIONS OR INDUSTRIES, FROM A SCHOOL TO A BUILDING SITE OR A SPORTING VENUE.

Anti-Vandal Cabin Range	145
Linkable Cabin Range	150
Jackleg Cabin Range	152
Executive Cabin Range	154
Modular Cabin Range	156
Storage	162
Sleeper Cabin Range	167
Welfare Cabin Range	170
Toilet & Shower Cabins	176
Toilet & Cabin Services	186
CCTV Surveillance Units	187
Auxiliaries & Furniture	188







The fully welded steel construction provides a quality working environment when in use, combined with peace of mind against the risk of vandalism or theft when left unattended. Anti-vandal Units can also be supplied for a range of applications including offices, canteens and dry rooms.





Anti-vandal Offices / Canteens / Dry Rooms











Easy clean surfaces and vinyl flooring

Full electrics including heat & lighting

External connection sockets

Bright airy interior

8' or 10' wide options available

APPLICATIONS & USES

- Temporary site offices
- Workers' canteens
- 1 Drying & changing rooms
- Training rooms
- Secure retail shops
- Event cabins
- Staff facilities
- Security rooms



















145




Anti-vandal Offices / Canteens / Dry Rooms





Call today for advice on selecting the correct Cabins for your accommodation needs

LAYOUT EXAMPLES:







Sizes available	Product Code:
10' x 8' / 3m x 2.5m	60100
20' x 8' / 6m x 2.5m	60120
12' x 10' / 3m x 3m	60110
16' x 10' / 5m x 3m	60125
20' x 10' / 6m x 3m	60130
24' x 10' / 7.31m x 3m	60140
28' x 10' / 9m x 3m	60150
32' x 10' / 9.6m x 3m	60160

All Units are delivered ready for immediate use

✓ Units can be linked or double stacked for added flexibility

 Units can be fitted out internally to suit your requirements for long term hire

Various layouts available









20' x 10' Anti-vandal Office

Combo Store / Office






Combination units can be supplied to provide both secure storage and office facilities within one unit.

All in one Unit

Sizes available

20' x 8' / 6m x 2.5m 50:50 split 28' x 10' / 9m x 3m 75:25 split Product Code:60190





Viewing Gallery




Cabins with enlarged windows can be supplied to provide a panoramic viewing gallery, ideal for events or large site management and security.

- Ideal for security and monitoring timekeeping
- Perfect for overseeing sporting and community events



20' x 8' / 6m x 2.5m



20' x 8' Anti-vandal Viewing Gallery

Product Code: 60210





Exhibition Unit

These bespoke containers are the perfect solution for your exhibition stand at trade shows or exhibitions. With full glass frontage, awning and external decking, these units will help you stand out from the crowd. Suitable for indoor or outdoor use, all units come highly specified and with a range of options.



- Full glass frontage
- External deck area (6m x 2.44m)
- Full length awning
- ✓ LED spotlight lighting
- Counter and storage area
- Bright airy interior
- Poster frames

Sizes available

20' x 8' / 6m x 2.5m

Accessories Available

- ✓ Flatscreen TV
- Internal furniture
- Deck furniture
- Wooden flower planters
- Flagpoles & signage

APPLICATIONS & USES

- Trade shows & exhibitions
- Corporate hospitality
- Sporting & community events

Product Code: 60210





147






Ticket Offices & Security Huts



For car parks or sporting venues, we can cater for your needs with various sizes of Ticket Kiosks. Additional features also allow these units to be used for site security huts.

- ✓ Various window layouts available
- Security shutters or grills
- Sliding security windows





7' x 5' Anti-vanda Security Cabin

8' x 6' Anti-vandal Security Cabin

Sizes available

5' x 5' / 1.5m x 1.5m 7' x 5' / 2.1m x 1.5m 8' x 6' / 2.4m x 1.8m


→ CALL FOR QUOTATION

Turnstile Security Cabin

Turnstile Cabins offer the ultimate in access control for your site or event and can be delivered ready for immediate use. Different access options are available including push button, keypad or biometric readers. Units include a comfortable office for your security operative.







- Secure access control for busy construction sites, factories or large events
- ✓ Various access control options
- ✓ Integral security office







Large Ticket Kiosk









This Ticket Kiosk is designed for larger events where a high volume of people is anticipated and speedy admission is required.

- 5 ticket windows with shutters
- Ticket desk & high level seating



20' 8' Ticket Kiosk

Sizes available 20' x 8' / 6m x 2.5m

Product Code:

PLEASE CALL FOR QUOTATION



Smoking Shelter



The K Cabin temporary Smoking Shelter conforms to no smoking legislation and provides a controlled area where non smokers will not be affected. Smokers will be protected from the weather while the design allows for quick dispersal of smoke.

- Full length seating rail
- Cigarette bins provided
- Anti vandal steel construction removes risk of fire
- Design allows quick dispersal of smoke



10' x 8' / 3m x 2.4m









LINKABLE ANTI-VANDAL CABINS

Link Space offers a range of 32' x 10' and 24' x 10' Anti-vandal units which can be linked to form large accommodation areas all under one roof. Once linked they provide a 1.2m central corridor with the option to have open plan or separate rooms depending on your requirements.

All units provide standard anti vandal features including 10 point locking doors and steel shutters.











Link space units can be stacked side by side up to 3 storeys high with external staircases used to access the link corridor. These units offer the most cost-effective way to provide large accommodation space in a quick time frame so you can start work on site immediately. Linked units can be configured to suit your layout requirements including offices, canteens, drying rooms, meeting rooms along with toilets and showers.

- Linkable to form large accommodation areas
- 1.2m central corridor
- Various layout options
- Any number can be linked or double stacked
- 24' & 32' versions available

APPLICATIONS & USES

- Office blocks
- Meeting rooms
- Canteens & toilets
- Classrooms or training rooms
- **Emergency accommodation**
- Showrooms or retail units
- **Nurseries & playgroups**

Sizes available	
32' x 10' / 9.6m x 3m	
24' x 10' / 7 2m x 3m	

32' x 10 Toilet / Shower







LINKABLE ANTI-VANDAL CABINS

Anti-vandal Offices / Canteens / Dry Rooms











JACKLEG CABINS

Comfort-Space

Jackleg Cabin Range

Comfort Space Jackleg Cabins offer an enhanced appearance when you require temporary buildings that blend into their surroundings.

Our range of timber Jackleg Cabins provide the ultimate in temporary accommodation for a range of applications. Whether it's for classrooms, offices or hospitality units you can be assured of the highest quality finish and comfort levels. Various sizes and configurations are available and can be linked or double stacked to suit your requirements.











Features

- ✓ Levelling jacklegs
- PVC double glazed windows
- Easy clean surfaces
- Full electrics including heat & lighting
- External electrical connection sockets
- ✓ Vinyl flooring
- ✓ Aesthetically pleasing, all 3m wide
- High quality finishes

Call today for advice on selecting the correct Cabins for your accommodation needs

All Units are delivered ready for immediate use

Jackleg Offices / Canteens / Dry Rooms





Various layouts are available including open plan or partitioned options depending on your needs. Cabins can be fitted out internally with a range of accessories tailored to your requirements including window blinds, carpet flooring, kitchen units or electrical trunking.


- Open plan or partitioned options
- Link or double stack for added flexibility
- ✓ Tailor your cabin to meet your needs
- Fit-out with a range of accessories & extras


APPLICATIONS & USES


- Offices, open plan or partitioned
- Hairdresser, beauty salon
- Canteen
- Classrooms
- 1 Nursery & childcare
- Drying rooms
- Temporary shop

Sizes available	Product Code:
12′ x 10′ / 3.7m x 3m	60250
16' x 10' / 5m x 3m	60270
20' x 10' / 6m x 3m	60290
24' x 10' / 7.31m x 3m	60310
30' x 10' / 9m x 3m	60330
36' x 10' / 11m x 3m	60345

LAYOUT EXAMPLES:







PLEASE CALL FOR QUOTATION







EXECUTIVE CABINS

Premier-Space Executive Cabin Range





Our Premier Space range offers the highest levels of specification and energy efficiency along with an enhanced modern style and finish for the most prestigious applications and uses. Premier space units can be designed and custom-built to suit your requirements for long term rental periods.

With standard features such as low energy lighting, higher insulation levels, additional windows for more natural light, data trunking and window blinds, you can be sure of the utmost levels of comfort and spacious environments.

Premier space cabins have been designed with semi-permanent applications in mind but providing a much more flexible alternative to permanent structures, allowing you to feel totally at home.

APPLICATIONS & USES

- Home office
- Additional office space
- 🚺 Class rooms or training rooms
- 🚹 Beauty salon's or hairdressers
- laboratory's or technicians' rooms
- Security / car parking cabins
- Car rental offices
- Showrooms or retail spaces

Sizes available	Product Code:
8' x 6' / 2.5 x 1.5m	60350
12' x 10' / 3.7m x 3m	60360
20' x 10' / 6m x 3m	60370
28' x 10' / 9m x 3m	60380
36' x 10' / 11m x 3m	60390





EXECUTIVE CABINS

Executive Cabin Range










CARHIRE



Executive cabins can be customised to meet your corporate requirement's, custom design options include various window configurations, colours, bespoke facia along with stacking or linking alternatives.



Customised colours

✓ Various configurations

Custom built design





Standard Features

- High quality fittings
- Enhanced thermal insulation lower U values
- Anti-glare LED lighting
- Low energy light sensors
- Outside lighting
- High quality floor finishes
- Data trunking with multiple sockets
- USB charging points
- Quality heating systems
- Additional windows for more natural light
- Double glazed tilt & turn windows
- External Door vision panel
- Window blinds









Our Modular Buildings provide the ultimate solution for your accommodation needs from office expansion to a temporary school or classroom, laboratory or showroom.

These high quality buildings provide the performance you would expect from a permanent building while offering the flexibility that only modular systems can deliver.

CS = Container Span | **XS** = Xtra Span





The CS modular building range is a highly flexible building system that allows an infinite number of possibilities and configurations including large site offices, class rooms, laboratory's or show rooms. Standard modules are 6m x 2.4m with a fully flexible wall system that allows windows and doors to be positioned to suit your requirements.

Buildings can be tailored to suit your requirements and assembled rapidly on site ready for occupancy within a few days or weeks.

All buildings are built with high quality materials, finishes and insulation providing high levels of comfort and security with the possibility to create modular accommodation in different sizes and configurations up to 3 storeys high.

CS units can be linked to form corridors with the option of internal or external stair cases.

Standard Features

- Tilt and turn double glazed windows
- Integrated roller shutters
- Category 2 light fittings
- Fire rated components
- High levels of heat and sound insulation
- Quality security doors
- High quality finishes
- Easy clean wall boards & vinyl flooring

All complex Site installations are undertaken by our experienced Build Teams...

CS Modular Sectional Buildings










LAYOUT EXAMPLE:



- ✓ 6m x 2.4m modules
- ✓ Fully flexible wall system
- Infinite configurations
- Sanitary units available

APPLICATIONS & USES

- Schools and classrooms
- Offices and meeting rooms
- Canteens or training rooms
- **Laboratories or Health Centres**
- **Emergency accommodation**
- Showrooms or retail units
- **Nurseries**

Sizes available

20' x 8' / 6m x 2.5m 20' x 8' Toilet / Shower







CS Modular Sectional Buildings







Call today for advice on selecting the correct Cabins for your accommodation needs

- Tailored to suit your requirements
- Ready for occupancy within days or weeks
- Vast range of layouts and configurations
- Buildings up to 3 storeys high
- Easily constructed on site minimal build time
- Experienced build team ensures safe and efficient set up
- Coloured Facias available
- Single Unit option available

Flexible Layouts

Single or multiple units can be tailored to suit your needs. Adaptable wall panels, windows and doors can be configured to a layout that meets your requirements.

- A vast range of layouts and configurations are available
- Individual room layouts
- Adaptable & expandable at any time
- Available for immediate delivery





Adaptable wall panels











XS Modular Sectional Buildings









Our XS or Xtra Span building range is a high-quality modular system comprising of an all steel design with eco-friendly features. These buildings offer larger spans than our CS range providing larger open spaces along with high levels of security and excellent flexibility. These buildings are perfectly suited to a range of uses and industries including the education sector, pharmaceuticals, retail or major construction projects.

Designed with efficient installation in mind and equipped with innovative features to allow quick set up and flexible layouts. Internal layouts can be tailored to meet your requirements with configurations available such as open plan offices, canteens & kitchens, drying rooms, meeting rooms, storage areas, toilets and showers.

Buildings come in 9m x 2.9m modules and can be extended to 3 storey's high. Security features include high security doors and heavy-duty window shutters are available.

Building regulation EPC ratings are achievable depending on layout with key energy saving features such as high insulation levels, T5 lighting, double glazed windows and efficient timed heaters throughout.





Eco friendly features

All steel secure construction

Flexible layouts

Rapid assembly & installation

APPLICATIONS & USES

- Office, Staff & Common Rooms
- 🚺 Classrooms & Training Rooms
- 🚺 Club Houses & Changing Rooms
- Sales & Showrooms
- Canteen & Welfare Facilities
- Nurseries

Sizes available

29' x 9' / 9m x 2.9m 29' x 9' / 9m x 2.9m Toilet / Shower **Product Code:** 60435 60435





PLEASE CALL FOR QUOTATION







Modular Staircases







These purpose built staircase modules provide quick and easy access to stackable modular building configurations either 2 or 3 floors high. Internal and external stairway options are available and have been deigned and manufactured to allow quick erection on-site, ideal for a wide range of applications on small or large construction or industrial sites.

Due to the roof on the external version and the enclosed design of the internal both stairways provide protection against the weather.

Protection against the weather

2 - 3 floors high

Tailored to your requirements

Sizes available 16' x 8' / 5m x 2.5m 20' x 8' / 6m x 2.5m Product Code:

PLEASE CALL FOR QUOTATION









Open Terrace





An open terrace can be created to provide an observation platform for construction sites or event security. Also ideal as an open roof deck for exhibitions and fairs.

Sizes available

20' x 8' / 6m x 2.5m 20' x 16' /6m x 5m

	Specs
Handrail Height	1.1m

Floor Load 3-5kN/m² (Depending on Base) **Product Code:**

PLEASE CALL FOR QUOTATION



Facia & Canopy Options

Create a professional presence with a facia in a colour of your choice. Combine with an entrance canopy to give your building that finishing touch. Facias and canopy's can be supplied in a colour to match your corporate branding.

Customise the colour of your buildings facia to suit your company branding

Finish with an entrance canopy. See page 189

Hire a modular building tailored to your company branding. Ready for occupancy in days!











Mini Store




These Mini Stores are available for areas where space is limited or your storage requirements are smaller.

Suitable for confined spaces

ACCESSORIES AVAILABLE

- Racking & Shelving
- Lighting
- Heaters
- Loading Ramps



7' x 5' Anti-vandal **Security Store**

8' X 6' / 2.5m x 1.9m



PLEASE CALL FOR QUOTATION

High Store

Sizes available 7' x 5' / 2m x 1.5m

Product Code:



High Stores can be provided to lock up larger plant and equipment.

Suitable for dumpers and mini diggers

Highly secure for valuable plant

ACCESSORIES AVAILABLE

- Racking & Shelving
- **1** Lighting
- Heaters
- Loading Ramps

Sizes available

20' x 8' / 6m x 2.5m 30' x 8' / 8m x 2.5m 40' x 8' / 12m x 2.5m

Product Code 20' x 8' 6": 60520 Product Code 30' x 8': 60530 Product Code 40' x 8' 6": 60550

PLEASE CALL FOR QUOTATION



Secure Stores



Available in a range of sizes, standard or insulated, these Stores offer the ultimate storage solution. Whether it is valuable construction equipment or temporary storage of furniture, these fully welded steel units with an integral 5 lever deadlocking door system offer you dry and secure storage, wherever the location.







Accessories Available

- Racking & Shelving
- Lighting
- Heaters
- Loading Ramps



Features

- 5 lever deadlocking system.
- Anti jemmy for added security
- All steel construction
- Heavy duty flooring allows forklift loading
- Insulated versions available
- Very dry storage - no condensation

Insulated versions available



Sizes available	Product Code
10' x 8' / 3m x 2.5m	60480
20' x 8' / 6m x 2.5m	60490
22' x 8' / 6.6m x 2.5m Plumber's Store	60600
23' x 8' / 6.9m x 2.5m	60600
30' x 8' / 9m x 2.5m	60500
40' x 8' / 12m x 2.5m	60550





Insulated Stores

Insulated stores can be provided for goods such as furniture or paper archiving that require a dry environment without the potential of condensation.

Fully insulated & ply lined

Overcomes condensation in cold weather

Sizes available	Product Code
10' Insulated	60560
20' Insulated	60570
30' Insulated	60580
40' Insulated	60590







Side Opening Store

Side opening units allow storage of longer materials, providing easy access while retaining high security levels.

✓ Fully lockable bi folding doors



> PLEASE CALL FOR QUOTATION

Flat Pack Store

Ideal for assembly and use in areas where space and access is restricted, underground carparks or narrow entry's.



- Quick & easy to assemble
- Easy to transport
- ✓ 5 lever dead lock

Sizes available

H 2.16m W 2.07m L 1.1m, 2.07m, 2.99m or 3.99m

Product Code: 60620



PLEASE CALL FOR QUOTATION



Mobile Store

The easy and cost-effective way to provide storage for your goods or materials on inner city sites or temporary locations. Simply tow into position, lower to the ground for ease of loading and added security. The mobile store overcomes the need for a Hiab in congested areas while offering a secure place for valuable goods.

Lowers to the ground for added security

✓ Secure all steel construction

Simply tow to and from site

	Specs
Length	3.6m
Length (inc. draw bar)	4.65m
Width	2.3m
Unladen weight / making GVH	1560kg
Height up / down	2.92 / 2.53m
Product Code:	60622



> PLEASE CALL FOR QUOTATION






COSHH / Chemical Store

The COSHH/Chemical Store has been specifically designed to safely store and control hazardous substances such as oils, paints and other site use chemicals. Strong, secure with extra large louvred vents and an integral bunded floor.





Non slip removable mesh floor

Fully ventilated

Security doors

Forklift pockets

8'



izes available	Product Co
′ x 5′ / 2.4 x 1.5m	60630
0' x 8' / 3 x 2.4m	60640
0' x 8' / 6 x 2.4m	60650





COSHH Vaults

Store your hazardous chemicals securely on site with these ultra-tough COSHH Vaults. Complying with all regulations, they are fitted with high and low ventilation to prevent fume build up and fully welded sump to prevent leaks.

- Comply with all COSHH regulations on site
- Easy open access lid and forklift pockets

Internal Dimensions

External Dimensions

Weight

5 lever deadlock system with high security locks



1185mm x 605mm x 1185mn	า
1275mm x 675mm x 1270mn	า
150kg	а

Specs


Product Code: 12670





Flammable Vaults

Keep your flammable goods safely secured from harm in one of these heavy-duty vaults. Providing fire resistance for up to 30 minutes, these vaults fully comply with all regulations having fully welded sumps to prevent leakage and ventilation to avoid fume build up.



Comply with all regulations on site

Easy open access lid and forklift pockets

5 lever deadlock sy security locks

stem with high	
	Specs
1500mm x 605mm x 1	185mm
1585mm x 675mm x 1	275mm
	174kg

PLEASE CALL FOR QUOTATION





Internal Dimensions

External Dimensions



165





12670

Weight

Portable Gas Store

For compliant storage of gas cylinders on site or factories, this sturdy ventilated store provides the perfect solution. Suitable for most cylinder sizes the unit is lockable against unauthorised access.



~	For outdoor installation
~	Sturdy movable design
~	Fully ventilated for

compliance

	spec
Length	1.81m
Width	1.95m
Height	1.95m
Weight	520kg
• • • • • • • • • • • • • • • • • • • •	





Tool Charging Cabin

NEW Charging cordless tool batteries is safer and more convenient using this innovative cabin. Eliminate lost or stolen batteries in the knowledge that batteries are being charged in a controlled environment. Individual lockers with individual RCD protection and an automatic fire suppression system provide ensure the best possible protection to your site.







Convenient on-site battery charging

Enhanced safety and fire protection

Improves site productivity

Secures batteries from loss or theft

																									9	5	ı	ρ)	E	9	•
٠	٠	٠	i		٠	٠	٠		٠	٠	٠		٠	i	ı,	٠	٠	٠	٠	·	i		٠	٠	٠		٠		٠	٠		

Length	1220mm / 4ft
Width	1220mm / 4ft
Height	2377mm
Unladen Weight	620kg
Power Requirement	32Amp Appliance Inlet














Our stylish Sleep-Space cabins provide a portable, comfortable and cost-effective solution for circumstances where users need to stay on location during the dark hours or simply when you require quick and flexible night time accommodation for personnel.





Our Double Diner Deluxe Sleeper Cabin provides a practical and cost-effective solution to on-site sleeping when you require accommodation for workers, security staff or students. Finished to high standards with two full sized beds, storage space, en-suite bathroom, shower and kitchen dining area, you will be able to relax and be assured of a good night's sleep.

APPLICATIONS & USES

- Seasonal or Agricultural workers
- Construction Site staff
- Remote work sites
- Students
- Health care staff
- Security personnel
- Event & hospitality teams



Sizes available

20' x 10' / 6m x 3m 26' x 9' / 8m x 2.9m





SLEEPER CABINS

Sleeper Cabin, Single Deluxe






The Single Deluxe Sleeper Cabin is the ideal solution for seasonal workers, students, security personnel or site staff that require sleeping accommodation when working away from home on site or in remote locations.

These uniquely designed units are ideal for single use applications or can be used in multiple situations where numerous personnel need quality sleep facilities, temporary or long term.

Separate dining cabins can be supplied to compliment sleeper cabins, providing a quality cooking eating and meeting space.

Each single Deluxe has a full-size bed, work desk / dining table, ample storage space and a fully equipped en-suite bathroom with shower.



Single Sleep-Space









All sleepers are fitted out to an exceptional standard with high levels of insulation, double-glazed windows and thermostatically controlled heaters to keep out the winter cold. High security doors and window blinds are also a standard feature. Each unit comes with an en-suite bathroom and shower with an ample warm water supply, towel warmers and storage space. You can be sure of a good night's sleep in a Sleep-Space Unit, Comfortable, Warm and Secure!

Standard features

- ✓ Full size beds
- Thermostatically controlled heating
- Fully fitted bathroom
- Shower
- Heated towel rail
- ✓ USB charging
- Storage space
- Security doors & windows










SLEEPER CABINS

Diner Cabin





Eat-Space









Each unit is equipped to the highest level with induction hob, oven, microwave and fridge alongside ample worktop and cupboard space. Comfortable seating is provided for up to 6 people with phone charging points conveniently located.

Standard features

Induction hob

Full oven

✓ Microwave

✓ Full size fridge

Dining / Seating for 6

USB points



Product Code: 60237

Size available

12' x 10' / 3.6m x 3m







PLEASE CALL FOR QUOTATION









169

Wel-Space
Welfare Cabin Range

K Cabin offers the most comprehensive range of welfare cabins available in the market place, offering an instant solution to welfare compliance in any location. With mobile, static and van options available, we can cater for your needs regardless of the application.

With eco friendly alternatives and the choice of chemical or full flushing toilets, you can be guaranteed of comfortable and efficient facilities no matter where the location.

Mobile Welfare Units

Road towable mobile welfare units are ideal if your work site is constantly on the move, providing comfortable facilities in minutes. Once towed into position, simply lower to the ground for increased security and convenience. Fully compliant these units provide a fully self-contained welfare option with seating for up to 10 people.

Powered by a 6kVA silenced generator, all units include cooking facilities, hot and cold running water, flush toilet, canteen seating and an area for drying wet clothes.

The all-steel construction is designed with security in mind, keeping out unwelcome visitors.

Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost

LAYOUT EXAMPLE:







Standard Features

- Fully HSA & CDM compliant
- ✓ Fully equipped canteen with seating for 6 12 people
- Separate dry/changing room
- WC with full flushing chemical toilet
- Hot wash facilities with full forearm sink
- ✓ High security all-steel construction design.
- Super-silenced diesel generator with remote start from the canteen
- Fully insulated interior & heavy duty floor covering
- Fresh water dispenser
- Electric kettle, microwave oven
- Fire extinguisher, First Aid kit
- ✓ Hydraulic ground lowering system c/w anti-theft operation

APPLICATIONS & USES

- 🚹 Initial Site Set-up
- Remote Locations
- Site Security
- Roadworks
- Moving location regularly

- Instant site set-up ready for work
- 6 12 Person options available



Wel-Space Welfare Cabin Range

Onboard Facilities











Mobile Unit secured and fully operational in less than 5 minutes









FA GOGREEN ECO HYBRID OPTIONS available in all sizes

All welfare cabins are fitted with energy saving and noise reduction features as standard. Eco friendly hybrid versions are available to help reduce emissions and run costs. Efficient warm air heaters are fitted to some units, providing a comfortable environment without the need to run the generator to heat the cabin. Solar powered units are also available which allow battery power to run the cabin at off peak times and further reduce generator run times.









6 - 8 Person Mobile Welfare Cabin



8 - 10 Person Mobile Welfare Cabin



10 - 12 Person Mobile Welfare & Office Cabin










6 9 Dorcon

60650

8 - 10 Person


60665



Product Code:

-			0 - 0 reisuii
Overall Length (inc.	Tow Bar) 4.65m	Gross Weight	1800kg
Cabin Dimensions	3.6 x 2.28m	Unladen Weight	1720kg
Height	2.92m (raised)	Generator	6kVA / Diesel
Seating Capacity	6 - 8 person	Drinking Water cap	acity 201

Overall Length (inc.	Tow Bar) 6.25m	Gross Weight	3500kg
Cabin Dimensions	4.9 x 2.28m	Unladen Weight	2276kg
Height	2.68m (raised)	Generator	6kVA / Diesel
Seating Capacity	8 - 10 person	Diesel Heater consn	nption 0.24l/hr
Product Code:			60660



			10 - 12 Person
Overall Length (inc.	Tow Bar) 7.1m	Gross Weight	3500kg
Cabin Dimensions	5.8 x 2.28m	Unladen Weight	2440kg
Office Dimensions	1.4 x 2.28m	Generator	6kVA / Diesel
Height	2.92m (raised)	Diesel Heater const	mption 0.24l/hr
Seating Capacity	10 - 12 person		

GOGREEN ECO HYBRID OPTIONS available across the range



Static Welfare Cabins

The instant welfare solution, our range of static welfare cabins and Kombo packages offer the ultimate in site facilities at short notice. No amenities or connections are required, simply arrive on site and you are ready to go. Various sizes are available with additional add on packages suitable for any number of personnel.

All units are powered by the latest economical generators with long run fuel tanks while eco/hybrid versions are available for environmentally sensitive areas or to help improve your carbon footprint.

- Instant site set-up ready for work
- 8 14 Person options available

Onboard Facilities













8 Person Static Welfare Cabin

Well-space units offers a compact welfare solution and are instantly available whenever or wherever you need them. Ideal for initial site set-up or remote locations where no amenities are available. With canteen, dry room and toilets suitable for up to 8 workers, these units cover all the relevant HSA requirements.







Generous canteen

Generator capable of powering other cabins or equipment

	8 Person
Cabin Dimensions	6 x 2.5m
Seating Capacity	8 person
Office Size	-
Generator	8kVA / diesel
Fuel Capacity	951
Generator Run Time	40 hrs
Drinking Water Capacity	201
Toilet Type	F / F Chemical
Product Code:	60670

Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost








Standard Features

- Fully HSA & CDM compliant
- Fully equipped canteen with seating for 6 15 people
- Office with desk & chair (24 & 32ft versions)
- Separate dry/changing room
- WC with full flushing chemical toilet (20 & 24ft units)
- WC with full flushing mains toilet (32ft unit)
- Hot wash facilities with full forearm sink
- High security all steel construction
- Super-silenced diesel generator with remote start from canteen
- Fully insulated interior & heavy duty floor covering
- Fresh water dispenser
- Microwave oven & kettle
- Fire extinguisher, first aid kit









11 Person Static Welfare Cabin

Achieve your statutory welfare requirements for up to 11 people in comfort with our Well-space 24 cabin. This units comes with an office along with generous dry room and toilet areas. Power is provided by a 10kVA silenced generator capable of running 60 hours continually before refuelling.

10-point locking doors and all steel construction offers peace of mind against theft or vandalism.



All steel vandal-proof design

Generator capable of powering other cabins or equipment


	11 Person
Cabin Dimensions	7.31 x 3m
Seating Capacity	11 Person
Office Size	1.8 x 3m
Generator	10kVA / diesel
Fuel Capacity	130
Generator Run Time	60 hrs
Drinking Water Capacity	201
Toilet Type	F / F Chemical
Product Codo:	60690

Weekly servicing of the Toilet is included in the hire rate

More frequent servicing can be arranged if required - at an additional cost
















14 Person Static Welfare Cabin - Solar Hybrid

Wel-Space Welfare Cabin Range

With an efficient hybrid generator, solar panels and diesel heating system, this large welfare unit provides the ultimate in cost-effective and instant site accommodation solutions. Fully flushing mains toilets and large capacity water and waste tanks offer longer service intervals while spacious office, canteen and dry room ensure comfort on site.





14 Person
9m x 2.9m
14 person
1.8 x 2.9m
Diesel Hybrid 12.5Kwe
1501
6001
7601
F / F Mains



- Solar hybrid power system
- Reduced fuel consumption
- Reduced emissions
- Reduced noise
- Full flushing mains toilets
- Hot and cold running water
- Spacious office

Waste removal & replenishment service can be provided





Wel-Space Combo Packages



Add further space to any hired static welfare cabin with one of our Kombo packages. Options of additional dry room, canteen or office space are available to enhance your welfare set-up, powered by the initial unit.

Kombo packages are simply connected on site by our delivery crew and ready to use within minutes.



LAYOUT EXAMPLE:

Product Code:



Add Office, Dry Room or Canteen space to your Static Welfare

Product Code: 60690

PLEASE CALL FOR QUOTATION



175





TOILET & SHOWER CABINS




Shower Blocks

Our range of Shower Blocks come with anti-slip flooring, easy clean surfaces and individual power shower per cubicle, as standard. Various sizes are available for a range of applications.




- ✓ Individual power shower per cubicle
- Anti slip flooring
- Easy clean surfaces

All Showers are fully **HSA & CDM compliant**



LAYOUT EXAMPLES:

12' x 10' Shower Block Split



20' x 8' Anti-vandal Shower Block

	12' x 10'	20' x 8'
Size (Metric)	3.5m x 3m	6m x 2.5m
Shower Cubicles	4	5
Wash Hand Basin	2	3
•		





TOILET & SHOWER CABINS


Deluxe Shower Units



Designed in-house, these deluxe units offer the highest standard in temporary showers for event or site use. Individual cubicles provide privacy and convenience while maintaining an economic solution.

Multi shower units are powered by highly efficient boilers in a separate plant room, reducing power consumption while guaranteeing an ample supply of hot water.

- Energy efficient hot water system
- ✓ Warm air heating system
- Private cubicles
- Fold down bench seating
- Coat/towel hooks
- Bright easy clean surfaces
- Anti-slip flooring










All Showers are fully **HSA & CDM compliant**

	14' x 10'	8′ x 5′
Size (Metric)	4.5m x 3m	2.4m x 1.5m
Shower Cubicles	4	1
Wash Hand Basin	4	1
Product Code:	60700	60695

PLEASE CALL FOR QUOTATION








177

TOILET & SHOWER CABINS





high quality fixtures and fittings your VIP's

	11′ x 8′
Length	2.44m
Width	3.25m
Height	2.66m
Shower cubical size	1.15m x 3.15m
Power connection	32Amp 3 phase
Product Code:	60697

Luxury finish 2 fully private cubicles Sinks & seating





Decontamination Unit



Decontamination Units provide separate changing areas for clean or contaminated clothing and central shower facilities.

- Separate dirty/clean changing areas
- Double shower/wash room
- Easy clean surfaces
- Personnel lockers



<	← 6045mm →		
	Lockers	-6 -5	Lockers
— 2432mm —	CLEAN	Showers x2	DIRTY
	Bench Seating & Hooks	Sinks	Bench Seating & Hooks
20' x 8' 4 Decontamination Unit			

Water filter available

Air cleaner/filter (400m³/hr) available

	20' x 8'
Size (Metric)	6m x 2.5m
Shower Cubicles	2
Wash Hand Basin	2
Product Code:	60710

PLEASE CALL FOR QUOTATION







NEW

TOILET & SHOWER CABINS

Site Amenities Cabin (Power / Toilets / Water)




This all-in-one cabin provides the perfect solution when amenities are required to supply power, water and toilet facilities for offices, canteens, or other accommodation on site. Quickly deployed with easy connection points for power and water, this unit is ideal for events, remote locations, or emergency's where a prompt set up is required.

With high quality full flushing mains toilets, this unit is ideal for locations where recirculating or chemical toilets are not desired. Fresh water is provided from an 800l tank and a built in low level tank takes care of the waste.

A full waste removal and replenishment service is available to ensure your amenities always meet your standards.

- All in one Power / Toilets / Water
- Quick site deployment
- Power for numerous cabins or other requirements
- Quality full flushing mains toilets
- Large fuel tank for extended run times
- Hot & cold running water
- ✓ Large capacity water & waste tanks



	140 710
Size (Metric)	4.5m x 3m
Toilets	1F + 2M
Toilet Type	FF / Mains
Generator	12kVA
Fuel Capacity	2701
Run time @ full load	93hrs
Noise	57dbA @ 7m

Product Code:

GOGREEN Version available

Additional charges apply for waste removal and water replenishment services with this unit

PLEASE CALL FOR QUOTATION

60755



Self-contained Solar Toilet

This unique toilet offers a practical and eco-friendly solution when sanitary facilities are required but no access to mains water, electric or sewage connection are available. Solar panels on the roof along with batteries provide enough energy for the lights and to power an efficient diesel heating system.

- Eco friendly toilet solution
- ✓ Solar & battery energy system
- Efficient diesel heating & hot water system
- ✓ Very low fuel consumption & CO₂ emissions
- Fully flushing mains toilet
- ✓ Long run tank capacities



	8' X 8'6"
Length	2.4m / 2.57m
Width	1.6m / 1.67m
Height	2.63m
Water tank capacity	400
Waste tank capacity	500
Fuel tank capacity	531
Toilet type	full flush mains
Solar power	480W
Hot water & heat fuel co	onsumption 50ml per hour
Run time on full charge	25 uses per day - 24 days (no solar)
Run time on solar	25 uses per day - 240 days (March - September)

Product Code:









Single Anti-vandal Mains Toilet



For small building sites or remote industrial areas where vandalproof toilet facilities are required, these 4ft x 4ft units will fit into almost any corner.

All steel construction

Full forearm sink

Hot water & lighting option

Size available 4' x 4' / 1.2m x 1.2m

Product Code:



Double Mains Toilet



Waste Tanks Integrated

For sites or areas where no sewage connection is available, a waste tank can be provided that locates neatly under the toilet cabin for connection to the waste pipes. Tanks are available with or without integrated steps. The integrated steps make it a practical all in one unit with easy access to the toilets.

Tanks are available in 3500 and 10000 litre sizes to suit the relevant toilet.

Locates neatly under the toilet cabin

Integrated steps included

Waste removal & replenishment service can be provided

	8 x 4 Toilets	VIP / Executive Toilets
Length	3.3m	6.6m
Width	2.44m	2.85m
Height	0.51m	0.53m
Capacity	34471	99601
Product Code:	60956	60957





Anti-vandal Mains Toilet Cabins





Anti-vandal toilet blocks come in a range of sizes to suit most applications and can be provided in various male /female configurations to suit your requirements. Durable stainless steel fixtures and high quality finishes make these units easily cleaned providing a bright and hygienic area. Ideal for temporary use during renovations, larger building sites or events.

✓ Stainless steel sinks & urinals

✓ Heavy duty vinyl flooring

Easy clean surfaces

✓ Hot & cold water

✓ Full electric heating & lighting

All steel construction


External connection sockets

	10 / 12′ x 8′	16' x 8'	20' x 8'	20' x 8'
Size (Metric)	3 / 3.5m x 2.5m	5m x 2.5m	6m x 2.5m	6m x 2.5m
Toilet Cubicles	2	3	5	3
Urinals	2	2	2	2
Wash Hand Ba	sin 2	3	4	4
Product Code:	60780	60790	60800	60820


LAYOUT EXAMPLES:

All Toilets are fully HSA & CDM compliant


For Waste Tanks see page 190



12' x 8' 4 Man Toilet Block (4 + 2)



16' x 8' Male / Female Toilet Block (4 + 1)



20' x 8' Male / Female Toilet Block (5 + 1 or 5 + 2)



20' x 8' Male / Female Toilet / Shower Block (4 + 1 + S)








Anti-vandal Mains Toilet Cabins



	20′ x 8′	28' x 10'
Size (Metric)	6m x 2.5m	8.4m x 3m
Toilet Cubicles	5	7
Urinals	0	6
Wash Hand Basin	5	7
Product Code:	60805	60810

LAYOUT EXAMPLES:

20' x 8' 5 Door Unisex Toilet Block



28' x 10' Male/Female Toilet Block (13 + 1)




Disabled + Deluxe Mains Toilet



For events or temporary applications, this Disabled Toilet Unit offers all the features of a permanent facility.

- Fully compliant fixtures
- Access ramp
- Grab rails & supports
- ✓ Alarm light
- Easy clean surfaces
- Hot & cold water
- Full electric heating & lighting

All Toilets are fully **HSA & CDM compliant**







1650mm





Deluxe Mains Sanitary Toilet Cabins

LAYOUT EXAMPLES:











Available in 7m formats, these deluxe units are ideal for social events or for semi-permanent applications where you demand the highest standards and finishes. Spacious and with quality features, these units are suitable for providing temporary facilities at schools, hospitals or office blocks while still ideal for short-term events.

- Quality porcelain fixtures
- Heavy duty vinyl flooring
- Child friendly external doors
- Easy clean surfaces
- Hot and cold water
- Full electric heating & lighting
- External connection sockets







	All Male 24' x 10'	Male / Female 24' x 10'	Male / Female 24' x 10'	Male / Female 12' x 10'
Size (Metric)	6.6m x 3.0m	6.6m x 3.0m	6.6m x 3.0m	3.5m x 3.0m
Cubicles	2	2/M4/D	2/M4/F	4 Unisex
Urinals	10	3	7	N/A
Wash Hand Ba	sins 6	3/M4/F	3/M4/F	4
Product Code:	60830	60830	60830	60825

All Toilets are fully **HSA & CDM compliant**

For Waste Tanks see page 190











VIP Toilet Cabins







Our top of the range toilet cabins are fitted with plush fittings and a luxury level of finish suitable for the most prestigious events or special occasions. Designed with functionality in mind, the separate male and female areas are fitted with stylish and modern vanity sinks, porcelain sanitary-ware and hidden cisterns providing the look of a permanent luxury bathroom.

We're sure our modern luxury toilet will impress your guests and nobody will go home disappointed!

Waste Removal & Replenishment service can be provided



	22′ x 9′
Size (Metric)	6.6m x 2.9m
Cubicles	2/M4/D
Urinals	3
Wash Hand Basins	3/M4/F
Product Code:	60835

Plush fittings and luxury level of finish

Suitable for prestigious events and specail occasions

Waste tanks - Integrated

For events, occasions or areas where no sewage connection is available, a waste tank can be provided that locates neatly under the toilet cabin for connection to the waste pipes. Platform steps can be provided to ensure easy access to the unit.

Tanks are available in 3500 and 10000 litre sizes to suit the relevant toilet.

✓ Locates neatly under the toilet cabin










Plus-Space Modular Sanitary Units

A variety of modular toilet units are available to fit our Plus- space building range.

Male, female or unisex sanitary configurations plus showers and disabled facilities can be included with any modular sectional building. These units further enhance the building, adding to the already high levels of comfort and quality.

- Sanitary units to add to your modular building
- A range of configurations are available
- High quality fittings and hygiene

LAYOUT EXAMPLE:



20' x 8' 5 Male / Female Toilet/Shower Block



Plus-Space Modular Cabin Range





Portable Event Toilet Trailers

These unique portable toilet trailers provide an excellent solution for the prompt requirement of quality toilet facilities at events, social occasions, camp and caravan sites or emergency situations. The units boast Luxury fresh flush toilets with full fold down access steps and lighting. The spacious and hygienic toilets offer the ultimate toilet experience that VIP users expect.

- Towable behind car or van
- Prompt set up
- Luxury fresh flush toilets
- Spacious & hygienic

	Ionet Spec
Interior size	1160mm x 1090mm
Interior height	2110mm
Weight	88kg
Holding Tank ca	apacity 2271
Sink capacity	761
Product Code:	60890

















TOILET & CABIN SERVICES

Waste Removal & Replenishment Service

We are able to offer a liquid waste removal service, fresh water and diesel fuel delivery service to your site or facilities. Using one of waste & water tankers we can empty waste effluent or septic tanks, service welfare units and replenish fuel and fresh water if required.

This service can be provided on a regular pre-arranged, irregular or one-off basis and we will be happy to quote for servicing your own equipment, not just hired units.

- Waste liquid removal
- Fresh water delivery (non-potable / non drinking)
- Fuel delivery
- Chemical toilet waste removal
- Toilet paper and soap replenishment











FUEL DELIVERY







CCTV SURVEILLANCE UNITS



Rapid Deployment CCTV Tower

Our rapid deployment CCTV towers are designed to provide a monitored security system to any site or location at short notice. The 7m mast tower also provides an obvious deterrent to any potential intruder.

Fitted with high specification cameras and infrared motion detection technology, any intruders are detected and challenged via audio speakers signalled from the remote monitoring station. Customers will be alerted immediately of any compromise and advised of any action required.

Ideal for construction sites, events, festivals, isolated locations or anywhere that temporary monitoring is required, you can rest easy in the knowledge that your property and assets are protected.

- ✓ Full 24/7 monitoring service
- Direct link (non-monitored) option available
- Audio speaker or sound alarm options
- Installed and operational in minutes
- Recording capability
- Secure tamper proof tower
- Battery back-up power supply
- Up to 80% reduction in security costs

	specs
Length	1.1m
Width	1.1m
Closed Height	2.3m
Mast Height	2.5m -7m
Product Code:	60450



- High definition Fixed IP camera or PTZ 360° options
- 4G or Wi-fi connectivity
- Invisible perimeter detectors
- Low battery alert
- IR night vision cameras with range of 50 200m











Furniture & Auxiliary Hire

A full range of high-quality furniture, accessories and optional extras are available to complement your hired cabins, providing you with the ultimate turn-key solution for your site set up.





Adjustable Stairway

Providing easy access to double stacked cabins, these durable stairways can be adjusted to suit your ground conditions and are simply attached to the cabin, forming a secure platform.



Walkway Balcony

Access the upper level of stacked cabins safely. With anti-slip flooring, 1.1m high handrails and 1.2m wide platforms enter your cabins with ease.



Adjustable Steps

For safe lower level access into cabins or platforms, these adjustable steps provide the ideal solution.

PLEASE CALL FOR QUOTATION

- ◆ 620 900mm platform heights
- ✓ 1000 x 1000mm platform
- ✓ 1000mm internal step width
- Fully galvanised



Adjustable Ramp

For wheelchair or easy access to cabins, this low gradient adjustable ramp is the ideal solution.



Adjustable height



Entrance Canopy


PLEASE CALL FOR QUOTATION

Give your building that finishing touch with a stylish weather protecting entrance canopy.

✓ 1.2m or 2.4m options

Galvanised or coloured to your requirements









Container Ramp, Low Level

For loading containers at ground level, this heavy duty folding ramp is easily positioned and ready for use in seconds.



	Specs
Capacity	8500kg
Width	2.25m
Length	2.03m
Weight	275kg
Product Code:	50850




PLEASE CALL FOR QUOTATION

Lighting Columns & Brackets

Simple and effective lighting columns and brackets are available which can be attached to your cabin in minutes.



Double light bracket - 0.5m



Attach to your cabin in minutes





Product Code: 60950



Waste Holding Tanks

Waste holding tanks can be supplied for your toilet, shower or canteen facilities providing a safe storage solution you can rely on. The flat design allows Tanks to be placed behind or underneath units allowing easy connection.



Linking kit option available to double tank capacity

	2100l	3500l Integrated	4200l	10000l Integrated
Height	0.44m	0.51m	0.60m	0.53m
Width	2.4m	2.44m	2.4m	2.85m
Length	2.1m	3.3m	3.0m	6.6m
Dry Weight	270kg	N/A	428kg	N/A
Product Code:	60950	60956	60953	60957




> PLEASE CALL FOR QUOTATION



Waste Container Tank

For large volume waste requirements such as events or large scale sites, waste containers provide the ultimate solution. Waste can be pumped from sanitary cabins and later removed in bulk.

		Specs	
Size	3m x w 2	.5m x h 2.8m	
Weight Empty 1560k		1560kg	
Capacit	ty	100001	





Product Code: 60957

PLEASE CALL FOR QUOTATION







Waste Pumps

Portable Grey Water Pump

This fully automatic and efficient pump is ideal for handling sink, shower, washing machine or dish water waste water.



Inlet size 1 1/2" 1 1/4" / 32mm Discharge size Power 750W / 240V Max head 8m Max horizontal discharge 80m Max flow 12m³ per hour Size (mm) 660W x 350W x 620H **Product Code:** 60960

Specs

Specs

Hosing & set-up available

Portable Foul Waste Pump

This fully automatic macerating system has 2 pumps to handle sewage in the event of inflow overload or failure of one of the pumps.



	Speed
Maximum WC's	8
Max flow	15m³ per hour
Inlet size	1 x 4" / 100mm
Discharge size	2" / 50mm
Power	1500W / 240V
Max head	10m
Max horizontal d	lischarge 105m
Size (mm) 790W	/ x 590W x 970H
Product Code:	60960

Discharge for up to 8 WC's

Hosing & set-up available

Portable Foul Waste Pump (High Volume)

Ideal for major events or festivals and with double heavy duty cutting pumps and non-return system you are assured of maximum reliability.



Discharge for up to 20 WC's Hosing & set-up available

		Specs
Maximum V	VC's	20
Max flow	21.2m³ p	er hour
Inlet size	1 x 4"/	100mm
Discharge si	i ze 2",	/ 50mm
Power	5000	W/3PH
Max head		33m
Max horizor	ntal discharge	145m
Size	800W x 600L	x 800H
Product Code:		60960

PLEASE CALL FOR QUOTATION

Water Supply Tanks

For locations where no mains water supply is available, water supply tanks provide a practical solution that can be refilled or taken to a suitable location for replenishment.







	950l	2,0001
Weight Empty	290kg	650kg
Weight Full	1145kg	2650kg
Length	1.21m	2.92m
Width	1.21m	1.58m
Height	1.41m	1.34m
Product Code:	60980	60980

PLEASE CALL FOR QUOTATION



On-demand Pumps

On-demand pumps can be supplied with a water supply tank to provide a constant water pressure to your facility. Alternatively, on-demand pumps can be supplied separately for use with your own water supply.









Water Bowser

Use this Bowser to easily transport water to locations where no mains supply is available.



		Specs
Capacity	1100l	20001
Weight Empty	350kg	525kg
Weight Full	1500kg	2524kg
Length	3.5m	4.25m
Width	1.56m	2.20m
Axles	Single	Double
Product Code:	20470	20480



> PLEASE CALL FOR QUOTATION

Boot Wash Station

Keep your clean zones free from dirty work boots with these stand-alone Boot Wash Stations. Quick and easy to install, simply connect a water supply to allow up to 3 site operatives to use at once.



Portable Hand Wash Stations

These portable Hand Wash Stations are the ideal solution for sanitizing in the workplace, civic occasions or gatherings. Suitable for both indoor and outdoor use including construction sites, factories and offices

- Hands-free infrared operation
- Hot water
- Can also be self-contained to suit sites where no services are available



Product Code: 12620



PLEASE CALL FOR QUOTATION



Temporary Levelling System

This Temporary Levelling System is designed to support modular buildings where the site is not level and overcomes the requirement for traditional concrete foundations. The system also allows quicker and safer set up and avoids the need for remedial work.

- Quicker set up times
- No ground works required
- Fully adjustable to overcome uneven sites

APPLICATIONS AND USES

- Car Parks
- Playgrounds
- Concrete yards
- Parklands or grassed areas



Product Code: 60940

PLEASE CALL FOR QUOTATION



Ground Protection & Pedestrian Mats

Ground Protection & Pedestrian Mats provide temporary access and ground protection for pedestrian or vehicle movement. These mats are easy to handle with pedestrian mats coloured to demarcate pathways etc. Ground mats can distribute loads of up to 60t and used as roadways or to form parking and turning areas.

✓ No ground preparation required

Pedestrian mats coloured for demarcation

Ground mats can distribute loads up to 60t.



Ground Frotection mats		i caestilan mats
Dimensions (W x H)	2.4m x 1.2m	1.2m x 0.8m (0.02m thick)
Weight	33kg	20g
Material	100% recycled PVC	100% recycled PVC
Product Code:	20290	20290

Ground Protection Mats

IDFAL FOR:

- 1 Temporary Roadways & Pedestrian Walkways
- Car Parks & Caravan Sites
- Event Access
- Civil Engineering & Construction Sites
- Golf Course & Sports Field Maintenance



Pedestrian Mats





Temporary Fencing



Large Fence Panels provide ideal security for any site, event or demarcation of a large public area. Panels are lightweight and easily handled allowing for quick set-up. Supplied with heavy duty rubber bases & couplers and wind bracing poles, if required.

 Can be supplied in labour saving stillages - reduces damages & speeds up loading and unloading times



Pedestrian and vehicle gates available

Large Fence Panels

Dimensions (W x H)	3.5m x 2m
Weight	24kg
Rubber Base Weight	20kg
Stillage/Temporary Fence Panels	25 = 746 kg
Stillage/Temporary Hoarding	20 = 896 kg


Product Code:

20220



Pedestrian Fencing

Ideally used for demarcation of large areas, providing guidance to pedestrians or to prevent access to work areas. these panels are free-standing, lightweight for easy handling and interlink, offering continuous fencing.



Pedestrian Fence Panel

 $\begin{array}{lll} \textbf{Dimensions (W x H)} & 2.2 \text{m x } 1.1 \text{m} \\ \textbf{Weight} & 15 \text{kg} \\ \textbf{Stillage} & 25 = 435 \text{g} \end{array}$

Product Code:












Plastic Stacking Chair



Product Code: 61000



Desk

- Modern, stylish office desks
- Durable and easy to clean



Desk Pedestal

- 3 drawer lockable pedestal
- ✓ W420 x D600 x H630mm

Product Code: 61070



- Foldable, durable easy clean plastic table
- ✓ W1800 x D750 x H750mm

Product Code: 61050

Soft Stacking Chair

- Comfortable everyday chair
- For meeting and reception areas

Product Code: 61000



Meeting Room Table

- Stylish meeting or boardroom table
- 1900mm x 1050mm



Filing Cabinet

- 3 drawer lockable filing cabinet
- ✓ W460 x D620. x H1010mm

Product Code: 61090 / 61100



Operators Chair

- Quality swivel operators
- Adjustable height, back and armrests

Product Code: 61010



Office Table

- Durable table for multiple applications
- Push together to provide larger working areas
- 1500mm x 750mm



Book Case

- 5 shelf book case for files and documents
- ✓ W800 x D350 x H2000

Product Code: 61060



Kitchen Units Canteen Table

- Convenient canteen sink and cupboard
- Over sink water heater
- L 1200 x D 600 x H 900mm

Product Code: 61120



Air Conditioning Units

- Cool your office, room or shop in an instant
- Easy to operate in any environment

Product Code: 12070



PLEASE CALL FOR QUOTATION





Bench Seat with Hooks



✓ L 2000 x D 350 x H 450mm

Product Code: 61160



Locker

Steel or mesh lockers in various sizes

W305 x D300 x H1850mm

Product Code: 61170



Racking & Shelving

Multi-purpose storage racking, 3 shelves

L2000 x D350 x H2000

Product Code: 61180



Toaster

Two slice toaster with timer

Product Code: 61150



Berco Boiler

30l manual fill water boiler

Easy dispensing piping hot water

Product Code: 61150



Microwave Oven

800W quality microwave

Power Load 1270W

Product Code: 61140



Fridge

120l capacity undercountér fridge

Product Code: 61130



Kettle

1.7l cordless kettle

2.4kW power requirement

Product Code: 61150



Extras

Blinds

Disabled Access Ramp

Carpet Flooring

Partitioning

Heat & Smoke Detection

Emergency Lighting

CAT II Lighting

3 Compartment Trunking

Desk & Sound Dividers

✓ CO₂ Detector

Notice Boards



Wifi/Data Connection

High speed satellite internet

Continuous connectivity

4G router option

Product Code: 61195



Baby Changing table

Safe hygienic fold up table

Suitable for babies and infants

Product Code: 61190





PLEASE CALL FOR QUOTATION



Furniture & Auxilaries for Sale

As an alternative to hiring your cabin furniture, we can offer a range of high-quality products for sale at competitive prices. Simply order your requirements and they can be delivered along with your hired cabins.








Workstation (Right)

1600mm Radial

1600mm Radial Workstation (Left)





- Metal drawer runners
- · Lockable drawers
- Scratch resistant



- W1500 x D750 x H727mm
- Metal drawer runners
- Lockable drawers
- Scratch resistant



- W1600 x D1200/800 x H727mm
- 25mm top
- Cable holes
- Scratch resistant



Scratch resistant



Prices on Application



Prices on Application



Side Chair



- · Soft stackable side chair
- Available in blue/black fabric

Operators Chair



- Twin lever mechanism
- · Gas height/back rake adjustment
- 5 star base

Mesh back Operators Chair

W1600 x D1200/800 x H727mm



- · Quality mesh back and fabric chair
- · Gas height & back rake adjustment
- 3 lever mechanism
- · Adjustable arms & seat tilt



Prices on Application

Poly Prop Chair



- · Wipe clean surface
- Stackable
- · Reinforced legs for strength



Prices on Application



Prices on Application



196

Prices on Application

Prices on Application

1200mm Bookcase



W800 x D300 x H1200mm

Half Height Cupboard

- · Adjustable shelves
- · Steel shelf pins



W800 x D300 x H1600mm

Full Height Cupboard

W800 x D415 x H1800mm

· Steel shelf pins

• 18mm oak MFC E1 w 2mm edge

Adjustable shelves, lockable doors

Prices on Application

1600mm Bookcase

- · Adjustable shelves
- · Steel shelf pins

3 Drawer Lockable **Filing Cabinet**



- W460 x D620 x H1010/1320mm
- · Anti tilt mechanism
- 30kg weight limit per drawer
- Lockable, supplied with 2 keys



Table

Desk Pedestal

• 600 or 800mm high

Anti tilt mechanism

• 30kg weight limit per drawer

2400mm Conference

Prices on Application



Prices on Application

1500mm Table



- W1500 x D750 x H727mm
- · Bolt on Legs
- 18mm MFC

1500m

· Scratch resistant

- W1800 x D1000 x H727mm W2400 x D1200 x H727mm
- 25mm top Oak finish
- Seats 8-10 people



Prices on Application

Folding Plastic Table

• W800 x D600 x H727mm

· Steel shelf pins

• 25mm oak MFC E1 w 2mm edge

Prices on Application

· Adjustable shelf, lockable doors



- Durable easy clean plastic table
- Foldable and easy to transport
- W1800 x D750 x H750mm



Single Cloakroom Bench 1200mm



Prices on Application

- W1220 x D410 x H1760mm



- 10 coat hooks
- Black lacquered wooden slats



Prices on Application

Prices on Application

Single Cloakroom Bench

• W1520 x D410 x H1760mm

• Black lacquered wooden slats

• 13 coat hooks

Double Cloakroom Bench 1200mm



- W1520 x D760 x H1760mm
- · 26 coat hooks
- Black lacquered wooden slats



Prices on Application



Prices on Application



Single Door Locker

- W305 x D300 x H1850mm
- · Reinforced doors with vents
- · Hasp & staple to accept padlock



2 Door Locker

- W305 x D300 x H1850mm
- Reinforced doors with vents
- Hasp & staple to accept padlock



Notice Board Two Sided



- 1200 x 900mm
- · Dry wipe board
- · Durable felt pinboard



Prices on Application





• 15 Litre mesh waste bin



Prices on Application

Large Waste Bin



• With lid







Waste Bags



- Roll of heavy duty bin bags 20 no.
- 1100 x 680mm



Hand Cleaner



- · Deb lime heavy duty hand cleaner 4ltr (refill)
- · Heavy Duty Dispenser



Prices on Application

Hand Sanitiser



- Gojo hand sanitiser (refill)
- Gojo sanitiser dispenser



Prices on Application

Hand Towel



- Tork hand towels (refill)
- Tork hand towel dispenser

Sun Protection Cream



- Deb sun protection (refill)
- Deb dispenser

Skin Care Station



- · Skin protection, cleansing and restoring station (refill)
- · Skin protection, cleansing and restoring dispensers



Eye Care Station



- 5 no. 20ml eye treatment pods
- Mirror and sterile eye pads



Prices on Application





Prices on Application












POWER GENERATION HIRE



OUR K POWER DIVISION SPECIALISES IN THE HIRE OF GENERATORS AND AUXILIARY EQUIPMENT FOR APPLICATIONS WHERE A RELIABLE SOURCE OF TEMPORARY POWER IS REQUIRED. WE OFFER A COMPREHENSIVE RANGE OF SILENCED GENERATORS FROM 10KVA TO 1250KVA ALONG WITH A RANGE OF ASSOCIATED PRODUCTS AND EQUIPMENT.

Site Lighting	202
Silenced Generators	207
Specialist Generators	213
Generator Auxiliaries	217





Portable Lighting Towers

These unique Portable Lighting Towers stand out for their performance and compactness, 6 x 50W LED lights provide exceptional light quality while consuming up to 70% less energy than larger lighting towers. Noise and fume free, these towers can be used both indoors or out. Weighing only 83kg, they can be easily set up by a single operator and transported in a car or small van. Lights can be configured straight or up to 360°.

4.5m mast with multi directional head

✓ 36,000 lumens from 6 x 50W LED floodlights

Low energy consumption - only 300W

Compact and easy to manoeuvre



SITE LIGHTING

Balloon Lighting Towers

Balloon Lighting Towers are unique in their ability to provide 360° glare-free illumination to your site. Weighing only 26kg they can easily be set up by a single operator in minutes, ideal for illuminating indoor or outdoor workplaces with a less disruptive light and no drop shadow for additional safety. Great for creating a pleasant atmosphere for small or large functions, garden parties or events where a reliable and glare-free lighting source is required.

~	360° glare-f	ree illumination
---	--------------	------------------

V	Tear a	nd watei	r-resistant	envelor)e
~	itai a	iiu watei	-i esistai it	el ivelor	

✓ Only 26kg

Easily set up by one operator

Only 700W power source required



	Specs
Mast Height	4.5m
Lumen Rating	75000
Voltage	110V
Power Rating	700W
Weight	26kg
Wind Speed	80km/h
Product Code:	12910





Available with lightweight tripod or heavy duty base







SITE LIGHTING

Linkable Lighting Towers

To enable the lighting of longer roadways, paths and larger sites from one power supply, up to four light towers can be linked together. These 1600W Metal Halide Towers will quickly extend to 7m high and are linked using a cable and socket connection.



Link together for lighting longer pathways or sites







		Specs
Voltage		110\
Power Ratin	g	1.6kVA
Weight		226kg
Mast Height		7m
Lights	4 x 400W M	etal Halide
Product Code:		2092!

PLEASE CALL FOR QUOTATION

Mini Lighting Towers

NEW Light up carparks, pathways or work sites using these compact towers. Four adjustable 200W LED lights mounted on a 5.4m mast provide exceptional lighting spread and quality. Excellent manoeuvrability allows easy set up by a single operator. These towers provide a reliable lighting source that can be deployed quickly and with minimum effort.

✓ 4 x 200W LED lighting heads

Quiet run - only 67dBA @ 7m

Up to 52 hours running time

✓ Very Economical only 1.2l/h fuel consumption















SITE LIGHTING

Mobile Lighting Towers

Mobile lighting towers provide superb lighting quality for sports grounds, car parks, motorways, maintenance and construction sites. Mast extend up to 9m providing enough light to illuminate up to 3800 square meters at 5 lux.

The latest LED technology provides a truly eco-friendly solution reducing CO₂ emissions by as much as 70%, while a fuel consumption of only 0.55 L/Hr allows up to 200 hours of use between refuelling.

Automatic stop/start day light sensors, auto mast retraction when moved and quiet running are just some of the standard features on these towers.

Mobile or Static versions available



Eco-friendly -70% CO₂ reduction



Fuel savings -Over 180 hours run time



Super silent operation -Zero noise option available



Auto Start/Stop light sensor




Safety mast system -**Automatically lowers** when moved



Specs Weight 1030kg Lights 6 x 150 LED Mast 9m hydraulic **Fuel Tank Capacity** 110L **Run Time** 200 hours Noise Levels 65 dBA @ 7m

Up to 200 hours run time on full tank

Super silent - only 65 dBA@7m



Product Code: Towable 20935 / Static 20936











E 8 CON . 12 2 2 2

Hibl

Marie In

Hybrid Lighting Tower



Reduce fuel consumption, noise and your carbon footprint with the hybrid lighting tower. Four 240W high efficiency floodlights provide similar lighting characteristics of a standard tower but with all the benefits only hybrid can supply.

- Reduced fuel consumption
- Reduced noise
- Reduced CO₂
- Can connect to solar kit



Add Solar Kit for even less fuel consumption & enhanced performance

Specs

Weight	1246kg
Lights	4 x 240W LED
Mast	7m Hydraulic
Fuel Tank Capacity	1001
Run Time	471 hrs at 25% - hybrid mode
	180 hrs at 100% - hybrid mode
Noise Levels	0 - 58dB(A) @ 7m
Category	20937
Product Code:	20937













Powered by three solar panels, this innovative lighting tower is the ultimate environmentally friendly solution for your site. With high performance batteries and high efficiency floodlights, this lighting tower will provide an excellent light performance 8 hours per day most of the year round. In the absence of sunlight an external power source can be connected for recharging.

- No fuel costs
- No servicing
- No noise or emissions
- 4 x 100W LED lights
- Up to 8 hours per day usage

	Specs
Weight	1500kg
Lights	4 x 60W LED
Mast	8.5m hydraulic
Run Time	Unlimited - depending on
	weather conditions
Noise Levels	N/A

Product Code:









SILENCED GENERATORS 12-160KVA



6 - 10kVA Silenced Generators

These Diesel powered Silenced Generators are suitable when noise is a consideration. Ideal for working at night or in built up areas when you need a mobile power supply.



✓ Trolly mounted for easy handling



	6kVA	10kVA	
Generator Size	6kVA/5kW	10kVA/8kW	
Voltage	110/240V	110/240V	
Amps	16A & 32A	16A & 32A	
Engine	Diesel/Electric Start	Diesel/Electric Start	
Run Time/Approx	14.1 hours	15 hours	
Weight	196kg	388kg	1
Product Code:	12820	12830	- 1
PLEASE CALL FOR QUOTATION			

12 - 16kVA Multi-phase Generators

These single-phase units are ideal for powering site accommodation or for residential houses needing a temporary power supply.



Road tow or static versions available

All machines are silenced and fully bunded against

spillage	12kVA Fast Tow	16kVA Fast Tow
Fuel Tank Capacity	1201	120
Fuel Cons. @ 50% L	oad 1.8l/hr	2.2l/hr
Fuel Cons. @ Full Lo	ad 3.7l/hr	4.4l/hr
Weight	684kg	906kg
Amps Output	32A	32A
Volts 41	5V/240V/110V	415V / 240V / 110V
Average Noise Level	63dB(A) 7m	57dB(A) 7m
Product Code: * NB: only one voltage can be	70100 used at a time	70110

PLEASE CALL FOR QUOTATION







SILENCED GENERATORS 12-160KVA

20kVA Multi-phase Generators

Multi-phase units are suitable for running power tools or light machinery where no permanent power supply is available.

- Multi socket outlets are standard on all machines
- Switchable alternator to allow single or three phase supply available on some models
- Road tow or static versions available



	20kVA
Fuel Tank Capacity	701
Fuel Cons. @ 50% Load	2.9l/hr
Fuel Cons. @ Full Load	5.7l/hr
Weight	650kg
Amps Output	32A
Volts	415V / 240V / 110V
Average Noise Level	57dB(A) 7m
Product Code:	70120

30 - 40kVA Generators

Towable Generators in a range of sizes can provide instant power for emergency requirements or standby uses. Ideal for remote, hard-to-access locations.

30kVA

40kVA

- ✓ Multi socket outlets and busbar connections are standard on all models
- ✓ All machines are silenced and fully bunded against spillage
- ✓ Road tow or static versions available



iel Tank Capacity	
iel Cons. @ 50% Load	

601	661
3.8l/hr	4.2l/hr
7.5l/hr	8.3l/hr
964kg	1146kg
50A	63A
415V / 240V	415V / 240V
56dB(A) 7m	56dB(A) 7m
70130	70140
	3.8l/hr 7.5l/hr 964kg 50A 415V / 240V 56dB(A) 7m

















SILENCED GENERATORS 12-160KVA

60kVA Generators

Ideal for light industry, agricultural or building sites where compact, quiet power is required. Integrated long-run fuel tanks avoid the need to refuel daily.

Multi socket outlets and busbar connections are standard on most models

All machines are silenced and fully bunded against spillage

Skid mounted or road tow versions available



	60kVA
Fuel Tank Capacity	5691
Fuel Cons. @ 50% Load	8.0l/hr
Fuel Cons. @ Full Load	14.8l/hr
Weight	2694kg
Amps Output	80A
Volts	415V / 240V
Average Noise Level	59dB(A) 7m
Product Code:	70150

100 - 160kVA Generators

Our range of 100 to 160kVA silenced Generators provide reliable power for tasks such as events, supermarket standby applications and construction site work. Long run fuel tanks available on some models.

✓ Multi socket outlets and busbar connections are standard on all machines

Bulk fuel tank valve & quick release connectors are standard

All machines are silenced and fully bunded against spillage.



	100kVA	150kVA	160kVA
Fuel Tank Capacity	6311	822	4001
Fuel Cons. @ 50% Load	8.0l/hr	16.9l/hr	18.0l/hr
Fuel Cons. @ Full Load	21.0l/hr	28.8l/hr	28.3l/hr
Weight	2400kg	2601kg	2760kg
Amps Output	130A	200A	215A
Volts	415V / 240V	415V	415V / 240V
Average Noise Level	68dB(A) 7m	68dB(A) 7m	68dB(A) 7m
Product Code:	70160	70180	70180

















200 - 275kVA Generators

These highly efficient Generator Sets offer outstanding performance for peak power demands or for larger industrial use. Ultra quiet versions are available for noise sensitive areas while other options include synchronisation and AMF control panels.

✓ Synchronised models available (Uninterruptible Supply) see page 213

✓ Various options available including 24 hour run tanks and multi socket outlets





	200kVA	250kVA
Fuel Tank Capacity	1004	1004l
Fuel Cons @ 50% Load	27l/hr	26.1l/hr
Fuel Cons @ Full Load	44l/hr	52.2l/hr
Weight	3044kg	4900kg
Amps Outlook	275A	325A
Volts	415V	415V
Average Noise Level	67 dB(A) 7m	69 dB(A) 7m
Product Code:		70190











SILENCED GENERATORS 200 - 1250KVA

300kVA - 400kVA Generators

Powered by the latest low emission engines, our range of larger generators are specially designed for demanding commercial projects and industrial applications. Standard features include bunded fuel tanks, forklift pockets and variable earth leakage protection.

Synchronised models available

Super silenced

Easily connected to long run tanks

Fully bunded against spillage

	300kVA	350kVA	400kVA
Fuel Tank Capacity	6311	8801	18001
Fuel Cons. @ 50% Load	l 32.3l/hr	38.8l/hr	50.2l/hr
Fuel Cons. @ Full Load	64.9l/hr	74.9l/hr	100l/hr
Weight	4230kg	4960kg	7800kg
Amps Output	350A	505A	690A
Volts	415V	415V	415V
Average Noise Level	69dB(A) 7m	71dB(A) 7m	69dB(A) 7m
Product Code:			70250



500kVA Generators

Designed to achieve maximum noise reduction and enhanced cooling, our 500kVA super silent generators are suitable for a range of applications where noise pollution is a concern such as events or inner-city environments. All units are fitted with quick release fittings for easy connection to bulk fuel tanks while specialist fuel filters allow replacement while running.

All 500kVA set are fitted with Deepsea 8610 synchronisation panels to allow connection to similar sets. All units are full bunded against spillage and come with forklift pockets for easy placement on site.

	500kVA
Fuel Tank Capacity	18001
Fuel Cons. @ 50% Load	50.2l/hr
Fuel Cons. @ Full Load	100l/hr
Weight	7800kg
Amps Output	690A
Volts	415V
Average Noise Level	69dB(A) 7m
Product Code:	70350

Synchronised models available

Super silenced

Easily connected to long run tanks

✓ Fully bunded against spillage











SILENCED GENERATORS 200 - 1250KVA

600 - 1250kVA Generators

Suitable for applications within heavy industry or marine operations, these Perkins or Cummins Powered Generators provide a reliable power source for the most arduous of tasks. These robust containerised sets offer easy access for service or inspection with bunded floors for spill containment. Internally mounted synchronisation and AMF control panels are standard features on these machines.

Synchronised models available

800 - 1250kVA units are ISO containerised

	700kVA	1250kVA
Fuel Tank Capacity	12001	10001
Fuel Cons. @ 50% Load	79.6l/hr	112.0l/hr
Fuel Cons. @ Full Load	150l/hr	250l/hr
Weight	13400kg	17990kg
Amps Output	1050A	1600A
Volts	415V	415V
Average Noise Level	72dB(A) 7m	72dB(A) 7m

Product Code:









SPECIALIST GENERATORS



Synchronised Generators for Uninterruptible Supply



For critical applications where it is essential you have a continuous power supply, we can offer a range of synchronised units to ensure you won't be let down. Provided in pairs, Generators are linked so that in event of failure your power supply continues seamlessly. Applications include music concerts or vital construction. Fully qualified engineers can be provided to install and supervise the equipment during peak periods.

APPLICATIONS AND USES:

- Vital services & hospitals
- **Emergency relief**
- Music concerts
- Industrial shutdowns
- Critical applications





The latest technology in generator Synchronising is fitted to a range of machines to allow full synchronisation, load sharing and auto start, enhancing multi-Gen-set control.

Product Code:	Size	Module	Capability
70180	150kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70190	250kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70250	400kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70350	500kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
70400	700kVA	Deepsea 8610	Synchronise / load sharing / Auto-start
	•••••		······································

PLEASE CALL FOR QUOTATION







SPECIALIST GENERATORS

Gen-Safes





40kVA unit

 Generator Sizes Available
 Safe Size

 13 - 20kVA
 1.8m x 1.5m

 30 - 40kVA
 3.0m x 2.5m

 60 - 150kVA
 4.0m x 2.5m

 Product Code:
 70510



These secure units offer protection to the generator against theft or vandalism on remote or vulnerable sites. The unique design also provides protection to the environment from spillage and excessive noise while providing suitable ventilation for the generator. Large bunded fuel tanks extend the run time of your generator allowing refuelling intervals of up to four weeks.

- Long run fuel tanks allow up to 4 weeks between refuelling, providing a very reliable power supply
- Fully bunded providing protection against all fluid spillage
- ✓ Super silenced very quiet running with noise levels below 70dBA @1m
- High security all steel construction and high security doors guard against theft and vandalism
- Ventilated designed with louvre type air vents for adequate and compliant generator ventilation
- Accessible with side and front entry doors, the generator and fuel tank are easily accessible for generator maintenance and tank refuelling



This multi purpose unit allows fitment of standard generators from 60 - 150kVA









Save Fuel

Reduce Noise

Cut CO, & NOx

SPECIALIST GENERATORS

Battery Power Units

Meet your green targets by simply linking the Hybrid Battery Power Unit to an onsite generator and let the hybrid technology regulate power consumption on demand. When there is a low demand for power or the battery bank is fully charged, the generator will automatically switch off allowing the batteries to supply the power. When the battery runs low or demand for power increases the generator automatically starts to recharge. The Hybrid Power Unit efficiently stores spare energy when the generator is running to use later when the generator can be turned off. Less fuel consumed saves cost. Burning less fuel creates less emissions and your neighbours enjoy peace and guiet from a reduction in noise.

- Less fuel consumption
- Less noise pollution
- Reduced emissions
- Can connect to Solar Kit
- ✓ Reduced CO₂

MEET YOUR GREEN TARGETS

Hire a Hybrid Battery Power Unit & save!







Add Solar Kit for even less fuel consumption & enhanced performance



Site requirement

Specs 45kVA Output 90 kWh **Battery Passthrough Capacity** 100A per Phase Inputs 125A / 415V Outlets 125A / 415V 32A / 415V 3 x 52A / 240V Weight 4000kg

BATTERY UNIT



Dimensions **Product Code:**

L 2010mm / W 1200mm / H 2000mm











Up to 10 hours of silent running





Up to 50% reduction in local pollution levels



Saves 266 litres or 70.3 gallons per week



REDUCE

EMISSIONS



70520

SPECIALIST GENERATORS

Solar Kits

Reduce your fuel costs and harmful emissions while doing your bit to help save the environment. Solar kits are available for integration with a range of our cabins, battery power units and hybrid lighting towers. Kits come in 2 formats, small fold out systems or platform mounted versions suitable for placing on the roof of a cabin or simply setting on the ground. Easy to maintain and install the kits offer an eco-friendly assistance and back up to traditional energy sources.

Reduce fuel costs

- Reduce noise & pollution
- Plug & Play system
- 1 Cabin roof or ground kits
- Small fold-out kits
- 1 Combine with other power sources
- Ideal for hybrid battery power systems

NEW

Large ISO Kit



Roof or ground mounted

Stackable

Forklift pockets

Lifting eyes

Power output (max)	2400W 6 x 400W panels
Length	6.05m
Width	2.42m
Height	0.5m (1.55 raised)
Max solar angle	35°
Solar Lifting system	Manual (mechanical)
Weight	768kg
Product Code:	70525

Specs





Small Fold-out Kit

✓ Quick set up

Compact sliding design

✓ Forklift pockets

%

Power output (max)900W 3 x 300W panelsLength2.3mWidth1.22m (3.1m extended)Height0.9m (1.7m raised)Max solar angle45°Solar lifting systemGas strutsWeight687kg

eight 687 duct Code: 70



PLEASE CALL FOR QUOTATION



Specs



Bulk Fuel Tanks

For long run requirements, these fully bunded tanks can be coupled to a generator or heater providing a hassle free fuel supply. All tanks are UN approved for transport on the public highway and comply with PPG2 regulations. Extra large tanks are now available for larger generators or for feeding two or more machines from one fuel source.

✓ All tanks are fitted with a secure lockable access hatch as standard





Tank Size	450	900	2000	2500	6200	7500
Tank Size (gal)	100	200	450	560	1400	1540
Length (m)	1.45	1.27	2.55	2.3	3.0	2.4
Width (m)	0.8	1.25	1.16	1.45	2.45	2.4
Height (m)	0.9	0.95	1.26	1.45	1.85	1.3
Product Code:	20380	20390	20400	20400	20410	20410





→ PLEASE CALL FOR QUOTATION







Mobile Fuel Bowser



When transporting bulk fuel to site, these Tandem Axle Fuel Bowsers allow you to do so in a safe, legal manner. This Fuel Bowser is fully bunded and compliant with all road towing regulations. Can be used for refuelling or connection to static equipment.





AdBlue versions available



		Specs
Capacity	950l / 250gal	2000l / 400gal
Weight Empty	750kg	1497kg
Weight Full	1.75t	3.5t
Product Code:	20440	20450







Noise / Acoustic Barriers

The Echo Barrier is a temporary and portable solution that offers noise reduction and absorption for building sites, demolition works or events that need to manage noise levels. Ideal for urban site work or environmentally sensitive areas, simply fit to site fencing or scaffolding. Water, fire and temperature resistant, these lightweight and barriers are easy to install by a single operator.



Simply fit to site fencing or scaffolding

Up to 43dB noise reduction

Easy to install by a single operator

✓ Ideal for events or urban construction sites

		specs
Dimensions	2050mm	x 1335mm
Weight		5.3kg
Max Noise Redu	ıction	43dB
Max Noise Abso	orbsion	99%
Product Code:		12690









Cabling

A full range of Cabling is available to complement our generator sets. Larger cable assemblies are supplied on heavy duty drums to assist installation on site.



Large assemblies supplied on heavy duty drums

Cable Size	Length (m)	Phase	Output (A)	Cable type	Product Code:
6mm Cable Assembly	5, 10 or 20	Single or Three	16	Sy Flex	70610
10mm Cable Assembly	5, 10 or 20	Single or Three	32	Sy Flex	70620
16mm Cable Assembly	5, 10 or 20	Single or Three	63	Sy Flex	70630
35mm Cable Assembly	5, 10 or 20	Single or Three	125	Sy Flex	70640
50mm Single core cable, 5 No	10 or 20	Three	160	Tri-rated	70650
95mm Single core cable, 5 No	10 or 20	Three	260	Tri-rated	70660
185mm Single core cable, 5 No	10 or 20	Three	400	Tri-rated	70670
300mm Single core cable, 5 No	10 or 20	Three	630	Tri-rated	70680













Cable Connectors

Power Lock Connector Kits and IP67 Jointers are available for longer run applications and to help ease of set up.







Small	Cable size 35 - 120mm (set of 5)
Large	Cable size 120 - 300mm (set of 5)
400A	Tail Length 3m

Product Code:

PLEASE CALL FOR QUOTATION



Cable Protectors

Protect your Cables from traffic or other potential damage with these heavy duty clip together protectors. Ideal for public events or building sites.



	spees
Length	900mm
Weight	11.3kg
Number of Channels	5
Channel Size	32mm x 32mm

Product Code:

20310









Distribution Boxes

A full range of Power Distribution Boxes are available for a variety of applications including the film, event and entertainment industries. These durable rubber boxes minimise set up time on site and provide a safe and reliable power distribution system in all weather conditions. All boxes comply with UK and European regulations and are fully MCB/RCD protected.

32A x 6 x 16A



Output 6 no. 16A 1PH sockets

Product Code: 70530

63A x 6 x 16A/32A



63Amp 3 phase inlet socket Output

3 no. 32A 3PH + 3 no.16A 1PH sockets

Product Code: 70550

125A x 4 x 32A/63A



Input

125Amp 3 phase inlet socket Output

2 no.32A 3PH + 2 no. 63A 3PH sockets

Product Code: 70560

32A x 3 x 32A



Input

32Amp 3 phase inlet socket Output

3 no. 32A 1PH sockets

Product Code: 70530

63A x 15 x 16A/32A



Input

63Amp 3 phase inlet socket Output

3 no. 32A 1PH + 12 no. 16A 1PH sockets

Product Code: 70550

400A x 4 x 63A/125A



Input

400Amp 3 phase powerlocks

Output

2 no. 63A 3PH + 2 no. 125A 3PH sockets

Product Code: 70560

63A x 6 x 32A



63Amp 3 phase inlet socket Output

6 no. 32A 1PH sockets

Product Code: 70550

125A x 21 x 16A/32A



Innut

125Amp 3 phase inlet socket

Output

12 no. 16A 1PH + 6 no. 32A 1PH + 1 no. 63A 3PH + 2 no. 32A 3PH sockets

Product Code: 70560

A full range of Cabling is available to complement our generator sets. Larger cable assemblies are supplied on heavy duty drums to assist installation on site.

SEE PAGE 219











Changeover Panels

Automatic and manual Changeover Panels are available in a variety of sizes to suit our range of generators.

Panel Types Available

AMS/ATS Auto Changeover Panels

Manual Changeover Panels

2 wire start Auto Changeover Panel







	AMS/ATS Auto	Manual	2 Wire Auto-Start
Sizes available	250 - 400A	250A	250 - 400A
Product Code:			70580







Site Transformers

These heavy duty step-down Transformers reduce 240V or 415V power to 110V output for safe use on site. Ratings are not continuous.







	3kVA	5kVA	10kVA/1PH	10kVA/3PH
Outlet Sockets Weight	16A & 32A 25kg	16A & 32A 41kg	16A & 32A 84kg	16A & 32A 90kg
Product Code:	12840	12840	12850	12850

PLEASE CALL FOR QUOTATION

Load Bank

Load banks are used to test power supplies and can replicate working load conditions to provide a rigorous test for commissioning or proof loading. Full data reporting is available via a link to a PC or hand terminal.



	Spec
Nominal Capacity	500kW
Weight	950kg
Air Flow	6.5m ³
Average Temp Rise	920

Full data reporting available



Product Code: 70570



PLEASE CALL FOR QUOTATION

Portable EV Charger With more electric cars on the road this

portable charger is ideal for sites or temporary applications. Easy to set up and safe to use, this 11kW charger provides a fast 3 phase charge.



Single Car Charger



11kW charge



		Specs
Charge	Rate	11kW
Input		16A 400W
Size	L365 x W275	x H605 mm

Product Code:



70565



221





TRAINING

LET US TRAIN YOU! We offer a range of approved operator and safety training courses, tailored to meet your requirements and ensure you comply with health and safety legislation.



POWERED ACCESS OPERATOR TRAINING

Powered Access Operator Training - A wide variety of IPAF (International Powered Access Federation) approved training courses are available to allow the operation or management of various types of Powered Access or Mobile Elevating Work Platforms (MEWP).

Upon completion of a training course at one of our IPAF Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate or oversee the selected type of MEWP in the workplace, candidates will also receive a PAL digital card and digital certificate.



Courses available:

- * Mobile Vertical / Mobile Boom (3A / 3B)
- * Mobile Vertical / Mobile Boom / Static Boom (3A / 3B / 1B)
- * Static Boom / Mobile Boom (1B / 3B)
- * Mobile Vertical (3A)
- * Static Boom (1B)
- * Mobile Boom (3B)

- * PAV (Push Around Vertical Lifts)
- * Harness Awareness + Harness User
- * Harness Inspector
- * Site Assessment
- * Load & Unload
- * Load +
- * MEWPs for Managers
- * E-Learning Modules, also available



MOBILE ACCESS TOWER TRAINING

Mobile Access Tower Training - Numerous PASMA (Prefabricated Access Suppliers' & Manufacturers' Association) approved training courses are available to allow the use and inspection of a range of low-level access and mobile access towers.

Upon completion of a training course at one of our Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate or oversee the use of the selected types of access towers within the workplace. Candidates will also receive a digital PASMA certificate and physical card.

Courses available:

- * Combined
- * Work At Height
- * Towers For Users
- * Low-level Access
- * Towers for Managers
- * Towers with Bridges





FORKLIFT / TELEHANDLER OPERATOR TRAINING

Forklift/Telehandler Operator Training - A number of approved Operator Training courses are available to allow the safe operation of Forklifts, Telehandlers and Rotating Telescopic Forklifts.

Upon completion of a training course at one of our Approved Training Centres, each successful candidate will have acquired the essential skills and knowledge required to safely operate, select and carry out pre-use inspections on their selected type of forklift. Candidates will also receive a certificate and card.

Courses available:

- * Counterbalance Forklift (B1 & B2)
- * Telescopic Forklift (J3)
- * Rotating Telescopic Forklift (J7)





TRAINING CENTRES

Our bespoke training facilities offer a spacious and comfortable environment for candidates to undertake their course. Undercover areas are provided for practical elements of the course along with high-quality training rooms for theory and assessment.

- Easily Accessible Locations
- Friendly Knowledgeable Instructors
- P Free Parking

- Refreshments/Lunch Provided
- High Quality Facilities
- Indoor or Under Cover Training Areas



Trace shops are your source for tools,

Our trade shops are your source for tools, consumables, equipment and supplies. We offer you the convenience of one-stop shopping with an extensive range of leading brands at competitive prices. Our stock includes safety and personal protective equipment, work wear, trade & DIY tools, accessories and all your site essentials.






































CONTAINER & CABIN SALES


KDM has an extensive stock of new and used containers and cabins available for sale at all times. Various sizes are available and prompt delivery can be arranged.







We can also supply new or used offices, canteens or welfare cabins depending on your needs. New anti vandal, jackleg or modular cabins can be specifically manufactured to your requirements or alternatively we can offer quality ex-rental units from our extensive fleet. Delivery can be arranged with one of our Hiab vehicles to ensure a prompt and hassle free installation.



✓ New or used

Fully weatherproof

✓ Very secure

→ High quality ISO Standard

✓ Various sizes, layouts or designs available

Can be designed to your specification

Official agent



cabintec.co.uk



CONTRACT HIRE





Contract hire is a flexible and cost effective way to provide equipment for your business without the risks, hassle and hidden costs normally associated with buying and maintaining equipment.

As Northern Ireland's leading equipment rental company, KDM can provide you with almost any type of equipment on a 1 to 5 year rental contract depending on your requirements and budget.

The contract can be fixed to suit your needs and typically includes maintenance and breakdown cover. At the end of the contract you simply hand the equipment back with no residual value risk.





- Competitive fixed monthly costs
- Easy to budget for improved cash flow
- Tax advantages
- VAT benefits on rentals
- Free up capital for you to invest elsewhere in your business
- Hassle free, we take care of all maintenance and any statutory safety requirements
- Replacement equipment is available in case of breakdown
- New or used equipment available
- Reduction in costs, administration and risk
- Equipment can be supplied to your own specification and livery







AVAILABLE FOR A WIDE RANGE OF PRODUCTS

Please call for details



24 HOUR EMERGENCY CALL-OUT

For emergency cover or break down service outside normal working hours, we can arrange engineers to be on stand-by for a rapid response.

Remote Monitoring

Equipment in remote or inaccessible places can be monitored via tracking equipment allowing us to check its status or inform us in the event of a problem 24 hours a day.



ON-SITE TECHNICAL SUPPORT

Engineers can be provided for critical applications or supervision of equipment during peak periods or events.

Field service engineers can offer hands-on troubleshooting, preventative maintenance and technical support with spare parts availability to ensure your task runs smoothly.



TRAINING



We offer a range of approved operator and safety training courses, tailored to meet your requirements and ensure you comply with health and safety legislation.





CONTRACT LIFTING

Contract lifts can be undertaken whereby we take full responsibility for the lift programme and provide qualified operators and the appointed person to ensure the lift is carried out in compliance with BS7121 and LOLER.



INSTALLATION & COMMISSIONING



To ensure some of our more technical equipment has been installed correctly and is safe for use, we can provide fully qualified engineers to set up and commission

equipment ensuring compliance with any legislation, clients or safety requirements.



ACCESS & FORKLIFT OPERATORS

Fully trained and experienced operators can be provided along with any hired powered access equipment or forklifts, allowing you to concentrate on the job in hand. Available for long or short durations, operators will be familiar with any machines provided offering higher levels of safety and productivity.



FUEL MANAGEMENT

A fuel management service can be provided to ensure you avoid the inconvenience and cost of running out of fuel. We will schedule on-site refuelling visits as required to keep your equipment running on busy or unmanned sites.



EVENT MANAGEMENT

KDM can offer a range of management and site set-up services, including on-site event coordination, pre-event consultation and advice, engineer support during your event, equipment set-up and post-event strip down.





WASTE REMOVAL



When you hire our temporary toilets, effluent tanks or welfare products, we can provide a fully compliant waste removal and freshwater replenishment service. This service is

available on a one-off or regular basis and is included in the hire rate with some welfare products. Call today for further details.



TESTING AND INSPECTION

Qualified personnel are available to carry out statutory examinations on a range of lifting and access equipment. All inspections are undertaken in line with LOLER 'The Lifting Operations and Lifting Equipment Regulations 1998'. Under LOLER regulations, all lifting equipment is subject to being examined and certified on a regular basis. Inspections can be undertaken on your



EVENT RENTAL

Hosting an event? Let our experienced team take care of your event rental needs. KDM Hire has an extensive range of equipment suitable for hosting almost any event. Whether it's a sporting event, concert, festival, show, social occasion or private party we can offer a one-stop solution for all your needs.

With over 30 years' experience in the rental business, we can also help you with product and logistical advice to ensure your event runs smoothly and efficiently.

A range of support services are also available ensuring your event meets all quality, health and safety and environmental standards. These include pre-event consultation, on site set up, installation and technical support, sanitary waste removal, fuel management and logistical management during the event.

View our support services page for more details of what we can help you with.

- Sporting Events
- Concerts
- **✓** Festivals

- Shows & Fairs
- Social Occasions
- Private Parties



If you are hosting or organising an event large or small - call today for advice or request a site visit by one of our experienced team members and let the party begin!

- Hassle free professional service
- Free site survey, consultation & advice
- One phone call for all your needs
- Flexible scheduling of logistics
- Reduced transport & admin costs by sourcing all equipment from one supplier
- ✓ Full compliance with Health & Safety and Environmental Regulations
- Guaranteed quality products and back-up service
- Fully qualified staff with vast event experience







Concerts



Shows & Fairs



Private Parties





INDEX

A		C		Distribution Boxes / Equipmen	t 220
Access Cages	102	Cabins, Anti-Vandal	145 - 149	Drying Rooms 14	15 - 146, 151 - 153
Access Platform	139	Cabins, Jackleg	152 - 153		
Acoustic Noise Barriers	95, 114	Cabins, Toilet	180 - 184	E	
Adjustable Ramp	189	Cable Connectors	219	Effluent Tanks	190
Advanced Guard Rail Tower	15	Cable Drum Jacks	99	Electric Boom Lifts	44 - 50
Air Operated Lift	79	Cable Drum Rotators	100	Electric Chain Hoists	111
Alloy Scaffolding	14 - 15	Cable Protectors	219	Electric Scissor Lifts	22 - 27
Anti-Vandal Cabins 145 -	149, 150 - 151	Cable Pull Winch	100	Electric Boom Lifts	44 - 50
Anti-Vandal Toilets	180 - 184	Cable Rollers & Skids	100	Electric Forklift Lifts	123
Articulated Loader	140	Cabling	219	Engine Cranes	79
Articulating Boom Lifts	51 - 53	Canteens 145 -	146, 151 - 153	Executive Cabins	154 - 155
Articulating Electric Boom Lifts	45 - 50	CCTV Towers	187	Exhibition Unit	147
Articulating Loader Attachments	140	Chain Hoists	110 - 111	Extension Forks	135
Auxiliaries and Furniture	188 - 198	Chain Slings	112	EV Charger	221
		Changeover Panels	221	•	
В		Cladding Bale Lifter	92	F	
Balloon Lighting Tower	203	Cladding Vacuum Lifters	90 - 92	Fall Arrest Blocks	118
Barriers	114 - 116	Cladding Vacuum Rotator	92	Fencing	193
Barriers, Acoustic Noise	114	Compact Articulated Loader	140	Flag Lifters, Vacuum	222
Battery Power Units	215	Compact Multi Directional Forklift	126	Flail Cutter Head	141
Beam Clamps & Trolleys	112	Concrete Skips, Column	98	Flammable Vault	165
Beam Lifter	78	Concrete Skips, Coneflow	98	Flat Pack Store	164
Bi Levelling Scissor	29	Concrete Skips, Forkliftable	98	Flatbed Transport Trolley	109
Bi Levelling Crawler Boom	42	Container Loading Ramps	133	Floor Cranes, Mini	75 - 75
Big Bag Lifter	103	Container Ramp Low Level	133, 190	Floor / Engine Cranes	79
Block Grabs & Nets	96	COSHH Vault	165	Folding Tower	13
Block Winch	139	COSHH/Chemical Store	165	Fly Jib	139
Board Trolley/Bench	106	Counterbalance Beam	90	Fork & Grapple	140
Boat Skips	98	Counterbalance Material Lifts	77 - 78	Fork Mounted Drum Rotator	103
Boom Lift, Vertical Mast	158	Crane Forks	101	Fork Mounted Glass Positioner	. 84
Boom Lifts, Articulating	188 - 192	Crane Hook	137	Fork Mounted Hook	103, 135
Boom Lifts, Electric	182 - 187	Crawler Boom Lift	42 - 43	Forklift Extension Forks	102, 135
Boom Lifts, Telescopic	193 - 198	Crowd Barrier	193	Forklift Gantry Jibs	102, 135
Boom Lifts, Tracked	175 - 179	Curved Glass Lifting Vacuum	89	Forklift Mounted Sweeper Col	· · · · · · · · · · · · · · · · · · ·
Boom Lifts, Trailer Mounted	174 - 175			Forklift Skips, Tipping	98, 103, 135
Boom Lifts, Truck Mounted	199 - 201	D		Forklift Trucks, Diesel	125 - 126
Boot Wash Station	192	Davit	79	Forklift Trucks, Electric	123
Brick & Block Cart	97	Decontamination Unit	178	Forklift Trucks, Gas	124
Bridge Beam	15	Diesel Boom Lifts	51 - 62	Forklift Trucks, Multi Directiona	
Bucket Brush	140	Diesel Forklifts	125 - 126	Forklift Trucks, Side Loading	127
Bulk Fuel Tanks	217	Diesel Generators	207 - 213	Forklift, Rough Terrain	124
	217	Diesel Scissor Lifts	31 - 35	Forklift, Telescopic	129 - 132
		Disabled Toilet	182	Forklift, Warehouse Articulatin	
			.52	Fuel Bowsers, Mobile & Static	217 - 218

INDEX

Fuel Tanks	217	L		N	
Furniture & Auxillaries 188 - 19	1, 194 - 198	LED Lighting Tower	205	Narrow Scissor Lifts	23 - 25
Furniture Movers	106	Lifting Table	105	Noise / Acoustic Barriers	218
		Lifts, Push Around	18		
G		Lifts, Self-Propelled	19 - 21	0	
Gantries	80	Lighting Towers	202 - 206	Offices	145 - 153
Gantry Hoist	93	Lightweight Boom	46, 53	On-demand Pumps	191
Gas Bottle Cages	101	Linkable Lighting Towers	204	Over Desk Tower	12
Gas Cage / COSHH Store	166	Load Banks	221		
Generators	207 - 213	Low Level Platform	16	P	
Generators, Solar	216			Pallet Trucks	104 - 105
Gen-Safes	214	M		Pallet Trucks, Rough Terrain	104
Glass Lifting Vacuum, Compact	85 - 86	Machine Skates	116	Pallet Trucks, Scissor	105
Glass Lifting Vacuum, Inline	86	Magnetic Lifters	113	Panel Lifter	78
Glass Lifting Vacuum, Multi Position	86 - 89	Mains Toilet Blocks	180 - 184	Pedestrian Fencing	193
Glass Positioners	81 - 84	Manhole Lifter 96		Pick and Carry Crane	72 - 74
Glass Postioner Forklift Mounted	84	Manhole Lifting Pins	97	Pipe Trolleys	107
Glass Panel Trolley	107	Manhole Ring Chain Clamp	97	Plant Safe / High Stores	162
Glass Trolley	107	Manual Chain Hoists	110	Platform Lifts	17
Glazing Positioners	81	Manual Pull Winches	112	Platform, Low Level	16
Ground Protection Mats	193	Manual Sweeper Collector	134	Podium Steps	16
		Manual Platform Lifts	17	Pop up Lifts	17
н		Material Lifts	77 - 78	Portable Davit	79
Handwash Stations	192	Mega Scissor Lifts	34 - 35	Portable EV Charger	221
Hand Test Weights	119	Mini Floor Crane	75 - 76	Portable Event Toilet Trailers	185
Heavy Lift Telehandlers	136 - 137	Mini Lighting Towers	204	Portable Gas Store	166
Heavy Lift Telehander Accessories	137	Mini Spider Cranes	68 - 70	Portable Lighting Tower	202
High Store	162	Mini Stores	162	Portable Site Conveyors	97
Hoists	110 - 111	Mini Tower	13	Portable Water Pump	191
Hybrid Lighting Tower	206	Mobile Davit	79	Portable Waste Pump	191
,gg		Mobile Gantries	80	Power Distribution Equipment	220
1		Mobile Lighting Towers	205	Push Around Lifts	18
Industrial Forklift Trucks	125 - 126	Mobile Man Anchors	117	r asir, a cama Eng	
Insulated Store	163	Mobile Store	164	R	
		Mobile Welfare Cabins	170 - 172	Ramps	133
1		Modular Buildings	156 - 161	Rapid Deployment CCTV Towers	187
Jackleg Cabins	152 - 153	Modular Sanitary Units	185	Road Planer, Hydraulic	263
Jackleg Scissor Lifts	31 - 35	Modular Staircase	160	Rotating Telescopic Forklift	138 - 139
radiacy seisse. Ents	3. 33	Mounted Compactor	141	Rough Terrain Scissor Lifts	31 - 35
K		Moving Dolly's	107	Nough ferfair seissor End	31 33
Kerb & Flag Lifters	94 - 96	Multi Directional Forklift, Compact	126	S	
Kerb Grab	96	Multi Directional Side Loader	127	Sack Trucks	107
Kerb Lifter, Mechanical	94	Main Directional Side Loadel	127	Scaffold Hoist	93
Reib Littel, Meerianical	54			Scaffold Tower, Folding	13
				Scaffold Tower, Stairway	12
				ocanolu lowei, otaliway	12



INDEX

Scaffold Towers	14 - 15	Temporary Levelling System	192	V	
Scaffolding	12 - 15	Temporary Lifeline	118	Vacuum Slab Lifters	94
Scissor Lifts	22 - 27	Test Weights	119	Vacuum Slab Lifting Dolly	94
Scissor Pallet Truck	105	Ticket Kiosks	148 - 149	Vacuum Magnet, Stone	95
Sectional Buildings, Anti Vandal	156 - 161	Toe Jacks	116	Van Mount Platform	65
Secure Stores	163 - 164	Toilet Blocks	181 - 184	Vertical Mast Lift	19
Security Huts / Ticket Kiosks	148	Toilet Lifter	102	Vertical Mast Boom Lift	44
Selector Grab	141	Toilet, Self-Contained	180	Vertical Plate Clamps	113
Self-Propelled Lifts	20 - 21	Toilet, Solar	179	Viewing Gallery	147
Shower Blocks	176 - 178	Toilet, Trailers	185	VIP Toilet Cabins	184
Silenced Generators	207 - 212	Toilets, Luxury	183 - 184	VIP Twin Shower	178
Site Amenities Cabin	179	Toilets, Mains	180		
Site Conveyors	97	Tool Charging Cabin	166	W	
Site Transformers	221	Towable Welfares	170 - 172	Waste Holding Tanks	190
Skates	240	Tower Scaffolding, Single & Dou	ble Width 16	Waste Pumps	191
Slab Lifter	94	Tower, Over Desk	14	Water Bowsers	192
Slab Test Weights	119	Track Mats	193	Water Supply Tanks & Pumps	191
Sleeper Cabins	167 - 169	Tracked Boom Lifts	37 - 41	Welfare Cabins, Mobile	170 - 172
Smoking Shelter	149	Tracked Carrier	108	Welfare Cabins, Static	173 - 175
Solar Generator	216	Tracked Scissor Lifts	28 - 30	Wheeled Boom Lift	49 - 62
Solar Kits	216	Tracked Stacker Truck	122	Wire Rope Hoists	111
Solar Lighting Tower	206	Trailer Mounted Lifts	36 - 37		
Solar Toilet	179	Training	222 - 223	Υ	
Speed Level Scissor Lift	30	Tripod Access System	118	Yard Sweeper	134
Spider Boom Lifts	38 - 41	Truck-Mounted Lifts	63 - 64		
Spider Cranes	68 - 71	Turnstile Cabin	148		
Spreader Beams	113 - 114	Turntable Trolleys	109		
Stacker Trucks, Manual	105	Twin Deck Scissor lifts	33 - 34		
Stacker Trucks, Tracked	122				
Staging Boards	16				
Stair Climbers, Powered	106				
Stairway Tower	12				
Steps, Podium	20				
Steps, Safety Platform	20				
Stone Vacuum Magnet	95				
Stores	162 - 166				
Stores, Flat Packed	164				
Sweeper, Collector Fork Mounted	134				
Synchronised Generator	213				
т		ts Reserved.			

Ť

Telehandlers / Telescopic Forklifts

 129 - 132, 136 - 139

 Telescopic Boom Lifts
 57 - 62

 Temporary Fencing
 193

The text, pictures, illustrations and layout of this catalogue are subject to protection under the Copyright, Design and Patents Act 1988. No part of this catalogue may be reproduced or transmitted in any form or by any means (electronic, mechanical, including photocopying, recording or otherwise) without the prior written permission of KDM Hire Ltd. Infringement will be vigorously pursued to the fullest extent permitted by law.

E&OE. KDM Hire Ltd. reserves the right to alter specification and content without prior notice.



HAE TERMS & CONDITIONS

The Customer's attention is particularly drawn to the provisions of clause 19 (Limitation of liability).

1. INTERPRETATION

1.1. In these conditions the following words have the following meanings:

"Consumer" an individual acting for purposes which are wholly or mainly outside that individual's trade, business, craft or

"Commercial Terms Schedule" means the schedule or letter issued by the Supplier to the Customer, setting out the commercial terms agreed between the parties.

"Contract" means a contract which incorporates these conditions and the Commercial Terms Schedule and made between the Customer and the Supplier for the hire or sale of Goods:

"Customer" means the person, firm, company or other organisation hiring Hire Goods or purchasing Sale Goods; "Deposit" means any advance payment required by the Supplier in relation to the Hire Goods which is to be held as security by the Supplier;

"Force Majeure" means any event outside a party's reasonable control including but not limited to acts of God, war, flood, fire, labour disputes, strikes, sub-contractors, lock-outs, riots, civil commotion, malicious damage, explosion, terrorism, qovernmental actions and any other similar events;

"Goods" means any machine, article, tool, digital content and/ or device together with any accessories specified in a Contract which are hired or sold to the Customer;

"Hire Goods" means any Goods which are hired to the

"Hire Period" means the period of hire, as set out in clause 5; "Hire Start Date' means as defined in clause 5.1:

"Liability" means liability for any and all damages, claims, proceedings, actions, awards, expenses, costs and any other losses and/or liabilities:

"Rental" means the Supplier's charging rate for the hire of the Hire Goods which is current from time to time during the Hire Period:

"Sale Goods" means any Goods which are sold to the Customer:

"Specification" means the specification for the Goods supplied by the Supplier to the Customer in writing [referred to in the Commercial Terms Schedule].

"Supplier" means KDM Hire (Ireland) Ltd at the address stated at the end of these terms:

"Total Loss" means the Hire Goods are, in the Supplier's reasonable opinion or the opinion of its insurer(s), damaged beyond repair, lost, stolen, seized or confiscated.

2. BASIS OF CONTRACT

- 2.1. These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by law, trade custom, practice or course of dealing.
- 2.2. The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order are complete and accurate.
- 2.3. The Order shall only be deemed to be accepted when the Supplier issues a written acceptance of the Order, at which point the Contract shall come into existence.

- 2.4. Any samples, drawings, descriptive matter or advertising produced by the Supplier and any descriptions or illustrations contained in the Supplier's catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods referred to in them. They shall not form part of the Contract nor have any contractual force.
- 2.5. Nothing in the Contract shall exclude or limit any statutory rights of the Customer which may not be excluded or limited due to the Customer acting as a Consumer. Where any terms within the Contract do not apply to a Consumer such terms are clearly outlined below.
- 2.6. In the event of any conflict and inconsistency between these terms and conditions and the Commercial Terms Schedule the Commercial Terms Schedule shall prevail.

3. THE GOODS

- 3.1. The Goods are as described in [the Specification].
- 3.2. The Supplier reserves the right to amend the [Specification] if required by any applicable statutory or regulatory requirement, and the Supplier shall notify the Customer in any such event.
- 3.3. The Supplier may change the Goods provided to the Customer:
- 3.3.1. to reflect changes in relevant laws and regulatory requirements; and
- 3.3.2. to implement minor technical adjustments and improvements. These changes will not adversely affect the Customers' use of the Goods.
- 3.4. The Supplier may also make more significant changes to the Goods, but will notify the Customer if any such significant changes are made and, if the Customer is a Consumer, and the change has an adverse impact on the Consumers use of the Goods, the Consumer may then contact the Supplier to end the Contract and will receive a full refund.
- 3.5. Where the Goods are digital content, the Supplier may change the Goods to update digital content, provided that the digital content always matches the description of it that the Supplier provided to the Customer before the Customer bought it. The Supplier might ask the Customer to install these updates.

 3.6. For the avoidance of doubt, these terms and conditions are not intended to cover the manufacture and sale of bespoke

PART 1: TERMS APPLICABLE TO THE HIRE OF GOODS ONLY

4. HIRE OF GOODS

- 4.1. The Supplier shall hire the Hire Goods to the Customer subject to the terms and conditions of the Contract.
- 4.2. The Supplier shall not, other than in the exercise of its rights under the Contractor applicable law, interfere with the Customer's quiet possession of the Hire Goods.

5. HIRE PERIOR

5.1. Where hire of the Hire Goods is to a Customer who is an individual (whether a consumer or otherwise) or relevant recipient of credit as defined under Article 60. Of the Financial Services and Markets Act 2000 (Regulated Activities) Order 2001 e.g. (a). a partnership consisting of two or three persons not all of whom are bodies corporate, or (b) an unincorporated body of persons which does not consist entirely of bodies corporate and is not a partnership (Relevant Individual'), the Hire Period shall commence on the date [specified out in writing

- by the Supplier] ('Hire Start Date') and shall end on the earlier of (i) [the date specified in the Commercial Terms Schedule]; or (ii) the last day of the 3 month period commencing on the Hire Start Date ('Option 1 Hire End Date'). For the avoidance of doubt, as the Hire Period to Relevant Individuals is no longer than 3 months, the hire of any Hire Goods is not covered by the Consumer Credit Act 1974.
- 5.2. Where the Customer is not a Relevant Individual, the Hire Period shall commence on the Hire Start Date and shall end on the date specified in the Commercial Terms Schedule ('Option 2 Hire End Date').
- 5.3. On the Option 1 Hire End Date or the Option 2 Hire End Date (as applicable), the Customer shalt: (i) physically return the Hire Goods into the Supplier's possession; or (ii) make the Hire Goods available for physical repossession or collection by the Supplier [in a location specified by the Supplier], as applicable.
- 5.4. For the avoidance of doubt, the Hire Period shall automatically end on the Option 1 Hire End Date or the Option 2 Hire End Date, as applicable and the Customer shall not be required to pay the Rental in respect of any period in which the Hire Goods are in the Customer's possession or control outside the Hire Period
- 5.5. Notwithstanding clause 5.4, If the Customer fails to comply with its obligations in this clause 5, then it shall be liable for any financial loss which this causes the Supplier [and shall indemnify the Supplier in full and on demand in respect of any costs, liabilities, losses and expenses (including legal fees) incurred as a result).

6. TITLE, RISK AND INSURANCE

- 6.1. Ownership of the Hire Goods remains at all times with the Supplier. The Customer has no right, title or interest in the Hire Goods except the right to possession and use of the Hire Goods subject to the terms and conditions of the Contract.
- 6.2. The Customer must not deal with the ownership or any interest in the Hire Goods. This includes but is not limited to selling, assigning, mortgaging, pledging, charging, securing, hiring, withholding serting any right to withhold, disposing of and/or lending. However, the Customer may re-hire the Hire Goods to a third party provided that it has the prior written consent of the Supplier.
- 6.3. Risk in the Hire Goods will pass immediately to the Customer when the Hire Goods leave the physical possession or control of the Supplier. The Hire Goods shall remain at the sole risk of the Customer during the Hire Period and any further term during which the Hire Goods is in the possession, custody or control of the Customer (Risk Period') until such a time as the Hire Goods are redelivered back into the physical possession of the Sunnilier.
- 6.4. During the Hire Period and the Risk Period, the Customer shall, at its own expense, obtain and maintain the following insurances:
- 6.4.1.insurance of the Hire Goods to a value not less than its full replacement value comprehensively against all usual risks of loss, damage or destruction by fire, theft or accident, and such other risks as the Supplier may from time to time nominate in writing:
- 6.4.2.insurance for such amounts as a prudent owner or operator of the Hire Goods would insure for, or such amount as the Supplier may from time to time reasonably require, to cover any third party or public liability risks of whatever nature and however arising in connection with the Hire Goods; and

- 6.4.3 insurance against such other or further risks relating to the Hire Goods as may be required by law, together with such other insurance as the Supplier may from time to time consider reasonably necessary and advise to the Customer in writing. 6.4.4.any insurance waivers and/or insurance that has not been provided by the Supplier to the Customer, irrelevant of whether the Customer is a Consumer or Business, must be darified and agreed with the Supplier in advance of hiring.
- 6.5. All insurance policies procured by the Customer shall be endorsed to provide the Supplier with at least twenty Business Days' prior written notice of cancellation or material change (including any reduction in coverage or policy amount) and shall on the Supplier's request name the Supplier on the policies as a loss payee in relation to any daim relating to the Hire Period. The Customer shall be responsible for paying any deductibles due on any daims under such insurance policies. Any proceeds of any such insurance shall be paid to the Supplier on demand. The Customer must not compromise any daim in respect of the Hire Goods and/or any associated insurance without the Supplier's written consent.
- 6.6. The Supplier may provide reasonably priced insurance to the Customer in respect of the Hire Goods at an additional cost to the Rental at its discretion and in accordance with separate terms and conditions.
- 6.7. The Customer shall give immediate written notice to the Supplier in the event of any loss, accident or damage to the Hire Goods arising out of or in connection with the Customer's possession or use of the Hire Goods.
- 6.8. If the Customer fails to effect or maintain any of the insurances required under this agreement, the Supplier shall be entitled to effect and maintain the same, pay such premiums as may be necessary for that purpose and recover the same as a debt due from the Customer.
- 6.9. The Customer shall, on demand, supply copies of the relevant insurance policies or other insurance confirmation acceptable to the Supplier and proof of premium payment to the Supplier to confirm the insurance arrangements.

7. DELIVERY AND COLLECTION

- 7.1. Unless otherwise agreed between the Supplier and the Customer in writing, It is the responsibility of the Customer to collect the Hire Goods from the Supplier, and return them to the Supplier at the end of the Hire Period. If the Supplier agrees to deliver Hire Goods to and/or collect the Hire Goods from the Customer it will do so at its standard delivery cost, set out in the Commercial Terms Schedule.
- 7.2. The Supplier shall make the Hire Goods available for collection on the date agreed and at the place specified in the Commercial Terms Schedule, as may be amended from time to time by notice in writing from the Supplier.
- 7.3. If the Supplier agrees to collect the Hire Goods rom the Customer, the Customer shall make the Hire Goods available for collection on the last day of the Hire Period and at the place agreed in writing with the Supplier. The Supplier will collect the Hire Goods within a reasonable time of the Hire Goods being made available for collection by the Customer. In accordance with clause 6 above, the risk in the Hire Goods shall remain with the Customer and the Customer shall remain responsible and liable for any loss, damage or theft to the Hire Goods until the Hire Goods are collected by the Supplier. For the avoidance of doubt, if the Supplier does not agree to collect the Hire Goods in accordance with this clause, the Customer shall



HAF TERMS & CONDITIONS

deliver the Hire Goods to the Supplier at the place specified by the Supplier in the Commercial Terms Schedule, on the last day of the Hire Period.

- 7.4. Where the Customer is a Consumer, and the supply of Hire Goods is delayed by an event outside of the Supplier's control then the Supplier will contact the Consumer as soon as possible and the Supplier will take steps to minimise the effect of the delay. Provided the Supplier does this, the Supplier will not be liable for delays caused by the event, but if there is a risk of substantial delay, the Consumer may contact the Supplier to end the Contract and receive a refund for any Hire Goods which have been paid for but not received.
- 7.5. If the Customer is a business, any dates quoted for delivery or collection of the Sale Goods by the Supplier are approximate only, and the time of delivery or collection is not of the essence. The Supplier shall not be liable for any delay in delivery of the Hire Goods that is caused by a Force Majeure event or the Customer's failure to provide the Supplier with adequate delivery or collection instructions or any other instructions that are relevant to the supply or collection of the Hire Goods.
- 7.6. The Customer will allow and/or procure sufficient access to and from the relevant site and procure sufficient unloading space, facilities, equipment and access to utilities for the Supplier's employees, sub- contractors and/or agents to allow them to deliver or collect the Hire Goods.
- 7.7. If any of the delivery or collection of the Hire Goods are delayed, postponed and/or are cancelled due to the Customer failing to comply with its obligations the Customer will be liable to pay the Supplier's additional standard charges from time to time for such delay, postponement and/or cancellation.
- 7.8. The Customer shall comply with all applicable legislation relating to the use of red diesel and shall not use red diesel in the Hire Goods unless a HMRC approved exemption applies (as set out in latest Excise Notice 75).
- 7.9. On receipt of the Hire Goods from the Customer at the end of the Hire Period, the Supplier shall carry out an inspection of the Hire Goods, to ensure that the Hire Goods do not contain
- 7.10. If the Supplier determines, in its discretion, that the Hire Goods do contain red diesel including trace elements or that any further use of the Hire Goods will be in breach of applicable legislation relating to the use of red diesel the Supplier reserves the right to charge the Customer:
- 7.10.1. for the cost of draining and flushing the fuel system, as may be required to remove all traces of red diesel to ensure the Hire Goods are in a condition for use by other customers using only fully duty paid diesel/biofuels; and
- 7.10.2. a refill charge of white diesel to fill the Hire Goods to full tank capacity
- 7.11. The Customer hereby indemnifies the Supplier in full and on demand against any and all liabilities, costs, expenses, damages and losses ('Liabilities') suffered or incurred by the Supplier arising out of or in connection with any failure by the Customer to comply with clause 7.8 and all relevant legislation, as updated from time to time, in relation to the use of red diesel in the Hire Goods, including but not limited to Liabilities related to the following:
- 7.11.1. any Hire Goods being impounded by HMRC; 7.11.2. any outstanding duty payments on the Hire Goods; 7.11.3. any other legal costs, transportation and other

expenditure appertaining to the return of the Hire Goods where

- the Hire Goods have not been drained or flushed of red diesel to a traceability level accepted by HMRC.
- 7.12. The Customer will notify the Supplier immediately if the Hire Goods are seized or confiscated by any third party.

8. CARE OF HIRE GOODS

- 8.1 The Customer shall:
- 8.1.1. not remove any labels from and/or interfere with or alter the Hire Goods, their working mechanisms, components or any other parts of them and shall take reasonable care of the Hire Goods and only use them for their proper purpose in a safe and correct manner in accordance with any operating and/or safety instructions provided or supplied to the Customer by the
- 8.1.2. notify the Supplier immediately after any breakdown, loss and/or damage to the Hire Goods or of any other material matters relating to the Hire Goods;
- 8.1.3. take adequate and proper measures to protect the Hire Goods from theft, damage and/or other risks;
- 8.1.4. notify the Supplier of any change of its address and upon the Supplier's request provide details of the location of the Hire Goods;
- 8.1.5. permit the Supplier at all reasonable times and upon reasonable notice to inspect the Hire Goods including procuring access to any property where the Hire Goods are situated:
- 8.1.6. keep the Hire Goods at all times in its possession and control and not remove the Hire Goods from the country where the Supplier is located without the prior written consent of the
- 8.1.7. keep the Hire Goods at all times in the country where the Supplier is located and shall only take the Hire Goods out of the relevant country with the prior written consent of the
- 8.1.8. upon the Supplier giving reasonable notice to the Customer, permit or procure the right for the Supplier or its duly authorised representatives to enter the premises at which the Hire Goods may be located for the purpose of collecting the Hire Goods;
- 8.1.9. be responsible for the conduct and cost of any testing, examinations and/or checks in relation to the Hire Goods required by any legislation, best practice and/or operating
- 8.1.10. not do or omit to do anything which the Customer has been notified will or may be deemed to invalidate any policy of insurance related to the Hire Goods;
- 8.1.11. not continue to use Hire Goods where they have been damaged and notify the Supplier immediately if the Hire Goods are involved in an accident resulting in damage to the Hire Goods, other property and/or injury to any person; and
- 8.1.12. where the Hire Goods require fuel, oil and/or electricity to ensure that the proper type and/or voltage is used and that, where appropriate, the Hire Goods are properly installed by a qualified and competent person.
- 8.1.13. ensure that any employees, agents or contractors that operate the Hire Goods are, if applicable, adequately and sufficiently qualified and trained to operate the Hire Goods in accordance with all current and applicable legislation; 8.1.14. take such steps (including compliance with all safety and usage instructions provided by the Supplier) as may be

necessary to ensure, so far as is reasonably practicable, that the

Hire Goods are at all times safe and without risk to health when

they are being set, used, cleaned or maintained by a person;

- 8.1.15. maintain at its own expense the Hire Goods in good and substantial repair in order to keep it in as good an operating condition as it was on the Hire Start Date (fair wear and tear only excepted) including replacement of worn, damaged and lost parts, and shall make good any damage to the Hire Goods;
- 8.1.16. not without the prior written consent of the Supplier, attach the Hire Goods to any land or building so as to cause the Hire Goods to become a permanent or immovable fixture on such land or building. If the Hire Goods do become affixed to any land or building then the Hire Goods must be capable of being removed without material injury to such land or building and the Customer shall repair and make good any damage caused by the affixation or removal of the Hire Goods from any land or building and indemnify the Supplier against all losses, costs or expenses incurred as a result of such affixation
- 8.1.17. not do or permit to be done any act or thing which will or may jeopardise the right, title or interest of the Supplier in the Hire Goods and, where the Hire Goods have become affixed to any land or building, the Customer must take all necessary steps to ensure that the Supplier may enter such land or building and recover the Hire Goods both during the term of the Contract and for a reasonable period thereafter, including by procuring from any person having an interest in such land or building, a waiver in writing and in favour of the Supplier of any rights such person may have or acquire in the Hire Goods and a right for the Supplier to enter onto such land or building to remove the Hire Goods:
- 8.1.18, not suffer or permit the Hire Goods to be confiscated. seized or taken out of its possession or control under any distress, execution or other legal process, but if the Hire Goods are so confiscated, seized or taken, the Customer shall notify the Supplier and the Customer shall at its sole expense use its best endeavours to procure an immediate release of the Hire Goods and shall indemnify the Supplier on demand against all losses, costs, charges, damages and expenses incurred as a result of such confiscation:
- 8.1.19. ensure that at all times the Hire Goods remains identifiable as being the Supplier's property and wherever possible shall ensure that a visible sign to that effect is attached to the Hire Goods; and
- 8.1.20. not do or permit to be done anything which could invalidate the insurances referred to in the Contract.
- 8.2. The Hire Goods must be returned by the Customer in good working order and condition (fair wear and tear excepted) and in a clean condition together with all insurance policies, licences, registration and other documents relating to the Hire
- 8.3. The Customer shall be responsible for all expenses, loss (including loss of Rental) and/or damage suffered by the Supplier arising from any breakdown of the Hire Goods due to the Customer's negligence, misdirection and/or misuse of the Hire Goods including any use of the Hire Goods otherwise than in accordance with the Supplier's instructions.
- 8.4. Subject to clause 9.1, the Supplier will at its own cost carry out all routine maintenance and repairs to the Hire Goods during the Hire Period and all repairs which are required due to fair wear and tear and/or an inherent fault in the Hire Goods The Customer will be responsible for the cost of all repairs necessary to Hire Goods during the Hire Period which arise otherwise than as a result of fair wear and tear, an inherent

- fault and/or the negligence of the Supplier while carrying out routine maintenance and/or repairs.
- 8.5. The Customer must not repair or attempt to repair the Hire Goods or appoint any third party to repair the Hire Goods unless authorised to do so in writing by the Supplier.

9. LOSS OR DAMAGE TO THE HIRE GOODS

- 9.1. Notwithstanding clause 9.2 if the Hire Goods are returned in damaged, unclean and/or defective state except where due to fair wear and tear and/or an inherent fault in the Hire Goods, the Customer shall be liable to pay the Supplier for the cost of any repair and/or cleaning required to return the Hire Goods to a condition fit for rehire and to pay the Rental, in accordance with the provisions of clause 8.4, until such repairs and/or cleaning have been completed.
- 9.2. In respect of any Hire Goods which are lost, stolen or damaged beyond economic repair during the Hire Period the Customer will:-
- 9.2.1. for any Hire Goods less than twelve (12) months old from first registration pay to the Supplier the new replacement cost of the Hire Goods; and/or
- 9.2.2. for any Hire Goods more than twelve (12) months old from first registration, pay for the reasonable cost to replace the Hire Goods, as stipulated by the Supplier.
- 9.3. The Customer shall remain liable to pay the Rental for the Hire Goods up to and including the date it notifies the Supplier that the Hire Goods have been lost, stolen and/or damaged beyond economic repair.
- 9.4. In addition to the obligation in clause 9.3 to pay the Rental, from the date the Customer notifies the Supplier that the Hire Goods have been lost, stolen and/or damaged beyond economic repair until the date the Customer makes a payment to the Supplier for the replacement of the Hire Goods in accordance with clause 9 ("Lost Rental Period"), the Customer shall pay, as a genuine pre-estimate of lost rental profit, a sum as liquidated damages being equal to two thirds of the Rental that would have applied for such Hire Goods during the Lost Rental Period

10. TERMINATION OF THE HIRE PERIOD

- 10.1. This clause is without prejudice to the termination rights set out elsewhere in these conditions, including in clause 15.
- 10.2. [Without prejudice to the Consumers right to terminate set out elsewhere in the Contract or by law (where applicable) the Hire Period has a fixed duration, then subject to the provisions of clause 15 neither the Customer nor the Supplier shall be entitled to terminate the Contract before the expiry of that fixed period unless agreed with the other party.)
- 10.3. If the Hire Period does not have a fixed duration either of the Customer or the Supplier is entitled to terminate the Contract upon giving to the other party a period of notice in accordance with clause 10.4.
- 10.4. If no period of notice has been agreed or specified either party shall be entitled to terminate the hire of the Hire Goods by giving not less than 14 days' notice to the other.
- 10.5. The rights set out in this clause 10 are in addition to any rights the Customer may have under clause 14 (and any other
- 10.6. The Contract shall automatically terminate if a Total Loss occurs in relation to the Hire Goods



HAE TERMS & CONDITIONS

PART 2: TERMS APPLICABLE TO THE SALE OF

11. TITLE, RISK AND INSURANCE

- 11.1. Ownership of any Sale Goods (except to the extent that those Sale Goods are digital content) remains with the Supplier until the earlier of:
- 11.1.1. all monies payable to the Supplier by the Customer for the Sale Goods have been paid in full; or
- 11.1.2. if the Customer is a business and the Customer resells the Sale Goods, in which case title to those Sale Goods shall pass to the Customer at the time specified in Clause 11.2.
- 11.2. Subject to Clause 11.3, if the Customer is a business the Customer may resell or use the Sale Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Sale Goods. However, if the Customer resells the Sale Goods before that time:
- 11.2.1. it does so as principal and not as the Supplier's agent; and
- 11.2.2. title to those Sale Goods shall pass from the Supplier to the Customer immediately before the time at which resale by the Customer occurs.
- 11.3. If the Customer is a business, at any time before title to the Sale Goods passes to the Customer, the Supplier may: 11.3.1. by notice in writing, terminate the Customer's right under Clause 11.2 to resell the Sale Goods or use them in the ordinary course of its business; and
- 11.3.2. require the Customer to deliver up all the Sale Goods in its possession that have not been resold, or irrevocably incorporated into another product and if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the relevant Sale Goods are stored in order to recover them.
- 11.4. Until ownership in the Sale Goods passes to the Customer, the Customer shall:-
- 11.4.1. hold the Sale Goods on a fiduciary basis as the Supplier's bailee;
- 11.4.2. maintain the Sale Goods in satisfactory condition; and 11.4.3. keep the Sale Goods insured against all risks for their full price from the time they leave the physical possession or control of the Supplier.
- 11.5. Risk in the Sale Goods will pass immediately to the Customer when the Sale Goods leave the physical possession or control of the Supplier.

12. DELIVERY AND COLLECTION

- 12.1. Unless otherwise agreed between the Supplier and the Customer in writing, It is the responsibility of the Customer to collect the Sale Goods from the Supplier. If the Supplier agrees to deliver it will do so at its standard delivery cost, set out in the Commercial Terms Schedule.
- 12.2. The Supplier shall make the Sale Goods available for collection on the date agreed and at the place specified in the Commercial Terms Schedule, as may be amended from time to time by notice in writing from the Supplier.
- 12.3. Where the Customer is a Consumer, and the supply of Sale Goods is delayed by an event outside of the Supplier's control then the Supplier will contact the Consumer as soon as possible and the Supplier will take steps to minimise the effect of the delay. Provided the Supplier does this, the Supplier will not be liable for delays caused by the event, but if there is a risk of substantial delay, the Consumer may contact the Supplier to end the Contract and receive a refund for any Sale Goods which

have been paid for but not received.

- 12.4. If the Customer is a business, any dates quoted for delivery or collection of the Sale Goods by the Supplier are approximate only, and the time of delivery or collection is not of the essence. The Supplier shall not be liable for any delay in delivery of the Sale Goods that is caused by a Force Majeure event or the Customer's failure to provide the Supplier with adequate delivery or collection instructions or any other instructions that are relevant to the supply or collection of the Sale Goods.
- 12.5. The Customer will allow and/or procure sufficient access to and from the relevant site and procure sufficient unloading space, facilities, equipment and access to utilities for the Supplier's employees, sub- contractors and/or agents to allow them to deliver or collect the Sale Goods.
- 12.6. If any of the delivery or collection of the Sale Goods are delayed, postponed and/or are cancelled due to the Customer failing to comply with its obligations the Customer will be liable to pay the Supplier's additional standard charges from time to time for such delay, postponement and/or cancellation.

PART 3: TERMS APPLICABLE TO BOTH THE SALE OF GOODS AND THE HIRE OF GOODS, AS THE CASE MAY BE 13. PAYMENT

- 13.1. The amount of any Deposit and/ or Rental for Hire Goods and/ or monies for Sale Goods shall be as quoted to the Customer or otherwise as shown in the Supplier's current price list from time to time. Where a Deposit is required for the Hire Goods it shall be specified in writing by the Supplier and must be paid in advance of the Customer hiring the Hire Goods. The Supplier may, at its option, also require a payment on account of the Rental in advance of the Customer hiring the Hire Goods ('Advance Payment'). In the event that the Supplier notifies the Customer that it requires an Advance Payment, the Customer shall pay the Advance Payment in accordance with the payment terms set out in the Contract.
- 13.2. The Customer shall pay the Deposit and/ or Rental for Hire Goods and/ or monies for Sale Goods and/ or any Advance Payment and/or any other sums payable under the Contract to the Supplier at the time and in the manner agreed in the Commercial Terms Schedule. The Supplier's prices are, unless otherwise stated, exclusive of any applicable VAT for which the Customer shall additionally be liable.
- 13.3. The Supplier may, at its absolute discretion, require the Customer to pay an additional Deposit for the Hire Goods at any time during the Hire Period in the event that the amount of the Rental for the Hire Period may exceed the amount of any Deposit already received from the Customer.
- 13.4. The Supplier shall refund the Deposit to the Customer if, following inspection of the Hire Goods by the Supplier at the end of the Hire Period, the Supplier is satisfied that the Customer has complied with the terms of this Contract in respect of those Hire Goods.
- 13.5. Payment by the Customer on time under the Contract is an essential condition and is of the essence of the Contract. Payment shall not be deemed to be made until the Supplier has received either cash or deared funds in respect of the full amount outstanding.
- 13.6. If the Customer is a business and the Customer fails to make any payment in full on the due date the Supplier may charge the Customer interest (both before and after judgement/ decree) on the amount unpaid at the rate implied by law under

- the Late Payment of Commercial Debts (Interest) Act 1998 (where applicable) or at the rate of 4% above the base rate from time to time of the Supplier's bank whichever is higher. 13.7. If the Customer is a business the Customer shall pay all sums due to the Supplier under the Contract without any set-off, deduction, counterclaim and/or any other withholding of monies.
- 13.8. The Supplier reserves the right to store the Customer's credit card details on its password protected customer account system and further reserves the right to use such details against future Rentals made by the Customer.
- 13.9. The Customer shall be solely responsible for any instruction, guidance and/or advice given by the Customer to any such person and for any damage which occurs as a result of such persons following the Customer's instructions, guidance and/or advice.

14. STATUTORY CANCELLATION RIGHT FOR CONSUMERS

- 14.1. The provisions of this clause 14 only apply to Customers who are a Consumer for the purpose of any hire or purchase of Goods from the Supplier.
- 14.2. Subject to the remainder of this clause 14, if the Consumer is based in the UK or EU and entered into the Contract using methods of distance communications only (i.e. online, phone or email) the Consumer will have the right to change its mind within 14 days after the Goods come into its physical possession, and receive a refund.
- 14.3. If the Consumer wishes to change its mind in accordance with clause 14.2 the Consumer can contact the Supplier using the contact details set out at the end of these terms. When writing to the Supplier, the Consumer can also send a cancellation form as set out in Schedule 1 below.
- 14.4. Where a Consumer exercises its right to cancel under clause 14 and has made payments in advance for Goods that have not been provided to it, then the Supplier will refund these amounts to the Consumer.
- 14.4.1. within 14 days of receipt of the Goods which have been returned by the Consumer; or
- 14.4.2. (if earlier) within 14 days after the day the Consumer provides evidence that they have returned the Goods; or 14.4.3. if no Goods have been provided by the Supplier, within 14 days after the day on which the Supplier is informed of the Consumer's decision to cancel the Contract.
- 14.5. If the Consumer exercises the right to cancel under
- 14.5.1. The Supplier may reduce the refund of the Goods (excluding delivery costs) to reflect any reduction in the value of the Goods, if this has been caused by the Consumer's handling of the Goods which would not be permitted in a shop. If the Supplier refunds the Consumer the price paid before the Supplier is able to inspect the Goods and later discovers that the Consumer has handled the Goods in an unacceptable way, the Consumer will be obligated to pay an appropriate amount specified by the Supplier.
- 14.5.2. If applicable, the maximum refund for delivery costs which will be paid by the Supplier will be the costs of delivery by the least expensive delivery method offered by the Supplier. 14.6. Where the Contract is with a Consumer and: 14.6.1. is for the supply of accommodation, transport of goods, vehicle rental services, catering or services related to leisure activities; and

- 14.6.2. provides for a specific date or period of performance, the Consumer will not have a right to cancel the Contract without incurring any charge or Liability to the Supplier. 14.7. Where the Contract is with a Consumer and is for the supply of digital content, the Consumer will not have a right to cancel the Contract after the Consumer has started to download or stream the digital content.
- 14.8. Where a Consumer cancels the Contract under this clause 14, it shall return any Goods which the Supplier has provided to it at its own cost, unless otherwise expressly agreed in writing.
- 14.9. If the Consumer has another legal or contractual right to terminate the Contract, usually if the Supplier has done something wrong, then the Supplier will refund the Consumer the cost of the Goods (where applicable).

15. TERMINATION

- 15.1. Without affecting any other right or remedy available to it, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer. 15.1.1. fails to make any payment to the Supplier when due without just cause;
- 15.1.2. breaches the terms of the Contract and, where the breach is capable of remedy, has not remedied the breach within 14 days of receiving notice requiring the breach to be remedied:
- 15.1.3. persistently breaches the terms of the Contract; 15.1.4. provides incomplete, materially inaccurate or misleading facts and/or information in connection with the Contract:
- 15.1.5, pledges, charges or creates any form of security over any Hire Goods or proposes to compound with its creditors, creates a trust deed for its creditors, applies for an interim moratorium in respect of claims and/or proceedings, any distress/diligence, execution or other legal process is levied on any property of the Customer, has a bankruptcy petition/petition for sequestration presented against it or the Customer takes or suffers any similar action in any jurisdiction;
- 15.1.6. being a company, ceases or threatens to cease to carry on business, enters into voluntary or compulsory liquidation, has a receiver, administrator or administrative receiver or in the Republic of Ireland an examiner appointed over all or any of its assets, any attachment order/arrestment is made against the Customer, any distress/diligence, execution or other legal process is levied on any property of the Customer or the Customer takes or suffers any similar action in any jurisdiction; 15.1.7. appears to the Supplier (acting reasonably) due to the Customer's credit rating, to be financially incapable of meeting its obligations under the Contract; and/or
- 15.1.8. appears to the Supplier (acting reasonably) to be about to suffer any of the above events.
- 15.2. The Supplier can stop providing an ongoing subscription for digital content at any time provided that the Supplier notifies the Customer in writing at least [one month] in advance and it refunds any sums that the Customer paid in advance for digital content that won't be provided.

16. TERMINATION OR EXPIRY OF THE CONTRACT

16. Termination or expiry of the Contract shall not affect any rights, remedies, obligations or liabilities of the parties that have accrued up to the date of termination or expiry, including the right to claim damages in respect of any breach of the



HAE TERMS & CONDITIONS

Contract which existed at or before the date of termination or expiry.

17. CONSEQUENCES OF TERMINATION

- 17.1. On expiry or termination of the Contract, however caused, the Supplier's consent to the Customer's possession of the Hire Goods shall terminate immediately.
- 17.2. Upon termination of the Contract the Customer shall immediately return the Goods to the Supplier or, as requested by the Supplier or its authorised representatives. The Supplier may enter, without prior notice, the site where the Goods are held and repossess them. The Customer hereby grants or shall procure the right for the Supplier or its authorised representative to enter the site where the Goods are held in order to collect them.
- 17.3. On termination or expiry of the Contract, for any reason: 17.3.1. all monies owed by the Customer to the Supplier shall immediately become due and payable by the Customer; 17.3.2. The Customer shall pay all costs and expenses incurred by the Customer in recovering the Hire Goods or in collecting any sums due under the Contract (including any storage, insurance, repair, transport, legal and remarketing costs). 17.4. [In the event that the Customer is a business and Contract is terminated by the Supplier in accordance with Cause [17.1], without prejudice to any other rights or remedies of the Supplier, the Customer shall pay to the Supplier on demand a sum equal to the whole of the Rental that would (but for the termination) have been payable if the Contract had continued from the date of such demand to the end of the Hire Periord |
- 17.5. Any repossession of the Goods shall not affect the Supplier's right to recover from the Customer any monies due under the Contract and/or any damages in respect of any breach of the Contract.
- 17.6. Any provision of the Contract that expressly or by implication is intended to come into or continue in force on or after termination or expiry of the Contract shall remain in full force and effect.

18. WARRANTIES

- 18.1. This clause 18 shall only apply if the Customer is a business.
- 18.2. Except as set out in this clause 18 all warranties, representations, terms, conditions and duties implied by law relating to fitness, quality and/or adequacy (including the terms implied by sections 13 to 15 of the Sale of Goods Act 1979) are excluded to the fullest extent permitted by law.
- 18.3. The Supplier warrants that, on delivery, the Goods shall: 18.3.1. Conform in all material respects with the Specification; 18.3.2. Be free from material defects in design, material and workmanshin; and
- 18.3.3. Be of satisfactory quality (within the meaning of the Sale of Goods Act 1979.
- 18.4. Subject to Clause 18.6, if:
- 18.4.1. the Customer gives notice in writing to the Supplier within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in clause 18.3; 18.4.2. the Supplier is given a reasonable opportunity of examining such Goods; and
- 18.4.3. the Customer (if asked to do so by the Supplier) returns such Goods to the Supplier's place of business at the

[Customer's] cost.

- 18.5. the Supplier shall, at its option, repair or replace the defective Goods, and/ or refund the price of the defective Goods or in respect of Hire Goods, refund the Rental (as applicable) in full or for the period that the Hire Goods were not available to the Customer, as applicable.
- 18.6. The Supplier shall have no Liability for the Goods' failure to comply with the warranty set out in clause 18.3 if: 18.6.1. the Customer makes any further use of such Goods after giving notice in accordance with clause 18.4 18.6.2. the defect arises because the Customer failed to follow the Supplier's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same; 18.6.3. the defect arises as a result of the Supplier following any drawing, design or specification supplied by the Customer; 18.6.4. the Customer alters or repairs such Goods without the written consent of the Supplier;
- 18.6.5. the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions: or
- 18.6.6. the Goods differ from [the Specification] as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.
- 18.7. Except as provided in this Clause 18, the Supplier shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in Clause 18.3.
- 18.8. These conditions shall apply to any repaired or replacement Goods supplied by the Supplier.

19. LIMITATIONS OF LIABILITY

- 19.1. If the Customer is a business, and the Supplier is found to be liable in respect of any loss or damage to the Customer's property the extent of the Supplier's Liability will be limited to the retail cost of replacement of the damaged property.
- 19.2. If the Customer is a business, the Supplier shall have no Liability to the Customer if, without just cause, any monies due in respect of the Goods have not been paid in full by the due data for nament
- 19.3. If the Customer is a business, the Supplier shall have no Liability for additional damage, loss, liability, claims, costs or expenses caused or contributed to by the Customer's continued use of defective Goods after a defect has become apparent or suspected or should reasonably have become apparent to the
- 19.4. If the Customer is a business, the Customer shall give the Supplier a reasonable opportunity to remedy any matter for which the Supplier is liable before the Customer incurs any costs and/or expenses in remedying the matter itself. If the Customer does not do so the Supplier shall have no Liability to the Customer.
- 19.5. If the Customer is a business the Supplier shall have no Liability to the Customer for any of the following losses (whether direct or indirect):-
- 19.5.1. consequential losses;
- 19.5.2. economic and/or other similar losses;
- 19.5.3. business interruption, loss of business, contracts and/ or opportunity including loss of profits and/or damage to qoodwill; and/or
- 19.5.4. special damages and indirect losses however so arising.
 19.6. If the Customer is a business, subject to clause 19.2 to
 19.5, the Supplier's total Liability to the Customer under and/

- or arising in relation to any Contract, whether in contract, tort (including negligence) and any statutory and/or common law duty shall not exceed 5 times the amount of the Rental or monies payable for Sale Goods (as applicable) under that Contract or the sum of £1,000 (or Euro equivalent) whichever is the higher.
- 19.7. If the Customer is a Consumer and the Supplier fails to comply with these terms, the Supplier is responsible for loss or damage suffered by the Consumer that is a foreseeable result of the Supplier breaching the Contract or failing to use reasonable care and skill, but the Supplier is not responsible for any loss or damage that is not foreseeable. Loss or damage is foreseeable if either it is obvious that it will happen or if, at the time the Contract was made, both the Supplier and the Consumer knew it might happen.
- 19.8. If the Customer is a Consumer, the Supplier only supplies the Goods for domestic and private use. If the Consumer uses the Goods for any commercial, business or re-sale purpose the Supplier will have no liability to the Consumer for any loss of profit, loss of business, business interruption, or loss of business opportunity.
- 19.9. Nothing in the Contract shall exclude or limit the Liability of either party for fraud, death or personal injury due to that party's negligence, nor exclude or limit any other type of Liability which it is not permitted to exclude or limit as a matter of law.

20. GENERAL

- 20.1. Each hire of an item of Hire Goods or purchase of an item of Sale Goods shall form a distinct Contract which shall be separate to any other Contract relating to other Hire Goods or the purchase of other Sale Goods.
- 20.2. The Customer shall be liable for the acts and/ or omissions of its employees, agents, servants and/or subcontractors as though they were its own acts and/or omissions under the Contract.
- 20.3. When dealing as a Consumer, if the Customer has any questions or complaints it may contact the Supplier by telephoning its customer service team on 1800 452 510 or by e-mail at info@kdmhire.ie
- 20.4. If the Customer is a business the Customer agrees to indemnify and keep indemnified the Supplier against any and all losses, lost profits, damages, claims, costs (including legal costs on a full indemnity basis), actions and any other losses and/or liabilities suffered by the Supplier and arising from or due to any breach of contract, any tortious act and/or omission and/or any breach of statutory duty by the Customer.
- 20.5. If the Customer is a business no waiver by the Supplier of any breach of the Contract shall be considered as a waiver of any subsequent breach of the same provision or any other provision. If any provision is held by any competent authority to be unenforceable in whole or in part the validity of the other provisions of the Contract and the remainder of the affected provision shall be unaffected and shall remain in full force and effect.
- 20.6. If the Customer is a business the Supplier shall have no Liability to the Customer for any delay and/or non-performance of a Contract to the extent that such delay is due to any Force Majeure events. If the Supplier is affected by any such event then time for performance shall be extended for a period equal to the period that such event or events delayed such performance.

- 20.7. All third party rights are excluded and no third parties shall have any rights to enforce the Contract by virtue of the Contracts (Rights of Third Parties) Act 1999. This shall not apply to any finance company with whom the Supplier has an outstanding finance agreement relating to the Hire Goods. Such finance company shall, subject to the Supplier's consent, have the right to enforce the Contract as if they were the Supplier.
- 20.8. The Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements, promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.
- 20.9. No variation of the Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).
- 20.10. If the Customer is a Consumer, these terms are governed by English law and wherever the Consumer lives the Consumer can bring a claim against the Supplier in the English courts. If the Consumer lives in Wales, Scotland or Northern Ireland, the Consumer can also bring claims against the Supplier in the courts of the country the Consumer lives in. The Supplier can also claim against the Consumer in the court of the country the Consumer lives in. Nothing in these terms affects the Consumer's rights to rely on such mandatory provisions of local law.
- 20.11. Advice about Customers' legal rights where they deal as a Consumer is available from their local Citizens' Advice Bureau or Trading Standards office or if based in the Republic of Ireland your local office of the Director of Consumer Affairs or Citizens Information Centre. Nothing in these conditions will affect these legal rights
- 20.12. If the Customer is a Consumer, the Consumer should be aware that alternative dispute resolution is a process where an independent body considers the facts of a dispute and seeks to resolve it, without a Consumer having to go to court. If the Consumer is not happy with how the Supplier has handled any complaint, the Consumer may want to contact the alternative dispute resolution provider the Supplier uses. The Consumer can submit a complaint to the Citizens Advice Bureau via their website at https://www.citizensadvice.org.uk/ . The Citizens Advice Bureau will not charge the Consumer for making a complaint and if the Consumer is not satisfied with the outcome the Consumer can still bring legal proceedings.
- 20.13. If the Customer is a business, the Contract, and any dispute or daim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of [England and Wales]. Each party irrevocably agrees that the courts of [England and Wales] shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with this contract or its subject matter or formation.

Head Office

KDM Hire (Ireland) Ltd.

Stadium Business Park, Ballycoolin Road, Dublin 11, D11 E2YT Tel: 1800 452 510

Email: info@kdmhire.ie
Website: www.kdmhire.ie

Company registration: 609500



CPA TERMS & CONDITIONS

1. DEFINITIONS

(a) The "Contract" is the Contract between the Owner and the Hirer for the hire of Plant, which incorporates the Offer and is governed by these conditions.

(b) The "Hire Period" shall commence when either the Plant leaves the Owner's depot or place where last employed; and shall continue until the Plant is received back at the Owner's named depot or other agreed location. For the avoidance of doubt the Hire Period includes any time the Plant is being transported to or from site; or is left on site during evenings, nights, weekends, or any Holiday Period.

(c) The "Hirer" is the Company, firm, person, Corporation, or public authority taking the Owner's Plant on hire and includes their successors or personal representatives.

(d) "Holiday Period" covers any cessation of work over Easter, Christmas, and the New Year, as well as any other Bank or Public holidays

(e) "Offer" is the Owner's offer to hire the Plant to the Hirer which will include details of the Plant to be hired, the Hire Period, relevant hire rates and charges and any supplementary conditions to be incorporated into the Contract.

(f) The "Owner" is the Company, firm or person letting the Plant on hire and includes their successors, assignees, or personal

(g) "Plant" covers all classes of Plant, or replacement Plant, machinery, vehicles, equipment, accessories, and any ancillary items, welfare units, accommodation, vehicles, or equipment therefor, which the Owner agrees to hire to the Hirer including any personnel, or anything which is supplied by the Owner to effect the hire, and anything supplied by the Owner for the safe operation and routine inspection and maintenance of the Plant. (h) A "Working Day" shall be from 8.00 am to 4.30 pm, Monday to Thursday, and 8.00 am to 3.30 pm, on Friday allowing a half-hour lunch break each day, unless otherwise specified in the Contract.

(i) A "Working Week" covers the period from 8.00 am on Monday to 3.30 pm on Friday, unless otherwise specified in the Contract.

2. EXTENT OF CONTRACT

No terms, conditions, or warranties other than as specifically set forth in the Offer shall be deemed to be incorporated or to form part of the Contract or shall otherwise govern the relationship between the Owner and the Hirer in relation to the hire of any particular Plant pursuant to the Offer. This excludes all other terms or conditions which the Hirer may seek to apply under any order or acknowledgement or acceptance or similar document and supersedes all prior negotiations, representations, or agreements, whether written or oral unless and to the extent that they are expressly accepted in writing and signed by the Owner. The Owner and the Hirer do not intend that any of the terms of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to the Contract, except that a person who is a successor to or an assignee of the rights of the Owner is deemed to become a party to the Contract after the date of succession or assignment (as the case may be).

3. ACCEPTANCE OF PLANT

Acceptance of the Plant or any personnel supplied by the Owner on site implies acceptance of all terms and conditions herein unless otherwise previously agreed in writing.

4. UNLOADING AND LOADING

The Hirer shall be responsible for the unobstructed access and egress to the site, and where applicable any access road to the site and, unless otherwise agreed in writing, for unloading and loading of the Plant at the site or on the access road; and any personnel supplied by the Owner for such unloading and/or loading shall be deemed to be under the direction and control of the Hirer. Such personnel shall for all purposes in connection with their employment in the unloading and/or loading of the Plant be regarded as the servants or agents of the Hirer (but without prejudice to any of the provisions of clause 13) who shall be solely responsible for all claims arising in connection with unloading and/or loading of the Plant by, or with the assistance of, such personnel.

5. DELIVERY IN GOOD ORDER AND MAINTENANCE: INSPECTION REPORTS

(a) Unless written notification is received by the Owner within 24 hours from the commencement of the Hire from the Hirer, the Plant shall be deemed to be in good order, save for either an inherent fault or a fault not ascertainable by reasonable examination, in accordance with terms of the Contract and to the Hirer's satisfaction, provided that where the Plant requires to be erected on site, the periods stated above shall be calculated from the date of completed erection of Plant. The Hirer shall be responsible for the safe keeping of the Plant, its use in a workmanlike manner within the manufacturer's rated capacity and in accordance with the manufacturer's and/or the Owner's recommendations, and its return on the completion of the Hire Period in equal good order (fair wear and tear excepted).

(b) The Hirer shall at all times when hiring Plant without the Owner's operator or driver take all reasonable steps to keep themselves acquainted with the state and condition of the Plant. If such Plant is continued at work or in use in an unsafe and unsatisfactory state or environment, the Hirer shall be solely responsible for any damage, loss, cost, expense, or accidents whether directly or indirectly arising therefrom. (c) Any inspection report required under the relevant legislation, or a copy thereof, shall be supplied by the Owner, if requested by the Hirer, and returned on completion of the Hire Period.

6. SERVICING AND INSPECTION

The Hirer shall at all reasonable times allow the Owner, the Owner's agents, or insurers to have access to the Plant to inspect, test, adjust, repair, or replace the same. The Hirer shall allow such access during the Working Day. The Owner reserves the right to charge the Hirer for any inspection or maintenance work carried out on the Plant during the Hire Period.

7. GROUND AND SITE CONDITIONS

(a) The Hirer is deemed to have knowledge of the site, the site's access road, the property or land where the Plant is to be delivered or collected, loaded or unloaded, to work on, travel over, be transported over, be erected or dismantled on is suitable for the use of such Plant, and any electronic interference which may affect the Plant.

(b) Subject to 7(a), if, in the opinion of the Hirer, the ground (including any private access road or track) is soft or unsuitable for the Plant, then the Hirer shall supply and lay suitable support in a suitable position for the Plant.

(c) Any suitable support supplied by the Owner is provided

solely to assist the Hirer under their duties within clause 7(b) and expressly not to relieve the Hirer of their legal, regulatory, or contractual obligations to ensure adequate stability of the Plant

(d) The Hirer is responsible for the protection of, and liable for any damage to, any underground, surface or above ground services and utilities including, but not limited to cables, ducts, water pipes and gas lines, and any pavements, bridges, tunnels, and roadways on or adjacent to the site and the Hirer shall liaise as necessary and comply with all requirements of the relevant statutory authority or similar body.

8. HANDLING OF PLANT

a) When a driver or operator or any person is supplied by the Owner with the Plant, the Owner shall supply a person competent in operating the Plant or for such purpose for which the person is supplied and such person shall be under the direction and control of the Hirer. Such drivers or operators or persons shall for all purposes in connection with their employment in the working of the Plant be regarded as the servants or agents of the Hirer (but without prejudice to any of the provisions of clause 13) and the Hirer shall be solely responsible for all site costs and claims arising in connection with the operation of the Plant by the said drivers/operators/ persons.

(b) The Hirer shall not allow any other person to operate such Plant without the Owner's prior written consent.
(c) Such drivers or operators or persons shall not operate any other plant or machinery or undertake work other than that for which they are supplied by the Owner unless previously agreed in writing between the Owner and the Hirer.

9. BREAKDOWN, REPAIRS AND ADJUSTMENT

(a) Any breakdown or the unsatisfactory working of or damage to any part of the Plant must be notified immediately to the Owner and confirmed in writing. Any claim for breakdown time will only be considered from the time and date at which written notification is received and acknowledged by the Owner. (b) Full allowance for the hire charges set out in the Offer will be made to the Hirer for any stoppage due to breakdown of the Plant caused by the development of either an inherent fault or a fault not ascertainable by reasonable examination or fair wear and tear and for all stoppages for normal running repairs in accordance with the terms of the Contract.

(c) The Hirer shall not repair, modify, or alter the Plant without the prior written permission of the Owner (including without limitation the changing or repair of any tyre/puncture). The Hirer is responsible for all costs incurred in the changing or replacement of any tyre (which must be of an equivalent specification) as approved by the Owner and for the repair of any puncture.

(d) The Hirer shall be responsible for all expense involved arising from any breakdown, unsatisfactory working of or damage to any part of the Plant due to the Hirer's negligence, misdirection, or misuse of the Plant, whether by the Hirer or their servants, and for the payment of hire at the idle time rate as defined in clause 25, during the period the Plant is necessarily idle due to such breakdown, unsatisfactory working or damage. The Hirer is responsible for the cost of spares and/or repairs due to theft, loss, or vandalism of the Plant. The Owner will be responsible for the cost of repairs, inclusive of

the cost of spares, to the Plant involved in breakdown from all other causes

10. OTHER STOPPAGES

No daims will be admitted (other than those allowed for under "Breakdown" (dause 9) or for "Idle Time" (dause 25), as herein provided), for stoppages through causes outside the Owner's control, including but not limited to adverse weather and/or ground conditions nor shall the Owner be responsible for the cost or expense of recovering any Plant from soft or unsuitable ground, or a hazardous environment. For the avoidance of doubt, the Hirer shall be responsible for the cost and expense of recovering any Plant from soft or unsuitable ground or a hazardous environment.

11. LOSS OF OTHER PLANT DUE TO BREAKDOWN

Each item of Plant specified in the Contract is hired as a separate unit and the breakdown or stoppage of one or more units or vehicles (whether the property of the Owner or otherwise) through any cause whatsoever, shall not entitle the Hirer to compensation or allowance for the loss of working time by any other unit or units of Plant working in conjunction therewith, provided that where two or more items of Plant are expressly hired together as a unit, such items shall be deemed to be one unit for the purpose of breakdown.

12. LIMITATION OF LIABILITY

Except for liability on the part of the Owner which is expressly provided for in the Contract (including these clauses): (a) the Owner shall have no liability or responsibility for any loss, or damage of whatever nature due to or arising through any cause beyond the Owner's reasonable control; (b) the Owner shall have no liability or responsibility, whether by way of indemnity or by reason of any breach of the Contract, breach of statutory duty or misrepresentation or by reason of the commission of any tort (including but not limited to negligence) in connection with the hire, for any of the Hirer's loss of profit, loss of use of the Plant or any other asset or facility, loss of production or productivity, loss of contracts with any third party, liabilities of whatever nature to any third party, and/or any other financial or economic loss or indirect or consequential loss or damage of whatever nature; and (c) whenever the Contract (including these clauses) provides that any allowance is to be made against hire charges, such allowance shall be the Hirer's sole and exclusive remedy in respect of the circumstances giving rise to the allowance, and such remedy shall be limited to the amount of hire charges which would otherwise be or become due if the allowance in question had not been made.

(d) For the avoidance of doubt, nothing in these conditions limits or seeks to exclude the Owner's liability for claims of death or personal nijury caused by the Owner's negligence, fraud or for any other liability for which it is not permitted to seek to limit or exclude by operation of law.

13. HIRER'S RESPONSIBILITY FOR LOSS AND DAMAGE

(a) For the avoidance of doubt, it is hereby declared and agreed that nothing in this clause affects the operation of clauses 4, 5, 8 and 9 of these conditions

(b) For the duration of the Hire Period (which for the avoidance of doubt includes the time Plant is left on site during a Holiday Period) the Hirer shall, subject to the provisions referred to in



CPA TERMS & CONDITIONS

sub paragraph (a) be liable for all loss of or damage to the Plant, and shall also fully and completely indemnify the Owner and any personnel supplied by the Owner in respect of all claims by any person whatsoever for injury to person or property caused by or in connection with or arising out of the storage, transit, transport, unloading, loading or use of the Plant during the continuance of the Hire Period, and in connection therewith, whether arising under statute or common law. In the event of loss of or damage to the Plant, hire charges shall be continued at tidle time rates as defined in clause 25 until the settlement has been agreed. Payment of the settlement must be made within 21 calendar days of the date of the agreement or idle time charges can be reinstated from the date of that agreement. Should idle time charges be re-instated, the agreed settlement figure remains payable in full.

(c) For the avoidance of doubt, notwithstanding any agreement by the Owner to waive hire charges after any agreed period of use of the Plant, the Hirer's obligations specified under clause 13(b) shall continue for the duration of the Hire Period. (d) Notwithstanding the above the Hirer shall not be responsible for damage, loss, or injury, subject to clauses 1(b) and 7:

(i) prior to delivery of any Plant to the site (or, where the site is not immediately adjacent to a highway maintainable at the public expense, prior to its leaving such highway) where the Plant is in transit by transport of the Owner or as otherwise arranged by the Owner,

(ii) during the erection and/or dismantling of any Plant where such Plant requires to be completely physically erected/ dismantled on site, provided always that such erection/ dismantling is under the exclusive control of the Owner or their agent

(iii) after the Plant has safely been removed from the site, and until it is in transit on a highway maintainable at the public expense (or where the site is not immediately adjacent to a highway maintainable at the public expense including the site's access road, after it has safely joined such highway) to the Owner by transport of the Owner or as otherwise arranged by the Owner (excluding always on such occasion that the Plant is on a Public Highway (or access road) during the currency of the hire and is being utilised by the Hirer)

(iv) where the Plant is travelling to or from a site on a highway maintainable at the public expense (or, where the site is not immediately adjacent to a highway maintainable at the public expense including the site's access road, prior to its leaving or after its joining such highway) under its own power with a driver supplied by the Owner (excluding always on such occasion that the Plant is on a Public Highway (or access road) during the currency of the hire and is being utilised by the Hirer).

14. NOTICE OF ACCIDENTS

If the Plant is involved in any accident resulting in injury to persons or damage to property, immediate notification must be given by the Hirer to the Owner by telephone and confirmed in writing to the Owner no later than 24 hours after such telephone notification. In relation to any claim in respect of which the Hirer is not bound to fully indemnify the Owner, no admission of liability, offer, promise of payment or indemnity shall be made by the Hirer without the Owner's prior written permission.

15. RE-HIRING ETC.

Neither the Plant nor any part thereof shall be re-hired, sub-let, or lent to any third party without the prior written permission of the Owner.

16. CHANGE OF SITE

The Plant shall not be moved from the site to which it was delivered or consigned without the prior written permission of the Owner.

17. RETURN OF PLANT FOR REPAIRS

If during the Hire Period the Owner decides that urgent repairs to the Plant are necessary then the Owner may arrange for such repairs to be carried out on site or at any location of the Owner's nomination. In the event that urgent repairs to the Plant are necessary the Owner shall be obliged to replace the Plant with similar Plant if available, the Owner (but without prejudice to any of the provisions of clauses 9 and/or 13) paying all transport charges involved. In the event of the Owner being unable to replace the Plant the Owner shall be entitled to terminate the Contract forthwith (but without prejudice to any of the provisions of clauses 9 and/or 13) by giving written notice to the Hirer. If such termination occurs: (a) within three months from the commencement of the Hire Period, the Owner (but without prejudice to any of the provisions of clauses 9 and/or 13) shall pay all transport charges involved, or.

(b) more than three months from the commencement of the Hire Period, the Owner (but without prejudice to any of the provisions of clauses 9 and/or 13) shall be liable only for the cost of reloading and return transport.

18. BASIS OF CHARGING

(a) The Hirer shall render to the Owner for each Working Week an accurate statement of the number of hours the Plant has worked each day. When any personnel, operator or driver is supplied by the Owner, the Hirer shall sign their time record sheets. The signature of the Hirer's representative shall bind the Hirer to accept the hours shown on the time records sheets. Where applicable, the Plant's telematics may be checked against the Hirer's statement or operator's signed timesheet, should any conflict arise, then the telematics will take precedence over all other records. (If there is any conflict between the signed timesheet and any other record taken, then the signed timesheet takes precedence.)

(b) The Hirer shall be charged for any toolbox talks, briefings, inductions, mandatory training which the Owner's personnel have to attend prior to or when working on the Hirer's site.
(c) Full allowance will be made for breakdown periods resulting from mechanical or electrical faults or absence of driver or operator supplied by the Owner except where breakdown is due to acts or omissions of third parties and/or the Hirer's missuse, misdirection or negligence, subject however to the provisions of clause 8 of these conditions.
(d) Breakdown time in respect of such periods shall be

allowed for not more than the Working Day less the actual hours worked.

(e) Plant shall be hired out either:

(i) for a stated minimum number of hours per Working Day or per Working Week or,

(ii) without any qualification as to minimum hours. Odd days

at the beginning and at the end of the Hire Period shall be charged pro rata.

(f) Stoppages due to changing of tyres and repairs to punctures will be chargeable as working time up to a maximum of 2 hours for any one stoppage and any excess will be charged for at the appropriate idle time rates.

(g) In the case of Plant which is required to be dismantled for the purpose of transportation, if the Owner agrees to a modification of the hire charge for the period required for assembling on site and dismantling upon completion of the Hire Period, such modification of the hire charge and the Hire Period for which it shall apply shall be stated in the Offer/Contract.

(h) The Hirer shall pay the Owner's invoice within 30 days net unless otherwise agreed.

(i) Any query with the Owner's invoice must be raised in writing by the Hirer within 14 calendar days of receiving the invoice. (j) The Owner in their absolute discretion may agree to accept electronic records and data as an alternative to written statements of the number of hours, time record sheets and other information related to charging that the Hirer is required to provide to the Owner. Such electronic records and data may include but is not limited to telematics automatically generated by the plant and electronic log books.

19. PLANT HIRED ON A DAILY BASIS WITHOUT OUALIFICATION AS TO HOURS

The full daily rate will be charged on a daily basis irrespective of the hours worked except in the case of breakdown for which the Owner is responsible, when the actual hours worked will be charged pro rata of the average Working Day, No hire charge shall be made for Saturday and/or Sunday unless at the Hirer's request, the Plant is actually worked or has been delivered to site or is on standby. The Hirer must inform the Owner if the Plant is going to be used at these times.

20. PLANT HIRED BY THE WEEK OR MONTH WITHOUT OUALIFICATION AS TO HOURS

The weekly or monthly rate shall be charged irrespective of the number of hours worked, except in the case of breakdown for which the Owner is responsible when an allowance pro rata of the agreed weekly rate or pro rata of the agreed wonthly rate will be made for each full Working Day broken down calculated to the nearest half Working Day.

21. PLANT HIRED BY THE WEEK OR MONTH WITH OUALIFICATION AS TO HOURS

The full hire for the period in the Contract will be charged as per the Working Day or Working Week and an additional pro rata charge will be made for hours worked in excess of such period. An allowance will be made for breakdowns for up to the entirety of that Working Day providing always that where the actual hours worked are in excess of the breakdown time, the actual hours worked shall be chargeable. Idle time for this purpose shall be treated as actual working time. An allowance may be made for any Holiday Period that falls within the Working Day or Working Week, provided that the Plant is not available for the Hirer to use during that time.

22. "ALL-IN" RATES

Where "All-In" rates are charged by agreement the minimum period shall be as defined in the Contract and in accordance

with the hire rates and terms contained therein, subject to the provisions of clause 26.

23. PERIOD OF CHARGING

(a) Within the Hire Period, an allowance may be made of not more than 1 day's hire charge each way for travelling time. If the Plant is used on the day of travelling, full hire rates shall be paid for the period of use on that day. If more than 1 day is properly and unavoidably occupied in transporting the Plant, a hire charge at idle time rates shall be payable for such extra time, provided that where Plant is hired for a total period of less than one Working Week, the full hire rate shall be paid from the date of despatch to the date of return to the Owner's named depot or other agreed location.

b) Should the Hirer delay the commencement of the Hire Period for whatever reason, then the Owner reserves the right to charge the Hirer the idle time rate as defined in clause 25 for the intervening period

(c) If the Plant is not made available for collection as agreed between the parties, such Plant shall be deemed with immediate effect to be placed back on hire. The Hirer shall be responsible for the safekeeping of the Plant in accordance with clause 13, and for all the reasonable costs and expenses incurred by the Owner in seeking to collect such Plant. (d) Upon the completion of the Hire Period, the Hirer shall clean and where necessary, decontaminate the Plant. All fuel and contaminates will be removed from bunds, storage tanks and bowsers. The Hirer shall be liable for any costs, liabilities and expenses incurred by the Owner should the Hirer fail to comply with this clause.

24. HIRER'S LIABILITY DURING THE NOTICE OF

a) Where the intended duration of the hire of the Plant is indeterminate or having been defined becomes indeterminate the Contract shall be terminable by 7 working days' notice in writing given by either party to the other except in cases where the Plant has been lost or damaged. Notwithstanding that the Owner may have agreed to accept less than 7 working days' notice of termination, the Hirer's obligations under clause 13 shall continue until the Plant is returned to the Owner in accordance with clause 31 or until the Owner has collected the Plant within the 7 working days following the acceptance of short notice. Oral notice given by the Hirer to the Owner's driver or operator shall not be deemed to constitute compliance with the provisions of this clause.

b) Without prejudice to clause 24(a), should the Hirer fail to make the Plant available for collection by the Owner before the end of the 7 working days' notice, the Hirer's obligations under clause 13 shall continue for a further 3 working days or until such time as the Plant is made available for collection and the Owner has collected the Plant. For the avoidance of doubt, where the Hirer gives a notice pursuant to clause 24(a) but subsequently and with the consent of the Owner, withdraws such notice, the obligations of clause 13 shall continue to apply and the requirements of clause 24 will apply to any later termination of the Contract.

c) If the Hirer terminates the Contract before the Hire Period commences, then the Hirer is liable for all reasonable costs and charges incurred by the Owner or to which the Owner is committed at the time of termination.

d) Should the Hirer terminate the Contract once the Hire Period

CPA TERMS & CONDITIONS

has commenced, the Owner reserves the right to charge the Hirer the balance of the Contract. Where the Hire Period has not commenced but insufficient notice of cancellation is provided by the Hirer to allow the Owner to mitigate the effects of late cancellation, the Owner reserves the right (at its absolute discretion) to charge the Hirer the full balance of the charges for the Hire Period.

e) The Hirer may off-hire the Plant by written notification via an electronic device or application (app.). This off-hire will only be accepted by the Owner, provided the Owner issues an off-hire confirmation to the Hirer.

25. IDLE TIME

When the Plant is prevented from working for a complete Working Week, the hire charges shall be two thirds of the hire rate or such other idle time rate as is agreed in writing by the Owner for the period during which the Plant is not in use. If the Plant works for any time during the Working Day, then the whole of that Working Day shall be charged as working time. In any case no period less than one Working Day shall be reckoned as idle time save for as provided for in clause 18(f). Where an "All-In" rate is charged, idle time is calculated on the machine element only. Full rate will be charged for the operator.

26. WAGES AND OTHER CHARGEABLE ITEMS RELATING TO DRIVERS AND OPERATORS OF PLANT

All chargeable items shall be paid by the Hirer at the rates set out in the Contract save that any subsequent increases before and/or during the Hire Period arising from awards under any wage agreements and/or from increases in the Owner's statutory contribution shall be charged as additions at cost by the Owner and shall be admitted and paid by the Hirer.

27. TRAVELLING TIME AND FARES

Travelling time, fares and similar expenses for drivers, operators and any person supplied by the Owner, incurred at the beginning and end of the Hire Period and where appropriate return fare of the driver, operator and any person supplied by the Owner to their home may be chargeable at cost. No charge shall be made by the Owner for any such expenses incurred by other employees of the Owner for the purpose of servicing, repair, or maintenance of Plant, unless necessitated by the Hirer's negligence, misdirection, or misuse of the Plant.

28. FUEL, OIL AND POWER

(a) Fuel, fuel additives or power shall when supplied by the Hirer and where instructed or specified by the Owner, be of a grade and type specified. The Hirer shall be solely responsible for all damages, losses, costs, and expenses incurred by the Owner if the Hirer fails to supply, maintain, or use the wrong/ contaminated fuel, fuel additives or power rating. Fuel, fuel additives or power when supplied by the Owner, to be charged at an agreed cost.

(b) If the Plant requires an electrical supply to either safely operate or recharge, then the Hirer will be responsible for the cost of providing the correct electrical supply, which will be available prior to the Plant's delivery, and continue until the Plant has left the site. The Hirer shall ensure that all current Health and Safety and other applicable legislation and industry guidance is complied with including fitting, testing and inspection of the supply. The Hirer will indemnify the Owner

against any and all damages, losses, or claims should the Hirer fail to do so.

29. SHARPENING OF DRILLS/STEELS ETC.

The cost of re-sharpening or replacement of drill bits, blades, bucket teeth and other ancillary items shall be borne by the Hirer.

30. OWNER'S NAME PLATES

The Hirer shall not remove, deface, or cover up the Owner's name plate or mark on the Plant indicating that it is the Hirer's property, without the prior written permission of the Owner.

31. TRANSPORT

The Hirer shall pay the cost of and if required by the Owner, arrange transport of the Plant from the Owner's depot or other agreed location to the site and return to the Owner's named depot or other agreed location on completion of the Hire Period.

32. GOVERNMENT REGULATIONS

a) The Hirer will be responsible for compliance with all relevant legislation, regulations, instructions, or guidance issued by the Government, Government Agencies, Local Authorities, statutory regulators, and Public/Corporate Bodies established by Parliament/Government including (without limitation) regulations under the Bribery Act, the Civil Aviation Act, the Construction (Design and Management) Regulations, the Environmental Acts, Factories Acts, the General Data Protection Regulation (GDPR), the Health and Safety at Work, etc. Act and observance of the Road Traffic Acts should they apply. including the cost of road fund licences and any insurances made necessary thereby, save that if and during such time as the Plant is travelling, whether for full or part journey from Owner to site and site to Owner under its own power with a driver supplied by the Owner, the Owner and not the Hirer shall he responsible as aforesaid

b) For the avoidance of doubt, the Hirer shall indemnify the Owner against any and all charges, fines, or losses that the Owner may become liable for as a result of the Hirer utilising the Plant during the Hire Period.

33. PROTECTION OF OWNER'S RIGHTS

The Hirer shall not re-hire, sell, mortgage, charge, pledge, part with possession of or otherwise deal with the Plant except as provided under clause 15 and shall protect the same against distress, execution or seizure and shall indemnify the Owner against all losses, damage, costs, charges, and expenses arising as a direct result of any failure to observe and perform this condition except in the event of Government requisition.

34. TERMINATION AND SUSPENSION

(a) The Owner may terminate the Contract forthwith by written notice to the Hirer if one or more of the following events occur: (i) The Hirer defaults in punctual payment of any sum due to the Owner for hire of Plant or other charges payable pursuant to these conditions and fails to remedy such default within 10 working days or such other period as might be considered reasonable under the circumstances upon receiving written notice requiring it to do so;
(ii) The Hirer fails to observe and perform the terms and

conditions of the Contract and fails to remedy such default

within 10 working days of receiving written notice requiring it to do so:

(iii) The Hirer suffers, or the Owner reasonably believes that the Hirer shall suffer, any distress or execution to be levied against them;

(iv) The Hirer makes or proposes to make any arrangement with their creditors or becomes insolvent within the meaning of Section 113 of the Housing Grants, Construction and Regeneration Act 1996 or any amendment or re-enactment thereof for the time being in force; or

(v) The Hirer does or causes to be done or permit or suffer any act or thing whereby the Owner's rights in the Plant may be prejudiced or put into jeopardy.

(b) In the event of termination under sub-paragraph (a) above:

(i) The Hirer must give the Owner or the Owner's agents, immediate unobstructed access to recover the Plant.

(ii) The Owner shall be entitled to claim the hire charges outstanding as at the date of termination of the hire under this clause and return transport charges under clause 31.

(c) The rights under sub-paragraph (a) and (b) above:

(i) May be exercised notwithstanding that the Owner may have waived some previous default or matter of the same or a like nature.

(ii) Shall not affect the Owner's right to claim damages for breach of Contract or recover any sums due under the Contract as a debt.

(d) If the Hirer does not make payment of a sum by the final date on which payment is due to be made, the Owner has the right to suspend performance of its obligations under the Contract. The right to suspend may not be exercised without first giving to the Hirer at least 7 working days' notice in writing of the Owner's intention to suspend performance, stating the ground or grounds on which the Owner intends to suspend performance. The right to suspend performance will cease when the Hirer makes payment in full of the amount due.

35. CHANGES IN NORMAL WORKING WEEK

The foregoing provisions have been framed upon the basis of the Hirer working a 5-day week of 39 hours; it is hereby agreed that in the event of:

(a) there being any agreed change in the normal weekly hours in the industry in which the Hirer is engaged or, (b) the Contract being made with reference to a 5-day week of other than 39 hours. Clauses 1(h) and (i), 18(d) and (e), 20 and (in regard to breakdown allowance and reduction for statutory holidays) 21 shall be deemed to be modified conformably and in the event of an alteration in the normal weekly working hours in the said industry the "Hire Rates and Terms" of Plant hired for a minimum weekly or daily period shall be varied

36. DISPUTE RESOLUTION

(a) The Owner will determine which court will have exclusive jurisdiction and interpretation of the law for this Contract be it governed by the country where the Owner's Head Office or site is located.

(b) Both parties to the Contract have a right to refer any difference or dispute arising under or in connection with the Contract to adjudication and the procedure set out in Part 1 of the Scheme for Construction Contracts (England and Wales) Regulations 1998 or such equivalent legislation which confers on the parties the statutory right to adjudicate within

the relevant jurisdiction (or any amendment or re-enactment thereof for the time being in force) will apply. The person (if any) specified in the Contract to act as adjudicator may be named in the Offer. The specified nominating body to select adjudicators shall be the Construction Plant-hire Association acting by its President or Chief Executive for the time being. (c) The Owner and the Hirer shall comply forthwith with any decision of the adjudicator; and shall submit to summary judgment and enforcement (and/or, under Scots law, shall consent to a motion for summary decree and submit to enforcement) in respect of all such decisions; in each case. without any defence, set-off, counterclaim, abatement, or deduction. Where, under Scots law, the Owner, the Hirer, or the adjudicator, wishes to register a decision of the adjudicator for execution in the Books of Council and Session, any other party shall, on being requested to do so, forthwith consent to such registration by subscribing the decision before a witness.

37. LATE PAYMENTS

The Owner reserves the right to charge the Hirer for the late payment of any outstanding invoices under the Late Payment of Commercial Debts (Interest) Act 1998, or any subsequent legislation.

38. SEVERABILITY

If any of these clauses are held to be unlawful, void, or unenforceable, then that clause will be deemed severable and will not affect the validity and enforceability of the remaining clauses, to the extent permitted by law.

Head Office

inted Onte Stadium Business Park, Ballycoolin Road, Dublin 11, D11 E2YT Tel: 1800 452 510 Email: info@kdmhire.ie Website: www.kdmhire.ie

Company registration: 609500



DUBLIN DEPOT

KDM Hire (Ireland) Ltd. Stadium Business Park Ballycoolin Road Dublin 11 D11 E2YT

Tel: 1800 452 510 email: info@kdmhire.ie

MALLUSK DEPOT

KDM Hire Ltd 11 Mallusk Drive Newtownabbey Co. Antrim BT36 4GX

Tel: 028 9084 7100 email: belfast@kdmhire.com

CORK DEPOT

KDM Hire (Ireland) Ltd. Watergrass Hill Cork

Opening Early 2024

VEHICLE RENTAL

KDM Hire Ltd 11 Killycolp Rd Cookstown Co. Tyrone BT80 9AD

Tel: 028 8676 3350 email: info@allroadrental.com

HEAD OFFICE

KDM Hire Ltd 11 Killycolp Rd Cookstown Co. Tyrone BT80 9AD

Tel: 028 8676 6633 email: info@kdmhire.com

CABIN DEPOT

KDM Hire Ltd G1 Kilcronagh Business Park Cookstown Co. Tyrone BT80 9HJ

Tel: 028 8648 0966 email: kcabin@kdmhire.com

CASTLEREAGH DEPOT

KDM Hire Ltd 5 Alexander Road Belfast Co. Down BT6 9HP

Tel: 028 9694 4199 email: castlereagh@kdmhire.com









HIRE TRAINING SALES & SERVICE





SERVICE YOU CAN TRUST

kdmhire.ie